

SCIENTIFIC AMERICAN

[Entered at the Post Office of New York, N. Y., as Second Class Matter. Copyright, 1905, by Munn & Co.]

Vol. XCIII.—No. 19.
ESTABLISHED 1845.

NEW YORK, NOVEMBER 4, 1905.

10 CENTS A COPY.
\$3.00 A YEAR.



Copyright 1904 by Underwood & Underwood

VALLEY OF THE KINGS' TOMBS AT THEBES, WHERE THE MONARCHS OF EGYPT OF THE XVIII. TO XX. DYNASTIES WERE BURIED.—[See page 892.]

SCIENTIFIC AMERICAN

ESTABLISHED 1845

MUNN & CO., - - Editors and Proprietors

Published Weekly at

No. 361 Broadway, New York

TERMS TO SUBSCRIBERS

One copy, one year for the United States, Canada, or Mexico \$3.00
 One copy, one year, to any foreign country, postage prepaid, 80 cts. ad. 4.00

THE SCIENTIFIC AMERICAN PUBLICATIONS.

Scientific American (Established 1845) \$3.00 a year
 Scientific American Supplement (Established 1850) 50c
 American Homes and Gardens 50c
 Scientific American Export Edition (Established 1891) 50c
 The combined subscription rates and rates to foreign countries will be furnished upon application.
 Remit by postal or express money order, or by bank draft or check.
 MUNN & CO., 361 Broadway, New York.

NEW YORK, SATURDAY, NOVEMBER 4, 1905.

The Editor is always glad to receive for examination illustrated articles on subjects of timely interest. If the photographs are sharp, the articles short, and the facts authentic, the contributions will receive special attention. Accepted articles will be paid for at regular space rates.

A DISCREDITED THEORY.

After reading the description of the ridiculously small results recently achieved at Sandy Hook in the test of a torpedo shell against a target representing the side of a battleship, as given on another page of this issue, our readers will surely agree with us that Congress should make no further appropriations for experiments with projectiles of this kind. The only effect produced on the trial plate, as the result of bursting 183 pounds of high explosive against it, was a slight indentation, which was due, almost entirely, to the striking energy of the shell itself. While we can well understand that the enormous energy of the gases of explosion of gun cotton or nitroglycerine should have caused the idea of exploding a heavy charge against the outside of a battleship to appeal very strongly to the lay mind, we cannot understand why Congress should have authorized this latest trial of the theory, when that theory had been so completely discredited in the tests of the Gathmann torpedo shell some four or five years ago.

Let it now be set down once and forever that not 200 pounds, nor twice 200 pounds, of high explosive is sufficient to "blow the modern battleship out of existence." If the events of the naval conflict in the Far East have taught us anything at all, they have surely taught us this: that unless the charge should be so fortunate as to explode in or at the neighborhood of the magazine, a single torpedo or a single mine will not send a battleship to the bottom, or wreck it beyond the possibility of repair. If anyone doubts this, let him look at the Port Arthur fleet, the ships of which, after receiving some of them not one, but several blows, full and square from the mine and the torpedo, were so far repaired under emergency conditions, as to be able to go forth and fight that seven-hour engagement with the Japanese fleet on August 10.

Modern ship steel is so tough; the modern system of cellular and compartmental construction is so elaborate; the modern battleship is so big; and its inertia so great, that the detonation of even 400 pounds of high explosive against the side of the ship, as in the case of the "Sevastopol," causes damage which, though extensive, is strictly local, and does not impair the structural integrity of the ship as a whole. The high-explosive armor-piercing shell, which can carry its bursting charge intact through the armor and liberate its energy within the vitals of the ship itself, is the supreme engine of destruction in modern naval warfare; and the thin-walled torpedo shell must be relegated to that museum of discredited inventions, of which the Sandy Hook proving ground contains so many costly exhibits.

ONE YEAR'S OPERATION OF THE SUBWAY.

On October 27 the New York Subway completed its first year of active service, and the statistics of travel and the verdict of the public agree in pronouncing this great engineering work, with one exception, a complete success. During the twelve months, 106,000,000 passengers have been carried, at the average rate of about 300,000 per day. The total number of passengers carried daily on the elevated roads works out at an average of about 717,000 per day, so that a reasonable estimate of the number of passengers carried by the Elevated and Subway combined reaches the enormous figure of over 1,000,000 per day.

The figures for the Subway are the more remarkable when we bear in mind that only a portion of it has been in active operation for the whole twelve months. The Lenox Avenue branch to West Farms, the section from the Brooklyn Bridge to the South Ferry, and about a mile of road north of 135th Street on the Broadway branch, have been in operation only for a portion of the year. The company expects to open the

road from 157th Street to the Harlem Ship Canal by January 1, and next year also the important Brooklyn branch from South Ferry to Flatbush and Atlantic Avenues will be put in service. It is reasonable to expect that with these important additions, the total daily travel will amount to an average of 400,000 per day for the year.

It is not often that a great public improvement in transportation such as this scores such a large and immediate success, running far beyond the preliminary estimates of its usefulness. Save for some confusion in the first few days of operation, due to limited switching accommodation at the terminals, and to the restraining hand laid upon the traffic by the excellent system of block signals on the express tracks, there has been but little interruption to the steady flow of travel. This, however, quickly passed away, and the system has been running day and night, for many months, with an absolutely clock-like precision. The speeds, particularly of the express trains, have been rather over than under the estimate, and the new steel cars, introduced for the first time on this road, have been an unqualified success, running with the smoothness of a Pullman car, and coming through such collisions as have occurred, in a way that proves them to be an excellent protection to the life and limb of the passengers.

The Subway, however, has developed one most serious drawback, which during the hot summer months served to divert a measurable proportion of its traffic to the Elevated roads. We refer to the unexpectedly high temperature and its attending "stiffness" which, in the hottest weather, rendered travel in the Subway, to say the least, extremely uncomfortable. The high temperature is due to the large quantities of heat thrown out by the motors, and developed by the constant use of the brakes. In the winter this heat served to render the Subway temperature comfortable; but as the summer months advanced, it speedily produced the uncomfortable results above referred to. The problem of ventilation is a most serious one, and it has engaged the careful attention of the engineers, and will be made the subject of a forthcoming report. It is gratifying to know that the report will propose a plan which is confidently expected to remedy this serious defect.

MR. HILDENBRAND AND THE MANHATTAN BRIDGE PROBLEM.

At the time that we published illustrations of the new Buda-Pesth bridge, it was not our intention to open the old controversy as to the respective merits of wire cable and eye-bar chain suspension bridges. That problem was very thoroughly investigated some two years ago, and formed the subject of an exhaustive debate by pretty nearly every bridge engineer, who by training and experience was qualified to speak with authority on this subject. The publication of the Buda-Pesth bridge article, however, brought a reply from Mr. Hildenbrand, our editorial comments upon which have induced this engineer to write a reply of considerable length. In his letter of transmission, our correspondent suggests that it would be only justice to him, as well as due to the engineering profession, that we publish his arguments and calculations on which the statements in his former letter were based. The letter will be found on another page, and it is inserted with the understanding that with its publication will close this somewhat belated controversy.

In reading this letter one cannot but be impressed with the courage and fidelity with which the writer pleads for what he himself must feel to be a losing cause; for although political and personal considerations have proved strong enough to reject, in the case of the Manhattan structure, the more scientific and stronger chain bridge in favor of the primitive and now discredited wire type, we are satisfied that if one could take toll of expert engineering opinion both in this country and abroad, it would prove to be almost unanimous in recognizing the theoretical and practical advantages of the eye-bar chain type. We will even go further, and state it as our conviction that the advantages of the rejected design are so elementary, obvious, and material, that if the two designs and the discussion upon them were submitted to any graduating class in engineering at our technical colleges, they would cast their vote, to a man, in favor of the trussed eye-bar chain.

Had it not been for the manifest errors in his argument to prove that the eye-bar chain must weigh over three times as much as the wire cable, we would have let Mr. Hildenbrand's letter pass without comment; but the false premises and fallacious line of reasoning followed in this portion of the letter are such a characteristic example of the "rough-and-ready" methods of argument adopted by the advocates of the wire-cable bridge, and the statements themselves are so very misleading, that this portion of the letter demands an answer.

In estimating the respective breaking strength of the chains and the wire cable, 40 tons per square inch

"as accepted by the Bridge Department," is used by Mr. Hildenbrand for the chain, whereas for the ultimate strength of the wire cable, 112 tons, "the actual strength of individual wires in the Williamsburg bridge" is used. This is manifestly an unfair comparison. To place the wire on the same basis as the chain, we must use the ultimate strength of the wire as specified in the contract for the Manhattan bridge, which requires a unit strength of 100 tons to the inch in the body of the wire, and of 95 tons at the apices. This 95 tons to the inch is, therefore, the proper unit for comparison. Multiplying, then, the chain section by 40 we get 22,200 tons as the breaking strength of one chain, and multiplying 265 by 95 we get 25,175 tons as the breaking strength of one wire cable; so that the Manhattan wire cable is not 33 7/10 per cent stronger, as Mr. Hildenbrand would have us believe, but is only 13 4/10 per cent stronger, if judged, as it surely ought to be, on the common basis of contract requirement.

But the contract requirement, as drawn up by the present Bridge Department, is entirely too favorable to the wire cable; for this 95 tons to the square inch shown by the individual wires must not be taken as applicable to the mass of wires, 20 or more inches in diameter, when strung across the towers and banded into cables. It has been proved that wires assembled in a cable do not possess an aggregate strength equal to the sum of the individual wires as developed in the testing machine. That eminent bridge engineer, the late Mr. Morrison, in working out a wire-cable design for the North River bridge, investigated this subject, and found that while the average strength of five wires, separately tested, was 172,538 pounds to the square inch, the strength of straight wire strands of the same quality of steel, with the wires laid parallel, was only from 150,000 to 146,640 pounds to the square inch, the strands showing about 15 per cent less strength than the individual wires. Strands of special plow-steel wire showed only 188,000 pounds to the square inch ultimate strength, as against an average strength of the individual wires of 226,000 pounds to the square inch. Mr. Morrison, very properly, took only 180,000 pounds as the unit stress in proportioning his cables.

No falling off in strength between the test specimen and the whole bar has ever been urged against an eye-bar chain, and hence, to make the comparison a true parallel, 15 per cent must be deducted from the 95 tons to the square inch unit strength as found above.

But a further reduction of 10 per cent must be made in our estimate of the strength of the assembled wires, to allow for the great fiber stress which occurs in the wire cable due to its bending over the edge of the saddles. In the construction of a wire-cable bridge, as soon as the wires have been strung they are heavily clamped and wrapped with wire applied under considerable tension, and any movement of the wires, one upon another, is thereafter impossible. The cable as thus strung and clamped hangs in a certain curve; but when the massive floor and stiffening trusses have been attached to it, and the live load comes upon it, and it lengthens under the high temperatures of the summer season, the cable will deflect and, of course, will be bent down to a more acute angle at the saddles. The bending of the compacted mass of steel 20 inches in diameter (for the heavy clamping and the pressure of the cable at the saddle render it a compact mass) will cause the outer wires at the point of bending over the edge of the saddle to be strained to an extent which calls for an addition of at least 10 to 15 per cent to the section of the cable, in order to provide for these stresses. If, as in the case of the Manhattan bridge, no increase of section has been made, then a lower unit stress should be used in estimating its total strength, the reduction amounting, at the most conservative estimate, based on a simple mathematical examination, to at least 10 per cent. Adding this 10 per cent to the 15 per cent reduction above referred to, we get a total reduction of 25 per cent, which must be considered, if we are to place the chain and the wire cable upon an even basis, as desired by Mr. Hildenbrand. This brings the unit stress down to 71.25 tons to the square inch, and shows the breaking strength of the wire cable to be 18,331 tons, as against 22,200 tons for the eye-bar chain, from which we see the chain is 17.5 per cent stronger than the cable. Adding 17.5 per cent to the section (265 square inches) of the wire cable, in order to cancel this difference (still following Mr. Hildenbrand's method of argument), and, further, adding 10 per cent for the weight of the suspender saddles, sheathing, etc. (which Mr. Hildenbrand omits) we get a total section for the wire cable of 342 square inches, as against 656 square inches (555 + 20 per cent for weight of eyes and pins) for the eye-bar chain. Therefore, the sections are not as 1 to 3.23, as deduced by our correspondent, but as 1 to 1.95; which agrees very well with the proportion of 1 to 2, as stated in our editorial of September 30.

It is scarcely necessary to point out that, with such serious errors existing in his premises, the whole fabric of our correspondent's argument falls to the ground.

If this question were merely academic, no harm

would be done, but unfortunately this exaggerated estimate of the strength of a wire cable has already postponed the construction of a great public utility for nearly three years; for, to-day, the present Bridge Department has nothing to show for its incumbency but a couple of piers built by its predecessors, and a serious lawsuit induced by its own faulty contract.

THE HEAVENS IN NOVEMBER.

BY HENRY MORRIS RUSSELL, PH.D.

In all probability we shall see a fine display of shooting-stars about the middle of this month. We cannot be quite sure about it, however. It is certain that the earth will cross the path of the meteors which follow in the wake of the lost Biela's comet; but we have no means of knowing whether they will be thickly or thinly spread along this track, and so we cannot tell how much of a shower there will be.

All that can be done is to predict the date of the possible shower, and even this is not as simple a matter as it seems. The orbit of Biela's comet—which these meteors follow—used to intersect the earth's orbit at a point which the earth reaches on November 27 of each year; and for several successive returns the shower came at about that date. But the meteor-swarm has since then passed close to Jupiter, and its orbit has been considerably altered by the planet's attraction. It is a very laborious matter to calculate how large this alteration is, but Dr. Downing, an English astronomer, has done the work. He finds that the orbit has been so changed that the place where it comes nearest the earth's orbit is more than 15,000,000 miles distant from its former position at a point which we reach on November 18. The orbit has also been shifted sidewise, so that those meteors which previously just missed striking the earth will now pass about a million miles away from it, on the side remote from the sun.

If the meteor-swarm, measured in this direction, is more than a million miles in extent, we will pass through part of it, and there will be a conspicuous shower; but if not, we will only see a few straggling shooting-stars, as we did in 1899, when the Leonids suffered the same fate. The Leonids themselves are due on the 13th or 14th of this month, but the thick part of the swarm went by several years ago, and there is no chance of a great display this year.

The Biela meteors are more convenient to observe, for they appear in the early evening, radiating from a point in Andromeda, which is well above the horizon at sunset, so there will be no need to sit up all night to see if we are to get a shower this year.

THE HEAVENS.

The principal constellations visible at 9 P. M. in the middle of November are as follows: Beginning in the west, where the Milky Way cuts the horizon, we see Aquila with its bright star Altair. On the right, and higher up, is the still brighter Vega in Lyra. Above Lyra is Cygnus. The large cross which is the most prominent figure in this constellation is now almost erect. Still following the Milky Way we pass over Cepheus and come to the zigzag line of Cassiopeia, now almost overhead. Then follows Perseus, and below it Auriga with the very bright yellow star Capella. Below this again is Gemini, whose twin stars, Castor and Pollux, have just risen.

To the right of this, a little south of east, Orion is also rising. Above it is Taurus, one of the easiest constellations to remember, since it contains the two star-clusters of the Pleiades and the Hyades. The latter name belongs to the V-shaped group of stars of which Aldebaran is the brightest. The planet Jupiter is at present between these two groups, and far outshines anything else in the sky.

The southeastern sky contains two of the largest and least brilliant of all the constellations, Eridanus and Cetus. Above the latter, southeast of the zenith, is the little triangle which forms the head of Aries. The great square of Pegasus is almost overhead, and Andromeda lies northeast of it, toward Perseus. The uninteresting zodiacal constellations Pisces, Aquarius, and Capricornus occupy the southern and southwestern sky. Lower down is one bright star, Fomalhaut, in the Southern Fish. Higher up and farther west is the planet Saturn. Mars, which is in Capricornus, has just set, but is visible earlier in the evening.

THE PLANETS.

Mercury is evening star in Scorpio. On the 27th he reaches his greatest elongation, but, as he is very far south, he will not be easy to see, though he sets rather more than an hour after the sun.

Venus is morning star in Virgo, and rises about 5:30 A. M. in the middle of the month.

Mars is evening star in Sagittarius and Capricornus, and sets at about 9 P. M. in the middle of the month.

Jupiter is in opposition on the 24th, and is visible all night long. He is farther north now than he has been for seven or eight years, and is admirably placed for observation. Transits and eclipses of one or more of his satellites are visible almost daily, and afford one of the most interesting spectacles that can be seen with any telescope, small or large.

Saturn is in Aquarius, and sets about 11 P. M., so that he is still observable in the evening. Uranus is in Sagittarius too near the sun to be satisfactorily seen.

Neptune is in Gemini in R. A. 6 h. 43 m., dec. 22 deg. 6 min. N. on the 15th, and comes to the meridian about 3 A. M.

THE MOON.

First quarter occurs at 9 P. M. on the 3d, full moon at midnight on the 11th, last quarter at 9 P. M. on the 19th, and new moon near noon on the 26th. The moon is nearest us on the 25th, and farthest away on the 10th. She is in conjunction with Mars on the 2d, Saturn on the 5th, Jupiter on the 13th, Venus on the 25th, and Mercury on the 28th. The conjunction with Saturn is quite close.

THE SUN.

At the date of writing (October 23) two large sun-spots, visible to the naked eye, are in sight at once. No one can say with certainty how long they will last, but if they endure for another rotation of the sun (which is probable) the first of them, which is a large diffuse spot with several nuclei, will reappear at the sun's eastern limb on or about November 7, and remain visible till the 20th. The second, which is smaller but blacker, came into view on October 21, and will pass round the sun's western limb about November 3, reappear on the 17th, and stay in sight till the 30th. Both spots can be seen without other aid than a piece of smoked glass, but their outlines can be better seen with a field-glass, holding the smoked glass close to the eye.

Observatory, Princeton.

TUNNEL BORING IN ANCIENT PALESTINE.

Unmistakable evidence exists that 2,500 years ago certain Hebrew engineers (in the time of King Hezekiah) executed exactly the same kind of work which was carried out in the Simplon tunnel, though perhaps on a slightly smaller scale. Dr. Bertholet, a professor at the University of Basle, is the gentleman who claims to have made this discovery. The Jewish records state that King Hezekiah, or Ezechias, who reigned at Jerusalem 727 B. C., was much troubled at the bad state of the water supplied to the people of that city. He accordingly had a vast reservoir made at the gates of the city, to which water was fed from various springs lying at more or less greater distances from the reservoir in question. At first his project seemed doomed to failure, as there existed, between Jerusalem and the springs, from which the water was to be derived, a high chain of hills, over which it would be impossible to convey the water. It was therefore determined to open a passage for the water through the solid rock; one of the Sirach MSS. dating from this period states in this connection: "Hezekiah fortified his city by bringing water thereto, and he bored through the solid rock by means of bronze, and he collected the water in a reservoir."

It is true that, about fifteen years ago, an open conduit was found in the vicinity of the Holy City, but this appears to have been made by a predecessor of Hezekiah's, which seems to be clearly proven by an inscription in old Hebrew characters found close to Jerusalem and preserved in the Constantinople Museum. Translated, this inscription reads: "The piercing is terminated. When the pick of the one had still not struck against the pick of the other, and while there was yet a distance of three ells, it was possible to hear the voice of one man calling to another across the rock separating them. And the last day of the piercing, the miners met pick against pick. The height of the rock above the heads of the miners was one hundred ells. Then the waters flowed into the reservoir over a length of 1,200 ells."

Recent explorations have enabled this predecessor of the Simplon to be thoroughly identified; it is said to be the Shiloah tunnel, by means of which water was brought down from a source to the east of Jerusalem, and poured into the Pool of Siloam mentioned in the Bible. This conduit is 360 yards long. The distance as the bird flies between the two mouths of the tunnel is also only 360 yards, which proves that the work was not executed in a perfectly straight line—due doubtless to the difficulties which the engineers encountered in their task, which (for the period) was of a really marvelous nature. That the work was commenced from both ends of the tunnel is not only proven by the inscription, but also by the fact that the marks of the boring tools, picks, etc., may still be seen, all bearing in opposite directions. The direction of the tunnel was altered several times during the construction thereof, as there are several short galleries, which were evidently abandoned as soon as it was noted that working was being done out of line. The floor of the tunnel is finished with the greatest care, and the workings vary from five-eighths of a yard to one yard in width by from three feet to nine feet in height, more or less, according to the hardness of the rock.

In the light of modern engineering science, the following questions suggest themselves: How did these old-time engineers gauge their direction, recognize and

remedy their errors in alignment? What tools did they use to execute a piece of work which has remained without equal or rival for 2,500 years? To these inquiries no answer can be given; the wondering student can only turn away with the exclamation: "In good sooth, my masters, there is nothing new under the sun!"

SCIENCE NOTES.

Theoretical crystallography, approached by Steno (1669), but formally founded by Haüy (1781, "Traité," 1801), has limited its development during the century to systematic classifications of form. Thus the thirty-two type sets of Hessel (1830) and of Bravais (1850) have expanded into the more extensive point series involving 230 types due to Jordan (1868), Sohncke (1876), Federow (1890), and Schoenflies (1891). Physical theories of crystalline form have scarcely been unfolded.

The evolutionist is spared the surpassing difficulty of the human element, yet he needs imagination. In its lowest form his imagination is that of the detective who reconstructs the story of a crime; in its highest it demands the power of breaking loose from all the trammels of convention and education, and of imagining something which has never occurred to the mind of man before. In every case the evolutionist must form a theory for the facts before him, and the great theorist is only to be distinguished from the fantastic fool by the sobriety of his judgment—a distinction, however, sufficient to make one rare and other only too common.

The science of architecture, if under this head we include the principles of building construction, and the heating and ventilation of buildings, has done and is doing much of interest and importance to the student of public health science. The air supply, especially for the modern civilized and too often sedentary form of mankind, is in the long run quite as important as the water supply, the milk supply, or any other supply. Surely, we can not be too careful of the purity of a substance which we take into our bodies oftener, and in larger volume, than any other, and which has come, rightly no doubt, and as the result of long and painful experience, to be known as the very breath of life. Human beings may survive and seemingly thrive, even for long periods, in bad air, but for the best work, the highest efficiency, the greatest happiness and the longest life, as well as for perfect health, the very best atmosphere is none too good. Hence the permeability of the walls of houses and other buildings, and the heating and ventilation of dwellings, school houses, churches, halls and other public places, require, and in the near future will receive, a much larger share of our attention than they have to-day.

Aside from their economic value, grape vines are often cultivated for purely ornamental purposes, owing to their beautiful foliage and the rich coloration they assume, the shade they afford, and their hardiness and longevity. The vine is one of the few plants that can be conveniently grown in cities or towns either as bushes or for making delightful arbors that not only beautify the home, but furnish cooling shade and luscious fruit. The more tender sorts can be grown in greenhouses in many regions with good profit, and when grown in pots not only serve as handsome decorations in the dwelling and on the table, but add one of the choicest of morsels to the menu as well. To quote the language of an enthusiast: "The grape is the poor man's fruit, especially one who has only a house lot of the smallest possible dimensions. He can plant vines beside his cottage and their roots will extend and profitably occupy every inch of ground underneath it, and from that small space produce all the fruit his family can consume, while the vines afford shade and protection and add beauty to his little home, occupying no space, either above or below the ground, to interfere with other interests, and producing more fruit in less time and with less labor and attention than any other thing that was ever planted."

Information is being sought by people all over the country on the subject of testing of clays for the various purposes for which they are used, other than road building. Special tests are now carried on to that end. A furnace has been installed by the Department of Agriculture and actual burning tests on clays are now made. In order to further stimulate interest in the development of native clay bodies, a special circular was issued on "The Useful Properties of Clays." The aim of this circular was to give information in the simplest possible way to people who were not supposed to possess technical knowledge of clays. The circular particularly points out that for the year 1902, the last year for which the official figures are valuable, the total imports of foreign clays to this country were valued at \$1,154,805, while the domestic clays produced were valued at \$2,061,072. Since the country possesses unusually fine clay bodies, a great many of which up to the present time await development, any stimulation of interest among the people to develop our native clays must be of great value.

LUDLOW'S FIRST SUCCESSFUL FLIGHT.


Many of the readers of the SCIENTIFIC AMERICAN are probably more or less familiar with the numerous aeronautic experiments of Israel Ludlow, of New York city, whose investigations in the problems of aerial flight have been large in number, sometimes apparently successful, and frequently spectacular. The latest of these occurred on Sunday, October 22, when the aeroplane carrying Charles K. Hamilton, a professional aeronaut, was successfully launched into the air from the east bank of the Hudson River, and after a flight of some minutes' duration, settled gradually into the water near midstream. Mr. Ludlow claims to be entirely satisfied with the experiment, as this, as well as the previous ascensions, was merely a test to determine the capability of the machine to glide to earth from a height to which it had been raised in a manner similar to that of flying a kite. In the former flights, the aeroplane was launched into the air by means of an automobile and a long rope, but as the experiments, in consequence of space limitations, were necessarily short, the flights were rather unsatisfactory, both to the inventor and to the large crowd of inquisitive spectators assembled at the river front and 79th Street, where an open dock space offers the necessary facilities. The experiment of the 22d was intended thoroughly to test the flying, or more properly the gliding properties of the machine, and for this purpose the motive power at the end of the rope, or "kite string," was a powerful tugboat, an arrangement permitting the use as a course of the unbroken sweep above the river.

The aeroplane was placed at the bank side of the dock, and attached to the towing-bits of the tug by means of half-inch Manila hemp rope. After a number of unsuccessful starts—the slack not being completely taken up before the drag acted on the machine—

the aeroplane was at length flung into the air in the teeth of a strong wind, and rose almost perpendicularly under the combined influence of this and of the powerful tractive effort of the vessel. Until a height of approximately 500 feet was attained the rise was rather erratic, for as the puffs of wind struck the machine it would plunge violently from side to side. Hamilton, however, with great coolness, managed to keep the giant white-winged kite on an even keel by shifting his weight from one point to another as the occasion required, and when more than 600 feet of rope had been let out from the tugboat, the machine settled down and followed steadily in the wake of the vessel. The above-mentioned height of 500 feet is probably a fair estimate, as the aeroplane was almost vertically over the boat, with 600 feet of rope let out. Shortly after this a ferryboat crossing the course of the tug necessitated the turning out of the latter at right angles, with consequent slackening of the rope drawing the aeroplane. Before this slack could again be taken up, the aeroplane, gliding forward and downward without apparent lateral movement, gradually and steadily in the face of the wind, had settled to the surface of the river, whence Hamilton was rescued by a launch, slightly damp but as cheerful and unshaken as ever.

This test appears to substantiate other experiments tending to prove that an aeroplane of this type can be


caused to rise, and can be kept in the air as long as the tension on the rope connecting it with the motive power be maintained. Whether or not sufficient power through a prime mover and propellers can be carried by the aeroplane itself to keep it afloat in the air, is still an open question. There can be little doubt, however, that until engines are constructed that are far more powerful and much lighter in weight than those available to-day, it is impossible to launch an aeroplane flying-machine by means of its own power. Mr. Ludlow says that judging from the successful gliding tests just completed, he feels assured that an engine can




Under Way; the Aeronaut Striving to Balance the Plunging Kite-like Structure.



Nearly at the Greatest Height Attained.



The Beginning of the Flight, Just as the Pull Began to Affect the Aeroplane



After the Ascent; Rescuing the Aeronaut from the Floating Machine.

be installed upon the machine sufficiently powerful to keep it afloat after it has been launched by other means. It would be easy to guide the aeroplane, as the mere shifting of the center of gravity—accomplished by the movement of the operator's body—to one side or the other causes a consequent swerve in a corresponding direction.

The aeroplane used in the latest test differs little from that employed in the more recent of the former experiments, and its structure is clearly shown in the accompanying illustrations. The entire body consists of elements or unit cubes five feet on a side. The frame, which is constructed of bamboo and piano wire,

consists of twenty of these cubes, being five cubes broad and four long, while the height is that of one cube edge, five feet. There are two sets of supporting surfaces, one forward of the other, with an open space between. The operator's position is located in this open space. Each set consists of an upper and lower horizontal surface, with a middle surface between these, fixed at a diedral angle, resembling the position of a soaring bird's outstretched wings. The inventor declares that the air flowing through the triangular opening between the upper and middle surfaces gives direction and steadiness to the aeroplane, very much as do the air currents that pass under and between the feathers of the wings of a bird in flight. The ratio of square feet of supporting surface to pounds of combined weight of aeroplane and aeronaut is about $2\frac{1}{2}$ to 1, a value nearly equal to the average proportions of many soaring birds. The movement of the aeronaut in the aeroplane, with intent to guide it, resembles in principle the action, reversed, however, of the air bladder which every fish possesses.

One of the best features is the form of truss bracing, by which it is possible to get 680 square feet of supporting surface to 125 pounds of weight. This is accomplished by running taut piano wires from each corner of the unit cubes and of the squares forming the surfaces of these cubes, to a corner diagonally opposite, and the rigidity and strength of the frame in consequence of this construction is astonishing. The diedral angle of the middle surfaces, in the event of a lateral tipping, makes the surface on the side which is down approach the horizontal, while the other side is inclined upward, and thus corrects the equilibrium, as greater air pressure is exerted on the side that is flat. The value of the dorsal fins has not quite yet been determined, but it is believed that they, as well as the rudder,

tend to steady the aeroplane while in the air. The open space between the forward and rear sets of surfaces tends to decrease the effect of gusts of wind sweeping suddenly upon the machine, as these are prevented from traveling the full length of the aeroplane, the sticks of bamboo crossing this space acting as a fulcrum against which undue air currents must press.

A n important advance which deserves public attention is that relating to standards of purity for food products. The Secretary of Agriculture has been authorized by Congress to fix standards, and in order that they may be just and reasonable he has been authorized to call to his assistance the experts of the Association of Official Agricultural Chemists, and other experts, as

he may see fit, to advise him in regard to such matters. The work of ascertaining these proper standards, in collaboration with the Association of Official Agricultural Chemists, has been committed to the Bureau of Chemistry. Already considerable progress has been made along this desirable line of investigation, and a number of standards of food products has already been fixed by proclamation. It is proposed to extend this useful work until practically all the substances used by our citizens as foods, beverages, and condiments shall have a fixed standard of purity to which all manufacturers may attain by proper care in the preparation of products of this kind.

TEST OF A TORPEDO SHELL.

A few years ago the army officials at the Sandy Hook proving ground were called upon to test an aerial torpedo, built on the Gathmann system, for the construction and trial of which Congress, some time previous, had made a liberal appropriation. The test was described in considerable detail in the SCIENTIFIC AMERICAN of November 30, 1901; and our readers will remember that the failure of the shell was greatly emphasized by the fact that, at about the same time, the army high-explosive armor-piercing shell was tested with very flattering results.

blow the side of the ship bodily inward at the point of impact, or to create such a vertical pressure upon the water that it would be transmitted to the side of the vessel below the armor belt and crush it in. It was to prove whether these theories were right

Sandy Hook proving ground against a backing which was an exact duplicate of the cellular structure of one of our latest battleships at the water-line, and back of the target was a heavy backing of sand, of sufficient mass to hold the target up to its work. The plate was

11½ inches thick, 7½ feet high, and 16 feet wide. Both the plate and the backing were manufactured at Bethlehem by the Navy Department. The structure was assembled at the Brooklyn navy yard, and taken complete to Sandy Hook, where it was set up among the sand hills at the proving grounds.


The Isham shell, which is 12 inches in diameter and 59



Five Shells, Carrying Pressure Gages in the Base, Showing Scoring by Fragments of the Shell.



11½-Inch Plate After Being Struck by Isham Torpedo Shell—Practically Intact.




Side View of Plate, Showing the Plate-Steel Backing Uninjured.

We are now enabled, by the courtesy of the War Department, to publish the accompanying illustrations of the test of another type of aerial torpedo, known by the name of its inventor, W. S. Isham. Mr. Isham is of the opinion (or at any rate, was of the opinion) that the fundamental idea governing the design and manufacture of heavy ordnance, as carried out in our army and navy, is wrong. He believes that, instead of endeavoring to penetrate the armor of a ship with a shell having very thick walls and a comparatively small filler of high explosive, designed to burst the shell in the interior of the ship, it would be better to use a larger shell, carrying a heavier charge, and burst it against or near the outside of the vessel. He believes that the energy of the gases of explosion would be sufficient to

or wrong, that the shell was recently tested at Sandy Hook; and the results proved very decisively that the theories were wrong.

The target consisted of a Krupp armor plate, similar to those protecting the water line on the battleships "Connecticut" and "Louisiana." It was set up on the

inches long, is divided into ten compartments by means of circular diaphragms equally spaced throughout its length. It was loaded with 132½ pounds of explosive gelatine composed of 90 per cent of nitroglycerine, 8 per cent of gun cotton, and 2 per cent of camphor, the last-named substance being used as a deterrent. Each of the separate chambers in the cell is provided with a screw plug opening through which the high explosive can be poured into the shell; the plugs being afterward screwed tightly down into position, as shown in one of the accompanying photographs. The object of dividing the interior of the shell into compartments is to limit the amount of pressure on the high explosive at the base of the shell at the instant of firing. The inertia of the explosive causes it to bear upon the base of



The Isham Shell and the 12-Inch Gun from Which It Was Fired.

Diameter of shell, 12 inches; length, 59 inches; charge, 132½ pounds nitro-glycerine.

TEST OF A TORPEDO SHELL.

the shell with a pressure which is proportional to its mass, and were there no dividing diaphragms there would be a risk of detonating the charge in the gun. The provision of the transverse diaphragms, however, brings the inertia effects well within the limits of safety.

In the recent test the shell, which weighed 970½ pounds, was loaded into a 12-inch 35-caliber gun, and fired with a charge of 82 pounds 10 ounces of smokeless powder with a velocity of 1,417 feet per second at the muzzle of the gun. It struck the target, which was 500 feet distant, with a velocity of 1,400 feet per second, which would be about the striking velocity of the shell, if fired with a full powder charge, at a range of 9,000 yards. The projectile struck the target at about its center and exploded with results which were so insignificant as to be practically negligible. There was a slight indentation of the surface of the plate made by the head of the shell, which was about 12 inches in diameter and 1½ inches deep at the center.

The blast of the gases blew a depression in the sand at the base of the target which was about 5 feet in width, measured from the face, and about 26 inches in depth. The sand was also driven back somewhat from underneath the target, and the ends of the 16 x 16-inch longitudinal timbers upon which the target rested were somewhat split and broomed up. The whole target was moved 2 or 3 inches to the rear, and settled, due to the blowing out of the sand beneath, to about the same number of inches. The integrity of the plate steel structure representing the side of the battleship which formed the backing of the plate was uninjured.

In order to give an approximate test of the soundness of Mr. Isham's theory that the downward pressure of the gases of explosion would drive the water through the side of the ship below the armor belt, five 6-inch shells were buried in the sand at a distance of about 3 feet back from the face of the target, with the axes of the shells placed radially to the center of explosion. In the base of each shell was placed a pressure gage of the type used in determining powder pressures in the gun when large guns are under test. On examining these gages after the shot was fired, the base of the shells presented the appearance shown in the accompanying engraving, which represents the shells after they had been recovered from the sand. In the case of three of them the pressure gage had been struck by flying fragments of the shell and, of course, the pressures recorded were valueless. The first shell, from left to right, was struck by a fragment on the pressure gage, as shown, and revealed a pressure of 16,120 pounds to the square inch. The pressure gage of the second shell was also struck and showed 14,120 pounds to the square inch; the third pressure gage was not struck by fragments, but as it was covered with sand its low pressure of 1,800 pounds to the square inch was considered, like those of the two preceding gages, to be of no value for the purpose of the experiment. The fourth shell, whose pressure gage was struck by a fragment, showed 8,950 pounds to the square inch. The fifth shell, however, was not struck by fragments, and its pressure gage was clear of sand and any obstruction, and therefore, received the unobstructed blast of the gases. Its gage showed a pressure of 4,800 pounds to the square inch, and this must be taken as a fair indication of the downward thrust of the explosion—altogether too small to overcome the inertia of the water, and produce a horizontal component at a depth of, say, 5 to 10 feet, sufficient to burst in the side of a ship.

The failure of this shell, coming after that of the Gathmann shell, should settle once and for all the question of the value of torpedo projectiles for use against modern armored vessels.

Prize Competition for the Prevention of Lead Poisoning.

In order to find effective means for the prevention of lead poisoning to which all workmen occupied in mining, milling, smelting, and refining lead ore, or employing metallic lead or materials containing the same are exposed, a competition is proposed by the International Association for Labor Legislation, Basle, Switzerland, subject to the conditions hereinafter specified. The following prizes are offered:

1. One prize of \$1,200 for the best treatise on the prevention of lead poisoning in the operation of mining and milling lead ores or ores containing lead.
2. One prize of \$2,400 for the best treatise on the prevention of lead poisoning in smelting and refining works.
3. Two prizes, viz., one first of \$600, one second of \$360, for the best treatises on the prevention of lead poisoning in the chemical application of lead, as in white lead works, manufacture of other lead paints, of electric accumulators (storage batteries), etc.
4. Four prizes, viz., one of \$360, one of \$240, two of \$180 each, for the best treatises on the prevention of lead poisoning in the trades of house, ship, coach painting, interior decoration, varnishing, and the like.

5. Four prizes, viz., one of \$360, one of \$240, two of \$180 each, for the best treatises on the prevention of lead poisoning in those trades where raw and manufactured lead are consumed or handled on a large scale, as in type foundries and printing offices.

Each treatise is to contain a systematic review of the special causes giving rise to lead poisoning, in conjunction with a description of the various processes of manufacture, pointing out the dangers occasioned at every phase of procedure, including handling and transportation.

Reference to be made also to the causes due to working at places in which a prolonged occupation is liable to affect the health, to want of cleanliness, lack of proper guidance and instructions, carelessness, poor and inadequate food, irrational way of living, and unhealthy dwellings of the workmen. In connection with the statement of the causes of lead poisoning, measures for their prevention are to be proposed.

Substantial evidence should be given for the proposed preventives as regards their technical, hygienical, and economical feasibility.

The papers may be written either in English, French, or German. Already printed books cannot be taken into consideration by the jury. The ready manuscripts must be put in an envelope bearing only a motto, and lodged with the International Labor Office at Basle on or before the 31st December, 1905.

All letters, inquiries, and other matters pertaining to the present competition, are to be addressed to the International Labor Office, at Basle (Switzerland).

Dynamics of Dreams.

In a recent issue of the New York Medical Record, Dr. Axel Emil Gibson discourses on the "stuff that dreams are made of." In this lengthy article some interesting information is given. For instance, Harvey, of the vascular circulation fame, is said to have recorded a dream in which a bumble-bee stung him in his left thigh, on a place where a couple of days later appeared an ugly ulcer, and Malesherbe, the renowned French author, found himself in a dream attacked by a rowdy who stabbed him in his left breast with a dagger in an area where the following evening he felt the first attack of a severe lobar pneumonia. "The archives of medical reports," the author informs us, "are heavy with cases of a similar character, which have either received no explanation at all, or else have been explained away entirely."

The doctor calls attention to the fact that dreams depend on some other media than those known to us as the five senses. A most conclusive evidence in favor of this view is found in the circumstances that even the blind are able to see in dreams—as witness the experiences recorded by Helen Keller, "Blind Tom," the poet of "Paradise Lost," and others. Hence the conclusion seems to be unavoidable that it is only as far as physical vision is concerned that the optic nerve guides and limits the field of vision.

The author finally arrives at the deduction that dreaming and waking differ in degree and form of manifestation only, not in principle and essence. "Like waking consciousness," he avers, "the dream reveals, but does not create. The same world that surrounds the waking individual surrounds the dreaming, only the viewpoints and media of observation are changed."

Ordinary dreams, Dr. Gibson tells us, are merely undigested consciousness, being made up of longings, desires, anticipations, idle hopes, and miscarried realizations, which, occupying the mind during the day, are overtaken by sleep before having reached their fruition.

The Current Supplement.

The Victoria Falls Bridge over the Zambesi gorge in South Africa was formally opened on September 12 last by Prof. Darwin, head of the British Association, which has been touring and lecturing in South Africa. Harold Shephstone, in the opening article of the current SUPPLEMENT, No. 1557, describes the ceremonies on that occasion, and likewise gives a succinct account of the bridge, illustrating his text with two photographs. The seventh installment of Sir William White's discussion of submarines is also published. The treatise on the iron and steel hull steam vessels of the United States by J. H. Morrison is continued. He completes the discussion of the previous number and starts a new topic, "the Modern Shipbuilding Plants on the Atlantic Coast." Prof. J. C. McLennan contributes the results of his investigations of the induced radio-activity excited in air at the foot of waterfalls. V. Quittner discusses magnetic alloys. An interesting 40-ton block crane with 150-foot radius is described by the English correspondent of the SCIENTIFIC AMERICAN. As part of his paper read before the South African meeting of the British Association for the Advancement of Science Prof. G. H. Darwin gave a graphic description of the evolution of a star. This account will be found in the current SUPPLEMENT. Elle Metchnikoff, sub-director of the Pasteur Institute, gives his views on old age and senile diseases in general.

Engineering Notes.

The question is often asked whether in case of installing a certain horse-power of boilers, say 300 horse-power, it would be more economical to have three boilers of 100 horse-power each or two boilers of 150 horse-power each. By all means have the two larger units, as it will always be found that the larger boilers have less radiation, less air leakage and better combustion than a corresponding horse-power in small units. If it is necessary to have a spare unit for cleaning, let there be another one provided of the same size.

Most of the largest bridges and other steel structures which have been built in late years have been designed by engineers not connected with manufacturing establishments. The manufacturer should confine himself to his legitimate field of manufacturing structural steelwork at so much a pound. The line between engineers and manufacturers will be even more marked in the future, when the same distinction will prevail as now exists between the architect and the contractor. The manufacturers of structural work, in the future, will devote their energies to improvements in their tools and machinery and methods for handling material. Their engineering force will consist of mechanical experts, shop draftsmen and engineers, who, with a thorough knowledge of shop-practice, are skilled in putting the engineers' designs into convenient shape for the workshop.

The economy in burning fuel is a matter requiring great skill and experience, and depends entirely upon the evenness, thickness, and condition of the fire, which controls entirely the air supply, and, therefore, the perfection of imperfection of the combustion. There is very little use in "splitting hairs" over a quarter of a pound of steam consumption of the engine, while the fireman may be losing ten times this quantity of fuel from inefficient boilers or poor firing. It is too often the case that the demands for increased horse-power are met by grate surface too large in proportion to the heating surface of the boiler or forced draft, and too little attention is given to careful firing, with heating and grate surfaces in proper proportion to give best economy, and frequently a great deal of money is spent in obtaining high-class engines and condensers, whereas the principal loss is in the boiler and fire room.

Some interesting experiments upon the use of waste products for motive power have been carried on at Noisel, France. In general the portable or fixed engines which are used on the farms are obliged to use coal which must be brought to the spot at a considerable expense. It is estimated that the engines take 6 or 8 pounds of coal per horse power, costing from four to six cents. The use of gasoline or oil motors is too expensive to be practicable at present on the farms. To see whether the problem of cheap power could not be solved by the use of the different kinds of vegetable waste products which are so abundant, the present experiments were undertaken, and the various products were burned in a gas generator which in turn ran a duplex motor. Wheat straw, oats, waste hay, leaves, reeds, etc., were used. The idea in the present case is to form groups among the neighboring farmers who would possess the apparatus in common, in which case the first cost would not be a heavy one and they would then have a source of cheap power, using a 50-horse-power gas engine. In the present trials the products were collected and after drying were formed into bales weighing 800 pounds per cubic yard. The straw was chopped before baling. We give some of the results which were obtained by burning the different forms of waste material in the gas producer. The latter, which is of the Riché pattern using an upright column, only requires a little coke to keep up the operation. In the case of waste hay, it takes 2.25 pounds to produce a horse-power-hour, and the cost is estimated at \$0.0112 in this case. The hay was charged in the gas-producer without taking any special precautions and was packed down with a rod. The alkaline slag which comes from the furnace may be used as fertilizer. In the case of wheat or oat straw the ash and water are somewhat less than in the former case. The horse-power-hour can be produced by burning 2.3 pounds of straw, at a cost of \$0.0114, or practically the same as with hay. Reeds or moss cannot be used to advantage in the producer unless they are well dried. In fine weather they can be spread in the sun. The cost is greater than above. In the case of dead leaves (ash leaves) which had fallen in the autumn before, allowing the cost of collecting, transporting, and compressing to be \$12 per ton, we find that the horse-power-hour comes as low as \$0.0086. With buckeye leaves it is \$0.0112. Sawdust, shavings, and wood splinters were also tried. Poplar sawdust takes 3.1 pounds to give a horse-power-hour, costing \$0.010. These results show that by the use of proper apparatus it is possible to secure motive power from waste products at a very low rate, and this would be a great advantage on the farm, especially in regions where coal is high.

Correspondence.

Chains vs. Cables in the Manhattan Bridge.

To the Editor of the SCIENTIFIC AMERICAN:

An editorial review of my letter of September 13, published in your issue of September 30, criticises my statements, that an eye-bar chain will weigh about 4.84 times as much as a wire cable of equal strength, and that, therefore, the Manhattan Bridge, if built on the former design, would cost from four to five millions more than if built on the latter plan.

Some doubts are expressed in this editorial, not only as to the correctness of the calculations on which my statements are based, but also about my personal ability for making such calculations. An attempt was made to justify these doubts by relating some historical facts, from which misleading inferences may be drawn, and by comparing certain figures which, being incompletely quoted, give wrong results.

I trust, therefore, that you will accept the following corrections and additional explanations:

In the first place, I beg to state that I do not claim that any kind of wire cable bridge is cheaper than all kinds of chain bridges, but my calculations refer only to a comparison between two bridges of the same length and capacity, and having the same coefficient of safety in all their parts. In this case, a comparison between the weight and cost of two kinds of cables, consisting of different material, is extremely simple, and can be made accurately by "rough and ready methods" without consulting the strain sheets of secondary parts of the bridge. Whoever claims that the latter is necessary and that such a comparison is a complicated problem, known only to few engineers, is either totally inexperienced in the construction of suspension bridges, or he is willfully mystifying a clear matter, in order to avoid a direct response to the simple calculations which he is unable to contradict!

It is claimed, in your review, that I failed to convince the board of eminent engineers about the correctness of my statements. There is no evidence for this assertion. The board never questioned the correctness of the calculations nor contradicted them, and never pointed out where they were wrong, if wrong at all. The fact is, the experts never discussed the question at issue, but they merely ignored it. This can be explained by the circumstance that the eminent engineers were not engaged and paid to discuss or dispute with me questions which did not concern them; they were not engaged for making comparisons between wire and chain cables; they were not asked to determine whether the eye-bar plan was cheap or expensive, nor whether any other design would be better and more economical. They were merely engaged for giving their opinion whether the design, submitted to them, was practical, whether the bridge, after being finished, would be fireproof, durable, and serviceable, and whether it would have sufficient capacity and strength. These questions were answered with "yes," and if I had been a member of the committee I would, with strict adherence to the same questions, have given the same verdict!

The action of the board of engineers is, therefore, no criterion for the correctness or incorrectness of my statements.

Your editorial mentions also the Buda-Pesth bridge, where the question of eye-bar chain or wire cable, considered "purely on its merits," was decided in favor of the former. I beg to say that you were wrongly informed. The fact is that, among many competitive designs, one of a wire cable bridge stiffened by trusses, submitted by the Nuernberg Bridge Works, was selected by a board of eminent bridge experts as the best and was awarded the first prize. The local authorities, however, fully acknowledging that a wire cable would be cheaper, decided in favor of the eye-bar chain for patriotic reasons, because eye-bars could be manufactured at home, while wire had to be imported from other countries. Moreover, wire would have been subject to a heavy import duty, while eye-bars were free from it, which helped considerably to reduce the greater cost of an eye-bar bridge. In spite of this circumstance, favorable to eye-bars, it is conceded that the chain bridge was 12 per cent dearer than the wire bridge would have been, notwithstanding the fact that the unit stress in the eye-bars is relatively about twice as high as it would have been in the wire cables. (These data are taken from the *Zeitschrift des Vereins deutscher Ingenieure*.)

The Buda-Pesth bridge is, therefore, no criterion for the relative merits of wire or eye-bar cables. Now I will show, by the figures quoted in your editorial, that the proportions of weight between wire and eye-bar cable is not 1:2, as stated therein, but that it was correctly given in my letter of September 13.

One of the wire cables of the Manhattan Bridge is quoted to contain 275 square inches, hence the average section of the cable, if it could be varied like a chain, would be 265 square inches. This, compared with the average section of 555 square inches for the eye-bar

chain, gives the following relative strengths: Breaking strength of one chain: 555×40 tons = 22,200 tons; breaking strength of one wire cable: 265×112 = 29,680 tons. Forty tons is the ultimate strength per square inch of nickel-steel eye-bars, as accepted by the bridge department for the Blackwell's Island Bridge, and 112 tons is the tested actual strength per square inch of the wire in the Williamsburg Bridge.

The wire cables of the Manhattan Bridge are therefore at least 33.7-10 per cent stronger than the eye-bars in the chain bridge design. As my comparison of weight and cost is for cables of equal strength, the true useful section of one chain is therefore $555 \div 33.7$ = 16.46 square inches, to which 20 per cent must be added for eyes and pins, making the actual section of one chain 890 square inches, which, compared with 275 square inches, is not twice, but 3.23 times as much as the section of the wire cable.

The total weight of steel in the bridge is, as correctly quoted, 41,700 tons. Subtracting from this weight the weight of anchor chains, towers, saddle castings and hand-rail ropes amounting to 15,900 tons, we obtain 25,800 tons for the weight of the steel superstructure, of which 12,400 tons are in the main span. Adding to the latter figure 1,760 tons (= 2,400 pounds per lineal foot) for floor measurements and 5,880 tons (= 4 tons per lineal foot) for live load we find the total dead and live load of the main spans to be 20,040 tons, of which the wire cables weigh 3,180 tons and the other parts, including live load, 16,860 tons. To support the same weight of 16,860 tons with eye-bar chains, the total weight of the main span would be $16,860 \div (3.23 \times 3.180)$ = 27,130 tons, which is 35 per cent greater than the present weight. For supporting this increased weight, the former chain section of 890 square inches must be increased in the proportion of 27,130 : 20,040, making it 1,205 square inches, which is 4.38 times as much as the wire cable section.

The discrepancy between this figure and 4.84, as given in my letter of September 13, is due to a difference in the assumption of the relative strength of nickel steel and wire. In the present calculation I compared the strength of nickel steel with the wires in the Williamsburg Bridge, which is as 1 : 2.8, while in my former calculation I assumed the more correct proportion of 1 : 3, because there is no trouble in manufacturing wire having an ultimate strength of 120 tons per square inch. Giving the benefit of the different assumptions to the eye-bar chain, its cost will still be \$3,268,500 more than that of wire cables.

The above given figures are mathematically correct and not based on guesswork, as intimated in your editorial, and it is, therefore, not fair to doubt the figures or make light of them, unless someone clearly shows where they are wrong, if wrong at all.

I took the same standpoint before the board of engineers but, so far, nobody has ever tried to contradict or disprove my calculations. The only attempt to do so, in your editorial, has, as I have demonstrated, failed because in the given weight of the eye-bar chain, the weight of eyes and pins was omitted, and a comparison was made between two kinds of cables, of which one was 33 per cent stronger than the other.

That the anchorages for the wire cable plan are more costly than for the chain cable design, as stated in your editorial, is decidedly an error. The anchorages must resist the pull of the cables, which is in direct proportion to the weight of the bridge. It is therefore impossible that a heavier bridge should require less anchor masonry than a lighter bridge. We have seen that the dead weight of the eye-bar plan is 50 per cent greater than that of the wire bridge, and, including an emergency live load of 8 tons per lineal foot, the former is still 27 per cent heavier and will, therefore, require 27 per cent more anchor masonry than the latter. In the same proportion the anchor chains, the section of the towers, and the area of the foundations must be increased in order to support the greater weight of the eye-bar bridge.

In my first paper on this subject (published in *Engineering News* of March 12, 1903), I have shown that the additional cost for such an increase in anchor chains, anchor masonry, towers, and foundations amounts at least to one million dollars, which, added to the excess of cost of eye-bar chains, demonstrates that a bridge on this design will cost at least \$4,268,000 more than a wire cable bridge of equal size and strength.

It is possible that the chain cable design contains some economic features (for instance, hinged towers) which are not contained in the wire cable design; but all these features are independent from the nature of the cables, and could be adapted to either design. It was not my object to compare two designs in all their details, but to show what influence on the cost of the structure the application of eye-bar chains has, in place of wire cables. We have seen that the difference in cost is so enormous that, in comparing the two designs as they are, and with a liberal allowance for all economic advantages claimed for the eye-bar design, it is evident that the latter will cost fully or nearly

\$4,000,000 more than the present wire cable design, and not \$2,000,000 less, as claimed in your editorial.

WILHELM HILDENBRAND.

New York, October 21, 1905.

[A discussion of this letter will be found in the editorial columns.—Ed.]

The Queen Bee and Poison.

To the Editor of the SCIENTIFIC AMERICAN:

The article entitled "Precautions Against Poisoning the Queen Bee" which I wrote for the SCIENTIFIC AMERICAN has called forth a reply from the editor of an agricultural paper, in which reply the accuracy of my statements is questioned. The article in question summarizes the results of many experiments conducted by myself.

I do not profess to be superior to mistake, but I certainly took much care and sacrificed eleven queens in making my observations, to ascertain how long they live on plain honey. In common with others, I long considered the evidence that queens were frequently seen lapping honey, as conclusive. I determined, however, to test the matter and conducted a series of experiments the deduction from which must "hold the field" until something superior is provided. Not one of the queens experimented with survived 12 hours on unsealed honeycomb kept at a temperature of 65 to 70 deg. F. The unmated queens made the record of nearly 12 hours; none of the laying queens survived two-thirds of that time, some expiring in less than 12 hours.

Now if a queen bee has been kept out of the reach of any attendant bee for twenty-four hours, alive on honey, my observations would be upset, but until some specific statement on these lines be made, I hold to the accuracy of my investigations on this point, and shall await with interest information as to the exact character of other experiments.

Inasmuch as everything stated in my note is impliedly challenged, I may add that the description of what goes on in the wasp's nest is another piece of independent observation. For years I have made a practice of securing several tree-wasp's nests, removing the outer covering and placing the comb in a glass case where the wasps could fly freely out-doors, and their movements could conveniently be watched.

J. M. GILLIES,

Lecturer in Beekeeping, Albert Agricultural College (Government).

Drumcondra, Ireland, October 18, 1905.

Another Spontaneously Moving Stone Ball.

To the Editor of the SCIENTIFIC AMERICAN:

In a recent number of the SCIENTIFIC AMERICAN there was an illustrated description of a monument surmounted by a stone ball, which was apparently spontaneously turning on its support. It may interest your readers to know that an almost exactly similar phenomenon has been observed in the case of a granite cemetery monument in the Bradford district of this city. The monument, which has been erected about ten years, bears on the top of the shaft an immense granite ball nearly eighteen inches in diameter, resting in a cup-shaped depression. Since it was placed in position the ball has moved nearly a quarter of its circumference in a northeast and southwest vertical plane, and the unpolished portion of the ball which originally rested in the depression now faces the northeast horizon.

There seemed to be a great variety of opinions as to the cause of the movement of the ball described in your previous issue, but in the case of the Bradford monument I think the explanation is obvious. It will be noted that the movement of the top of the ball is toward the winter sun. The remains of a lead washer placed between the ball and the shaft, now very much corroded and broken, allow free access of water to the cup-shaped space between. Now let us assume, as would almost certainly be the case, that the depression becomes filled with rain or melted snow, and afterward freezes. As is well known, water in freezing expands with an enormous force quite sufficient to lift even the massive stone ball a small fraction of an inch. Imagine this to occur on a cold night. The next day as the sun moves round to the southwest, it warms the stone and melts the ice on the southwest side first. Naturally the ball will topple over slightly in that direction, and as the remainder of the ice melts will settle down in its new position. A repetition of the process of freezing and thawing will cause it to turn a little farther, and so in the course of years the movement becomes very evident. There are no trees or other obstructions to the sunlight in the vicinity, and it seems as if the all-powerful radiant energy of the sun must be the sole cause of this remarkable movement of a mass of stone weighing at least several hundred pounds.

AUSTIN P. NICHOLS.

Haverhill, Mass., October 25, 1905.

THE TWIN-SCREW LINER "AMERIKA."

The recent maiden trip of the new Hamburg-American twin-screw steamship "Amerika" to the port of New York marked the advent of another of those vast freight and passenger steamships, whose great proportions present emphatic evidence of the enormous growth of the transatlantic freight and passenger business, and of the increasing number of travelers who


can afford to pay the cost of luxurious accommodations.

Modern development of the transatlantic steamship has been along two lines, the first of which marks the growth of a type of ship devoted exclusively to mails and passengers, and driven at the highest speed compatible with requirements of accommodation, strength and safety. These ships are extremely costly to build and operate, and they depend entirely upon the reve-

nue from mails and passengers to enable them to add to the owners' dividends. The steamship companies affirm that so great are the first cost and the current expenses that these ships are not a paying proposition. The other line of development is in the direction of large freight steamers of great carrying capacity, provided with roomy accommodation for passengers, and driven at moderate speeds of from 14 to 17 knots an



The Gymnasium.



Unobstructed Promenade on the Sun Deck, 65 Feet Above the Water.



Main Stairway, Showing Florist's Store in the Far Corner.



The Ladies' Writing Room.



The a la Carte Restaurant.

THE "AMERIKA": THE LATEST TRANSATLANTIC PASSENGER STEAMSHIP.

hour. The vessels of this class, as a rule, charge lower rates than those of the express passenger steamers, and they, of course, take longer to make the passage. In the earlier vessels of this class, like the "Pretoria," the accommodations were not so elaborate as those on the faster boats. But so popular have they become with the public, that the steamship companies of late years have devoted special attention to the passenger accommodations, until in the latest boats they have been brought fully up to the high standard of the fastest mail boats.

To the first type belong such steamships as the "Lucania," "St. Paul," "Oceanic," "La Lorraine," "Kaiser Wilhelm II.," and the "Deutschland." To the latter class belong the "Pretoria," "Celtic," "Baltic," "Ivernia," and now the "Amerika." In this last-named vessel the passenger accommodations and the provision of conveniences tending to reduce the monotony and enhance the comfort of the transatlantic passage have been brought up to the high level of the very latest of the express steamships. In some features, indeed, the "Amerika" excels them.

The "Amerika," which was built at the shipyards of Harland & Wolff, at Belfast, is a twin-screw ship, with a length of just under 700 feet, a beam of 74 feet 6 inches, and a depth of 53 feet. Her gross tonnage is 23,000 tons, and when she is fully loaded she carries 16,000 tons of cargo. Provision is made for four classes of passengers, including 550 first-class, 300 second-

ones measuring 12 x 14 feet and 14 x 8 feet in size.

It is impossible within the limits of the present article to cover all the features of interest in a ship of this size; but among others we may mention the installation of a passenger elevator which extends through four decks; the provision of an *a la carte* restaurant, accommodating 120 persons; the provision of a thoroughly equipped gymnasium, to say nothing of all such accessories as a stateroom telephone service, a nursery with several trained nurses, a complete florist shop, and many other features that serve to bring the accommodations one step nearer to that which can be obtained in the most expensive hotels on shore. The *a la carte* restaurant is located amidships on the upper promenade deck. The idea is an elaboration of the grill-room feature which is so popular on the "Deutschland." The convenience of being able to drop in at any hour of the day or night and order from a bill of fare as elaborate as that of Delmonico's or Sherry's will be appreciated by all seasoned transatlantic travelers. This restaurant, which is easily the most splendid feature of the accommodations, is decorated in the Renaissance style. Its walls are paneled in mahogany and chestnut mounted in bronze, after the style of the latter half of the eighteenth century. The chairs are copies of the old Versailles design, of the same pattern of tapestry as used by Marie Antoinette in the Petit Trianon. The main dining room, which is on the saloon deck, is 100 feet in length by 72 feet in width,

engines are of about 15,000 horse-power, and they stand in a single room surrounded by the condensers, auxiliary engines, and electric lighting plant. This is one of the most convenient engine rooms that we have ever inspected, the whole of the machinery being placed so as to be readily accessible for attention and repairs.

Among the provisions for insuring the safety of the ship is the installation of the system of the Submarine Signal Company, of Boston, which provides a means for communicating through the water between the ship and the shore. By bell signals, the navigator can locate lightships and lighthouses regardless of weather conditions. Dangers from fog and thick weather are safeguarded against by the use of the Stone-Lloyd system for closing the water-tight bulkheads. By pushing a button on the bridge, the water-tight doors of every compartment into which the hull of the ship is divided are closed in a few seconds. As a protection against fire the latest system of extinguishing fire, that of forcing sulphuric acid gas into it, is installed, and may be put in operation immediately upon the sounding of the fire alarm.

Plant Poisons.

The question of the action of poisons in different plants has been examined by G. J. Stracke, a German scientist. We observe that a great number of plants show toxic secretions or excretions, but still continue



The Gallery of the Smoking Room, Showing Stairway. This Handsome Room on Two Decks is Finished in Dark Oak.

THE "AMERIKA": THE LATEST TRANSATLANTIC PASSENGER STEAMSHIP.

class, 250 third or intermediate class, and 2,300 steerage passengers. As the ship carries a crew of 600, it will be seen that with a full passenger list she is literally a floating town, there being altogether no less than 4,000 souls on board. This number is larger than the population of many an inland town that boasts of its opera house, court-house, churches, and all the other accessories that are thought to justify the inhabitants in dignifying it with the name of city. The "Amerika," as seen from near the water level, say from the deck of a ferryboat, presents a most imposing appearance. In the first place, she has a molded depth of 53 feet, the plating being carried up without a break to a height of three decks above the water line. Forward, the plating extends to the fore-castle deck. It is carried up to the same level for nearly two-thirds of the length of the vessel amidships, and it is here that the first and second class accommodation is provided, the great beam of the vessel rendering it possible to build the various halls, restaurants, etc., and even individual staterooms, on a scale of spaciousness that marks a distinct advance in the comfort of transatlantic travel. The staterooms are more commodious than in preceding ships, and there is not a single upper berth in the first-class accommodation. A striking feature is the special suites, of which the Imperial suites are the most splendid, including bedrooms, private sitting rooms, dining rooms, and bathrooms. The rooms in these suites are of unusual size, some of the larger

and it can accommodate about 400 persons at one sitting. The walls are pearl gray, hung with copies of Bouché's best work, the furnishings are of the Louis XVI. period, and the carvings are reproductions of those at Versailles. The safety devices are of the newest and best of their kind.

Two delightful rooms are the ladies' writing room and the drawing room. The prevailing color in the first is a delicate heliotrope, and in the second a soft rose pink. The drawing room is decorated in the Adams style and an exquisite effect is obtained in the Wedgwood plaques which form part of the electric light fittings. It would be difficult to excel the dainty simplicity of this room, or that of the adjoining writing room, which is treated throughout in the Empire style.

Perhaps the most interesting and novel apartment is the Elizabethan smoking room, which is carried out in solid oak in the roughly finished style of the sixteenth century. It consists of two floors connected by a splendid staircase, at the head of which is a decorative painting representing a scene in the Arctic regions, which is noticeable in the accompanying engraving. Around the upper floor is a lovely carved frieze in light wood, illustrative of incidents of the life of St. Hubert, patron saint of hunters.

As the "Amerika" is not a high-speed vessel the engine room does not possess the spectacular features that mark some of the high-powered boats. Her twin

to live, in spite of the poisonous matter which they contain. It is possible that the plant is protected by localizing the poison in some of the tissues or in determined cells, which are thus sacrificed, and that thick walls serve to isolate the dangerous regions from the other parts, but on the other hand it is certain that proto-vegetable matter can exist in contact with the poisons of some bodies without being destroyed. M. Stracke makes some researches which are interesting, even though incomplete. He determines the resistance of a vegetable tissue to solutions of different poisons, according to the degree of plasmolysis and sometimes by a change of color which follows the death of the green tissue. In this way he observes the action of the oxalic acid on a leaf or rather on the outer scales of the leaf, using the *Begonia manicata* which contains a large quantity of oxalic acid, combined or free. The leaf of this plant has a great resistance to solutions of this and other acids in different degrees of concentration: This resistance is greater than other plants show. But while the red scales of the leaf seem to be immunized, some other parts have no more resistance to the poison than other plants. Thus we find a difference in this respect between different tissues. Some cellular juices are even toxic for the neighboring tissues of a plant. We may affirm that there is a relative immunization in the case of the higher vegetables, but the extent to which this occurs does not seem to be definite.

SOME CITIES OF ANCIENT EGYPT.

Thebes, one of the most celebrated of the great cities of ancient Egypt, was situated on both banks of the Nile some four or five hundred miles above the river's mouth. Its Egyptian name was *Waset*, later *Nu (t) Amen*, or "the city of Ammon," while in the Old Testament it appears as *No Amon*. Thebes was the capital of the fourth nome of Upper Egypt, and while of great antiquity, it did not rise to importance until the time of the Eleventh Dynasty, which was of Theban origin. Some of its oldest and most remarkable temples and edifices date from this and the following dynasty, during which periods it was the capital of Egypt.

Thebes began the period of its real greatness, however, under the Theban princes, who expelled the Hyksos invaders and united the whole land under their sway. This was the Eighteenth Dynasty, which saw the city adorned with temples and palaces of unprecedented splendor. During the Nineteenth and Twentieth Dynasties, whose rulers followed the example of their predecessors and added to the beauty and magnificence of their chief city, Thebes by far surpassed the other cities of Egypt in wealth and splendor. Despite the persecution of its worship of the god Ammon and the desecration of its temples by the heretic King Amenophis IV., Thebes continued to flourish, for Seti I. and Ramses II. lavishly restored its despoiled temples and fane, the latter especially devoting enormous wealth to this purpose. During the following or Twenty-first Dynasty, when it ceased to be the capital, the city began to decline, and with the exception of the temporary revival under the Twenty-fifth Dynasty during the seventh century B. C., Thebes gradually but surely sank into insignificance, overshadowed by the rise of new cities, even though its temples were repaired and some new buildings were erected during the reign of some of the latter monarchs, especially the Ptolemies. War, earthquakes, and time completed the destruction, and even in the day of the geographer Strabo (B.C. 24) Thebes was a ruined city as at present.

The city proper lay upon the east bank of the river, between the great temples whose ruins remain to-day at Luxor and Karnak. On the west side of the stream

were extensive suburbs and many palaces and memorial temples, among them those of Ramses III., but in general this side of the river was devoted to the great necropolis, which extended to the Libyan range. The necropolis formed a great city, with its temples and their attached dwellings, schools, stables, storehouses, and other buildings and the dwellings of the numerous artisans employed in the great "city of the dead." The rocky hills bordering the plain were honeycombed with tombs, among them in a narrow

mids, they were intended only for the reception of the sarcophagus. Their structure was practically the same in all. Three corridors, placed one beyond the other, led into the innermost chambers. Small side-chambers sometimes opened off the first corridor; oblong recesses were made at the top of the sides of the second; and small recesses for the reception of the furniture of the dead were provided at the end of the third. The anteroom opened off the third corridor. Beyond this lay the main hall, which contained the massive granite sarcophagus deposited in a hollow in the floor. The roof of this main hall, which was frequently adjoined or even preceded by other chambers, was often supported by pillars.

The walls of the tombs from the entrance to the inner chamber were invariably covered with sacred pictures and texts, executed in bright colors or engraved upon the rock. It was considered essential by the ancient Egyptians that the dead have a knowledge of the information conveyed in these mural decorations, for their future lives. As our next illustration shows, a splendid example of tomb painting of this character is to be seen in the mortuary chamber of Prince Sen-Nofer of Thebes, a dignitary of the Eighteenth Dynasty and overseer of the Gardens of Ammon. It is one of the tombs of Shêkh Abd el-Kurna to the southeast of the Valley of the Kings' Tombs. This splendidly preserved tomb has been explored within recent years. It is distinguished by the beauty and freshness of its paintings, which are all of religious import. The photograph was taken in the innermost or main chamber, and shows two of the four massive columns supporting the room.

In the Valley of the Kings' Tombs shown in the first engraving, the large rectangular opening cut in the hillock sloping up to the cliff which directly faced the camera, is the door of the tomb of Ramses IV. Before it, to the left, are the remarkable tomb of Sethos I., and that of Ramses XI. To the left are also the tombs of Ramses III. and of Amen-meses, a pretender to the throne during the Nineteenth Dynasty. To the right, but hidden by a hill in the foreground, are the tombs of Ramses IX. and of Ramses II. Many other tombs to the number of over forty—of which twenty-five or



Copyright 1904 by Underwood & Underwood.

Brick Store-Chambers of Pithom, the City Built by Hebrew Bondsmen, Looking North—Egypt.

valley the tombs of the monarchs of the Eighteenth to Twentieth Dynasties. The mortuary temples in the plain were dedicated to the manes of the dead, and commemorated the lives of their royal builders, while the tombs proper, which contained the embalmed bodies, were the above-mentioned rock-hewn chambers.

The first of the illustrations is a photograph of this Valley of the Kings' Tombs. These usually consist of a series of passages and chambers hollowed out of the living rock, and, like the corridors within the pyra-



Painted Tomb Chamber of Prince Sen-Nofer in the Great Theban Necropolis, West Shore of the Nile, Egypt.



Copyright 1904 by Underwood & Underwood.

Remarkable Description of a Seven Years' Famine Found on the Island of Schel, First Cataract, Egypt.

more are accessible to-day—are to be found in this portion of the great necropolis, which to-day is known under the native name of Bibân el-Mulûk.

The excavations conducted by Henri Eduard Naville at the site of the ancient city of Pithom in the Nile Delta are among the most interesting of the delvings into the hidden story of Egyptian history. Pithom, the store city of the Pharaohs, a fortress outpost at the edge of the desert for the armies of Ramses II., its founder, and his successors, was built by the Israelite bondsmen. It lies between Ismailia and Tell el-Kebir in the Wâdî Tûmîlât, on the south side of the sweet-water canal from Cairo to Suez.

A few blocks of stone and a monolithic statue were described at this locality by the French engineers who surveyed Egypt at the end of the eighteenth century, but during the next fifty or sixty years all these traces of the historic city had vanished, the blocks being either removed or buried in the shifting sands, and a barely discernible mound or undulation in the desert and the traces of ancient canals were all that marked the site of ancient Pithom. In 1860 a thriving European and native town sprang up because of certain French canal-engineering work. The natives called the place Tell el-Maskhûta, while the French engineer designated it Ramses, through an error of the Egyptologist Lepsius, who believed it to be the site of the ancient city of that name. At the completion of the French undertaking, the town was abandoned, and again soon fell into ruins. During its construction and existence, however, sufficiently strong indications of the presence of archaeological remains had been discovered to induce Naville to conduct excavations, primarily for the purpose, if possible, of determining the route followed by the children of Israel in the Exodus.

From the objects discovered, it was soon proved conclusively that the Egyptian city had been not Ram-

se, but Pithom. Moreover, as was soon learned from numerous inscriptions, later, during the Greek Dynasty, it was changed to the Roman city of Heroôpolis, a name which was abridged to ERO.

Pithom, the city proper, consisted of a large square area inclosed by enormous brick walls. The temple, strangely enough, occupied only a small space in the southwest angle. It, too, was inclosed by heavy brick walls. While considerable limestone had been used in the building and ornamentation, the principal material consists of the usual unburned, sun-dried Egyptian brick. Before the excavation had been under way very long, numbers of thick walls of the crude brick mentioned were uncovered, the bricks of which, joined by layers of thin mortar, had been made without straw. The walls, as shown in the accompanying illustration, rested on the sand and were well made, from two to three yards in thickness and evidently originally of considerable height. They formed rectangular chambers, which had no communication with each other. In the walls, about two yards from the bottom, were holes, probably for timber cross-pieces or floor beams. There were no door or window openings, the contents evidently placed within or withdrawn through the tops, which may have been closed by wooden roofs or merely by awnings.

There is little doubt that these vastly interesting structures were used as the storehouses and granaries of the Pharaohs, for the armies and caravans traveling across the desert, and that they were built by the Hebrew bondsmen. Much corroborative evidence, too, has been produced that Ramses II., the founder of Pithom, was the Pharaoh of the Oppression. Indications, also, of the route of the Exodus were uncovered in the ruins of this fascinating old city.

The fourth engraving is of a famous rock inscription found on the island of Sehêl, below the first cataract of the Nile. Sehêl was dedicated to the god Anukis, and contains the ruins of two temples. Besides, over two hundred inscriptions have been found

engraved upon its rocks and cliffs. It also contains the remains of an ancient quarry, for it was from this region that a great part of the granite rock was procured by the Egyptians for their tremendous architectural and engineering undertakings. One of the temples dates from the time of the Eighteenth Dynasty, the other, which is near the village of Sehêl, on the west side of the island, from the Ptolemaic period. The inscription of the illustration, of the same date



Workers, Queen-Cocoon and Worker-Cocoons of *Lasius lalipes*.

TENACITY OF LIFE IN ANTS.

BY ARLENE M. FIELDS.

Among the insects, ants are remarkable for their longevity. A queen in an artificial nest of M. Charles


more, the last survivor among the decapitated ants having lived forty-one days.

In my nests, no ant has ever been maltreated by its fellows because of its being maimed. Those deprived of some part of the body have been returned, after their recovery from the surgical operation, to their former habitation, and in no case has the cripple received extra attention, either hostile or benevolent.

SUBMERGED ANTS.—When ants are submerged, they cease to struggle after a few minutes, sink to the bottom, and appear to have died. But they may remain in water several days and afterward recover all their activities when dried. Some carpenter ants that I merged for eight days in distilled water at a low temperature revived on being removed from the water, and after a few days resumed their usual occupations in the ant-nest.

This ability of the ants to recover from drowning explains the existence of ants in areas subject to freshets that destroy all other land insects.

FASTING ANTS.—Although ants manifestly suffer and soon die if deprived of moisture, they can exist for considerable periods without food. Experimenting with seven species of ants, small and large, I found that my ants could continue their common activities for several months with no nutriment whatever. The ants were kept in glass cells that were frequently cleansed with alcohol, and were empty of everything except the ants and a bit of sponge saturated with distilled water. Several of the ants lived for seven months in enforced fast, the longest fast being that of one of the common gray ants, a *Formica subsericea*, who lived nearly nine months without food. The fasting ants walked about, and appeared to be in normal health up to the day of death. Such capability to live without nutriment explains the curious fact observed by travelers in deserts, that ants inhabit places



One Worker Regurgitating Food to Another.



Male Ants. (*Stemma fulvum*.)



Camponotus americanus. Two Queens, One Winged, One with Wings Removed.

Janet's lived there to her tenth year, while two queens under the observation of Sir John Lubbock lived, the one into her fourteenth, the other into her fifteenth year. Worker ants in my nests have lived four years after capture, and then been returned to their native soil without having given sign of senility.

MAIMED ANTS.—Ants deprived of a portion of the body show great tenacity of life, but do not regenerate the missing part. After loss of the abdomen they sometimes run with great speed, continue to take care of their young, and to fight with enemies, and appear to be unaware of their own defect. A small brown ant-queen in my formicary lived fourteen days without her abdomen, and was seen to eat. Though the

where they are subject to a complete annihilation of their food supply during long periods of drought.

Among my fasting ants no cannibalism was practiced, and the bodies of those that died were always found to be intact.

Food is, however, necessary to the ant-larvae, the quantity and quality of the nutriment taken while in the larval stage determining the size of the ant within the limits of the species. The larvae, when the food supply is deficient, may live a year or more in the larval state, with scarcely any visible growth, apparently waiting for better days. In prosperous times the larval stage may occupy but twenty days.

DWARFS.—I have reared many dwarf ants by suddenly cutting off the food supply from well-nourished and half-grown larvae. The feeding of the larvae may be stopped by a removal of nearly all the ant nurses that ordinarily furnish food to the undeveloped young, or by depriving the nest of foraging facilities. Under propitious conditions, the larva, fed by the ants, grows to the length of an adult, expels the contents of the alimentary canal, and eats nothing for the five or ten days preceding its pupation. But if suddenly deprived of food, it may enter the resting stage when but half grown, and ultimately become a perfectly formed dwarf ant. To exist as dwarfs is better than no existence at all, and the ants take the better possibility in the great struggle for life.

REGURGITATION OF FOOD.—An advantage accruing to the ants through their commercial life is that of individually receiving food containing a great number of chemical elements that would not be obtained by individual effort. The ant-workers go out to forage in all directions, one imbibing nectar, another fruit, another oil, another insect or animal juices; and all the foragers return to the nest, bearing in their crops an over-supply which is regurgitated to those who have stayed at home. Regurgitation of food is common among the ants, and I have seen an ant that had fasted so long as sixty-two days regurgitate food to a hungry sister. The regurgitating ant holds the globule of pabulum at the end of her tongue, while the recipient laps it therefrom, assuming a posture that facilitates such action. This interchange of food-stuffs must



Larvae and Pupae of *Formica subsericea*.

TENACITY OF LIFE IN ANTS.

whole domestic economy of the ant is dictated and dominated by the sense of smell, the antennae, which are the organs of that sense, may be cut off, and the protected ant may exist without them for fourteen months, as did a queen in one of my nests.

In experiments made by me last year, in which the surgery was carefully aseptic, and the patients were kept at low temperature in a clean ant-hospital, headless ants continued to walk about for a month or

greatly conduce to the well-being of the ants, and enable the colony to persist long under adverse circumstances.

REJECTION OF NON-NUTRIENT SUBSTANCES AND AVOIDANCE OF POISONS.—The ants not only exercise a judicious choice among edibles, but they carefully eliminate all innutrient particles from what they take into the mouth. Into each of four similar nests I put a queen and fifty workers, and during three months fed one group with pure molasses; one with molasses triturated with cochineal; one with molasses triturated with indigo; and one with molasses triturated with turmeric. In every nest the finely pulverized dye-stuff was separated in the mouths of the ants from the nutrient fluid, and was cast out in minute pellets forming a characteristically colored heap in a corner of the nest. In the first nest a pile of brown pellets indicated that non-nutritious particles had been rejected from the unmixed molasses. It is evident that the ants do not burden the digestive organs with innutrient matter, and that the preclusion of all such matter must greatly conserve the energy of the ants in the processes of digestion.

Ants that had fasted ten days did not partake of sweets in which poisons had been incorporated, although their mates ate the unpoisoned sweets with avidity.

When the ants were compelled to walk over viscid sweets with which virulent poisons had been commingled, the ants appeared to die soon after cleaning their feet with use of the tongue, but many of them revived some minutes or some hours later and resumed their normal activities. Even the fumes of cyanide of potassium, which caused the ants to swoon after a brief exposure to it, did not prevent their revival after they were returned to pure air.

EFFECTS OF HEAT ON ANTS.—While the activities of ants in their ordinary occupations, the laying of eggs, the feeding of the larvae, and the hatching of pupae, are all accelerated by rise of temperature to about 82 deg. F. or 27 deg. C., any degree of heat above 90 deg. F. or 32 deg. C. proves injurious to them. In torrid countries it is commonly said that the ants, like the people, take a rest at midday; and the withdrawal of the ants from noontide heat is probably an act of self-preservation.

In experiments recently made by me, a continued application of heat, wet or dry, of a degree so high as 122 deg. F. or 50 deg. C. killed all the ants of the four species used. The larger the ants the longer the exposure required for their extinction, but two minutes compassed the destruction of the largest ants known in the United States. No ant recovered after two minutes in water or in air heated a little more than half way to the boiling point of water, and ant-infested earth raised by any means to this temperature will present no danger of further development of the ants therein nested.


Male ants are much less tenacious of life than are the workers; and workers, usually much smaller, are less hardy than are the queens.

A Dental Invention Which Permits of Painless Work upon Teeth.

By an invention of Dr. Crittenden Van Wyck, of San Francisco, Cal., all dental work, such as drilling into a tooth to remove decay and prepare it for a filling, or to grind down a tooth for a gold cap, or to remove nerves, may now be done painlessly. This is a wonderful advance in dental science, and will take away all dread of approaching the dental chair, when such work becomes necessary. The method has been proven successful during four years' trial. The device of which this note is a brief description is called the Van Wyck obtunder. By its use a tiny spray of ether is thrown upon the tooth to be operated upon. The rapid evaporation of the ether produces coldness, and within a few moments the tooth becomes perfectly numb and all sensation is lost. The dentist can now use his drilling machine, and bore out all decay and properly prepare the cavity for a filling, the spray continuing to run during the cutting operation. The method is therefore very simple and effective. By placing a few drops of a strong perfume in the ether glass receptacle, the odor from the spray is made welcome, the ether odor being almost entirely disguised. No bad effects are noted in any manner from the use of this method. The first shock of coldness is prevented by placing a piece of cotton upon the tooth to be sprayed upon, and thus the temperature is reduced gradually and without any pain. The normal temperature returns to the tooth as soon as the spraying is discontinued, and no after effects of any kind are to be feared. The spray is formed by using twenty pounds of compressed air, and is regulated by a valve. It is directed upon the tooth by a flexible metallic tubing, bent in such a manner as to throw the spray upon any tooth desired.

A STREET-SPRINKLING CURB.

A decided novelty in curbs for sidewalks and streets is provided by the recent invention of Mr. John F. McCoy, 1433 Melpomene Street, New Orleans, La. Imbedded in the concrete curbing is a metal tube provided with perforations in its outer side. The tube is connected with a street hydrant, and when it is desired to sprinkle the street, it is merely necessary to turn the valve of the hydrant, permitting the water to pour into the tube, and out through the perforations. The street can thus be flushed and cleansed of refuse, which



A STREET-SPRINKLING CURB.

will be washed into the gutters and drained off in the usual catch basins at the corners of the street. Obviously this is an improvement upon the costly and primitive methods now commonly followed in our cities of using sprinkling carts; for by merely operating a single hydrant a whole street or a whole section of the city may be sprinkled at once. But aside from its use for sprinkling the streets, this tube serves as a bond to protect the edge of the curb. The edge of the gutter is also protected by imbedding an angle rail in the concrete, as shown in our engraving. Mr. McCoy's patent covers a number of constructions for the sprinkling tube, one of which we show in cross section in Fig. 2. It will be observed that the tube, which is of approximately triangular shape, is made up of two heavy metal sections, one of which forms the bottom and rear walls, and the other the curved outer wall. In the latter are the perforations for sprinkling. The tube is secured in the concrete curb by means of metal straps which fit over the tube and have their lower ends imbedded in the plastic material. Perforations are provided in the straps which register with those in the tubes. These straps are used for coupling together the different lengths of tubing. The perforated wall sections are reduced or offset at the ends so that a recess is formed between the two lengths of tubing which are to be coupled. In this recess the strap snugly fits with its outer face flush with the curved wall of the tube. The sprinkler tube may be fed either from the regular fire hydrant or from the supply pipes of adjacent yards and houses. In the latter case valves are placed at intervals along the tube so that the owners may sprinkle the street in front of their own premises. Fig. 3 shows the sprinkling tube applied to a street railway rail, where it serves both as a bond for the edge of the pavement and as an additional means



AN ODORLESS GAS STOVE.

for sprinkling the street. This curb construction may also be used as a border for yards, garden walks, and the like.

AN ODORLESS GAS STOVE.

The principal objections advanced against gas stoves of the usual type are that they give a very dry heat, and that they almost invariably yield a disagreeable odor. In addition to this the amount of gas consumed is quite large, so that they do not afford very economical heat. In the accompanying illustration we show a new type of gas stove, in which these objectionable features are overcome. It is claimed for this stove that the cost of running it does not exceed that of the ordinary oil stove, that it keeps the air of the room moist, and that it is absolutely odorless. An important feature of the stove is a novel burner which insures a perfect distribution of the mixed gas and air to the burner tips, and which is arranged to be easily taken apart for cleaning purposes. The burner consists of two plates, the lower one of which is coupled to a gas supply pipe projecting through a galvanized-iron pan in the base of the stove. This pan is filled with water which, as will be shown presently, serves to keep the air in the room moist. At the bottom of the supply pipe is the valve which controls the amount of air mixed with the gas. The lower plate of the burner, as shown in Fig. 3, is formed with an annular flanged rim which serves to space the two plates apart and with a series of conical tubes which are adapted to project through openings in the upper plate. These openings are larger than the tubes, and thus form annular passages through which the gas mixture flows to the blue flame jets. A plan view of the burner is shown in Fig. 1, from which it will be observed that since the conical tubes open through the bottom plate, a center supply of air is fed to each jet on the principle of an Argand lamp burner. It will be noted in Fig. 2, which is a section through the burner, that the flanged rim of the lower plate is very low and, consequently, the chamber formed between the two plates is very shallow, much shallower than the usual gas chamber, and in reality serves merely as a passage for the gas mixture. To insure a more perfect distribution of the mixture to the jets, a boss is formed on the under side of the upper plate in which there are a number of spiral grooves leading to the different burner tips. One of the conical tubes is shorter than the others, and over it in the upper plate is a closed thimble. The gas flows through a passage between the top of this pipe and the thimble and is then directed downward in a jet which plays upon the water in the pan. This insures a rapid evaporation of the water, which intensifies and moistens the heat and removes all odors from the gas stoves. If desired, antiseptics and disinfectants may be added to the water to purify the air of the room. In our engraving the upper portion of the stove casing is broken away to show an interior cone-shaped drum so arranged as to produce a strong draft. A plate at the top of this drum deflects the heated air, causing it to flow against an outer cone, thence it passes through an opening in the top of the latter cone and out through the perforations in the stove casing. The outer and inner cones are connected by a third cone, forming a reservoir for heated air which keeps the outer cone hot, thus heating, as well, the air which pours up between the outer cone and the stove casing. In use the deflector at the top of the interior cone becomes red-hot and insures perfect combustion of any partly burned matter which may be carried up by the strong draft. The patents on this novel stove are owned by the Odorless Gas Heater Company, 86 and 88 Worth Street, New York, N. Y.

A Long-Distance Heating Plant.

A long-distance steam heating plant, where the source of heat and the place of consumption are $3\frac{1}{2}$ kilometers distant, has been completed in the Eglfing Sanatorium, in Upper Bavaria. The steam conduits are arranged in a concrete tunnel, the walls of which are lined with an asphalt coating, which in connection with a cork slab vault minimizes the loss of heat by radiation. The pit is sufficiently wide to allow a man to stand and walk within it. It is lighted at intervals from above by daylight, and by small electric lights during the night. A novel substance, consisting of charred silk threads, has been used to surround the conduits and protect them against heat losses. The steam entering the conduit at 159 deg. C. was found to have a temperature of 152 deg. after covering the $2\frac{1}{2}$ kilometers distance. The buildings themselves are heated by hot water, the steam serving only to heat the water boilers by means of coils. The plant is provided largely with electrical long-distance signaling apparatus, so as to allow of its being controlled and adjusted from the boiler house. Thirty pavilions and six administration buildings have been connected to this extensive plant, the cost of installation of which, including the tunnel, was about 250,000 marks.

"Star" Lathes
Automatic Cross Feed
FOR FINE, ACCURATE WORK
Send for Catalogue B.
SENeca FALLS MFG. CO.
695 Water Street,
Seneca Falls, N. Y., U. S. A.

Engine and Foot Lathes
MACHINE SHOP OUTFITS, TOOLS AND SUPPLIES. BEST MATERIALS. BEST WORKMANSHIP. CATALOGUE FREE
SEBASTIAN LATHE CO., 120 Calvert St., Cincinnati, O.

Foot and Power and Turret Lathes, Planers, Shapers, and Drill Presses.
SHEPARD LATHE CO., 125 W. 31 St. Cincinnati, O.

GIANT STEAM SHOVELS
Toledo, Ohio, U.S.A.
The Vulcan Iron Works Co.

THE CLIPPER CLIP
Its triangular shape prevents entangling and gives three times the capacity of any other clip for attaching papers together.
CLIPPER MFG. CO.,
401 West 14th St., New York, U.S.A.
For free samples and information write to us.

A. W. Tabor.
Manufacture Established 1861.
Lead-Colored Slate Pencils, Rubber Bands, Erasers, Ink, Penholders, Rulers, Water Colors, Improved Calculating Rules.
Send for descriptive Circulars.
44-60 East 23d Street, New York, N. Y.
Grand Prize, Highest Award, St. Louis, 1904.

PATENTS
Our Hand Book on Patents, Trade-Marks, etc., sent free. Patents procured through MUNN & CO., receive free notice in the SCIENTIFIC AMERICAN.
MUNN & CO., 361 Broadway, N. Y.
BRANCH OFFICE: 601 F St., Washington, D. C.

There and Back
WHAT A RELIEF
Write us to-day for information
GRANT-FERRIS CO.
Troy, N. Y.

THE CURTIS DOUBLE CYLINDER MOTOR
8 h.p. 80 lbs. Roller Bearings.
Capt. Baldwin's famous airship, the California Arrow, is propelled by this motor. Also our motorcycle, which holds the world's record of 30 miles in 5 min. 54.2 sec.
Catalogue Free.
H. N. CURTIS MFG. CO.,
Hammondsport, N. Y.

French Motors for Lighting Plants
The "ASTER" is the best French motor on the market for lighting houses, hotels, etc. Small, compact, simple and made to operate. Motive power alcohol, oil or gas. 7 and 4 kinds shown. Great power for small engines. Easy running. Write for illustrated Price List.
ASTER COMPANY
1591 Broadway
NEW YORK CITY

BARKER MOTORS
Have more good points, fewer parts and require less attention in operation than any other.
Launches, Valves, Specialties.
C. L. Barker, Norwalk, Ct.

WARREN'S NATURAL ASPHALT SAND SURFACING ROOFING
Apply it yourself! Makes a finished gravel roof. Comes ready to lay in wells of 100 square feet. Write for sample, circular and prices.
Warren Chemical and Mfg. Co.,
18 Battery Pl., New York

Regal Marine Engines
Four Cycle Automobile Type with Jump Spark Ignition. Single Cylinders, in 14, 8 and 5 h.p. Double Cylinders, 8 and 15 h.p. Four Cylinders, 20 h.p. Also a superior line of stationary engines. It pays engine buyers to read our free catalogue.
REGAL GASOLINE ENGINE CO.
50 W. Pearl St.,
COLDWATER, MICH.

Automatic Machines FOR FORMING WIRE
from coil into shapes similar to cuts. We can furnish machines or goods, as desired.
Send for Catalogue.
E. F. Blake & Johnson,
WATERBURY, CONN.
P. O. Box 1054.

Business and Personal Wants.

READ THIS COLUMN CAREFULLY.—You will find inquiries for certain classes of articles numbered in consecutive order. If you manufacture these goods write us at once and we will send you the name and address of the party desiring the information. In every case it is necessary to give the number of the inquiry.
MUNN & CO.

Marine Iron Works. Chicago. Catalogue free.

Inquiry No. 7436.—For manufacturer of roller skate for carriage wheels.

"C. R." Metal Polish. Indianapolis. Samples free.

Inquiry No. 7437.—For manufacturers of a device for loading fresh fruit.

Inquiry No. 7438.—For manufacturers of machine for making graphite.

Drying Machinery and Presses. Bliss, Louisville, Ky.

Inquiry No. 7439.—For manufacturers of monoids for making small monuments in plaster of Paris.

Handle & Spoke Mchry. Ober Mfg. Co., 10 Bell St., Chagrin Falls, O.

Inquiry No. 7440.—Wanted, names of American fiber washer manufacturers; also of "Gusula" which is a vegetable substitute for rubber.

Sawmill machinery and outfit manufactured by the Lane Mfg. Co., Box 13, Montpelier, Vt.

Inquiry No. 7431.—For manufacturers of endless canvas aprons.

I sell patents. To buy, or having one to sell, write Chas. A. Scott, 719 Mutual Life Building, Buffalo, N. Y.

Inquiry No. 7432.—For manufacturers of very small rubber-insulated wire.

WANTED.—Patented specialties of merit, to manufacture and market. Power Specialty Co., Detroit, Mich.

Inquiry No. 7433.—For manufacturers of small metal rings, one inch in diameter and upward.

The celebrated "Hornsey-Akroyd" Patent Safety Oil Engine is built by the De La Vergne Machine Company, Foot of East 128th Street, New York.

Inquiry No. 7434.—For manufacturers of small bells, such as are used upon toys, both the sleigh bells and the ordinary form.

WANTED.—Ideas regarding patentable device for water well paste or muckage bottle. Address Adhesive, P. O. Box 774, New York.

Inquiry No. 7435.—For manufacturers of devices for fastening the ends of webbing or belts with a hook for suspenders and garters.

FOR SALE.—Paying up-to-date metal working plant. Best location; good building. \$75,000, or will sell large interest to right man. Chance, Box 774, New York.

Inquiry No. 7436.—For manufacturers of round cord 1/4 or 3/8 inch in diameter, similar to the ordinary wash cord, but made from better material.

WANTED.—Patented specialties of merit, to manufacture and market, or to take agency and market. Heisenbittel & Ludlam, 48 Day St., New York, N. Y.

Inquiry No. 7437.—For manufacturers of devices for fastening the ends of webbing or belts with a hook or snap, for width of material of about one inch.

FOR SALE.—A small manufacturing plant in operation. well equipped for manufacturing wrought specialties. Reason for selling, other interests. Address Box 1165, Hartford, Conn.

Inquiry No. 7438.—For manufacturers of brick machines; also elevators for dry goods stores.

Manufacturers of patent articles, dies, metal stamping, screw machine work, hardware specialties, wood fiber machinery and tools. Quadriga Manufacturing Company, 18 South Canal Street, Chicago.

Inquiry No. 7439.—For manufacturers of hot air engine large enough to operate rotary washing machine for family use.

Absolute privacy for inventors and experimenting. A well-equipped private laboratory can be rented on moderate terms from the Electrical Testing Laboratories, 548 East 86th St., New York. Write to-day.

Inquiry No. 7440.—For manufacturers of motor oil mills.

WANTED.—An A1 foreman to take charge of machine shop. Manufacturer of gas and gasoline engines and accessories. Address with references.

Foreman, Box 774, New York.

Inquiry No. 7441.—For manufacturers of hollow shafting 1 1/2 inches in diameter.

Manufacturers of all kinds sheet metal goods. Vending, gum and chocolate, matches, cigars and cigarettes, amusement machines, made of pressed steel. Egan samples, N. Y. Die and Model Works, 508 Pearl St., N. Y.

Inquiry No. 7442.—For manufacturers of dish-washing machines suitable for boarding schools.

PATTERN-MAKING BUSINESS FOR SALE.—Reputable, well-known, old-established and fully equipped plant in fine condition, thoroughly organized, large and prominent clientele. Located in New York City, and earning handsome profit; stand strict investigation; exceptional opportunity; references exchanged. Address Profitable, Box 774, New York.

Inquiry No. 7443.—Wanted, a small cold storage and ice plant.

Inquiry No. 7444.—For manufacturers of paraffin paper containing 80 per cent of paraffin.

Inquiry No. 7445.—For manufacturers of snap fasteners, such as are used on gloves, pocketbooks and leather goods; also the tools for putting on such fasteners.

Inquiry No. 7446.—Wanted, address of pattern makers; also foundries.

Inquiry No. 7447.—For manufacturers of small engines from 1/2 to 2 horse-power; also manufacturers of material for making balloons.

Inquiry No. 7448.—Wanted, address of manufacturers of paper conduit suitable for the underground carrying of from 25 to 35 No. 16 R. C. wires.

Inquiry No. 7449.—For manufacturers of brass and iron nails for shoes.

Inquiry No. 7450.—For manufacturers of lace; also car-making machines.

Inquiry No. 7451.—For manufacturers of machines for consuming dirt in smoke.

Inquiry No. 7452.—For manufacturers of novelties and labor-saving devices.

Inquiry No. 7453.—Wanted, catalogue, prices and general information regarding cold storage plants.

Inquiry No. 7454.—For manufacturers of pipe or as.

Inquiry No. 7455.—For manufacturers of lawn mowers, having a reciprocating sickle similar to a mowing machine.

Inquiry No. 7456.—For manufacturers of soft iron or soft steel punchings of special make for laminated machines.

Inquiry No. 7457.—For manufacturers of gasoline motors for lawnmowers and handmowers.

Inquiry No. 7458.—For manufacturers of steel tempered for mill picks, same as are used on burr stones.

YOU can easily earn an additional \$10.00 a week by recommending to your friends, in spare hours, the "Keystone" Chemical Fire Extinguisher—the best, simplest and cheapest.

We will help you make the sales. Tell us of any possible purchaser. We will set in motion the machinery of our selling system. We will tell you what to do. Many agents are making \$125 a week. May we tell you all about it?

James Boyd & Brother
Mfrs. of Fire Protection Equipment
18 N. 4th Street, Philadelphia

BRENNAN MFG. CO., SYRACUSE, N. Y. March 11, 1905.

BRENNAN STANDARD MOTOR
Mounted with Individual Clutch Gear, also Furnish Sliding Gear Transmission.

WE ARE SELLING
Toy Electric Railways, \$5 to \$25.00
Passenger and Freight Trains, \$5 to \$100.00
Electric Bells, \$5 to \$10.00
Neckties and Cap Lights, \$5.00
Batteries, \$5.00
Carriage and Bicycle Lights, \$5.00
Lanterns and Pocket Lights, \$5.00
Battery Motors and Fans, \$1.00
Electric Door Bells, complete, \$5.00
Telephones, complete, \$5.00
Telegraph Outfits, complete, \$1.50
\$10.00 Medical Batteries
\$12.00 Electric Belt and Suspensory
Dynamite and Motors, \$1.00
Gas and Gasoline Engines, \$5 to \$100.00
We undertake all. Catalog free. Want agent?
OHIO ELECTRIC WORKS, Cleveland, O.

BABBITT METALS.—SIX IMPORTANT FORMULAS. SCIENTIFIC AMERICAN SUPPLEMENT 11943. Price 10 cents. For sale by MUNN & CO. and all dealers. Send for catalogue.

THE BERKEFELD FILTER
The Standard of the World
The only filter removing typhoid and cholera bacilli from the water. Tested and recommended by bacteriologists all over the world. The greatest invention in the filter technic during the last ten years. The filter gives water in small and large quantities according to the size. Easily cleaned. Filter cylinders sterilized by boiling in water. Send for circulars to
BERKEFELD FILTER CO.,
4 Cedar Street, New York

The Genuine Armstrong's STOCKS and DIES
Acknowledged to be the best. Different sizes and capacities. Write for catalogue.
THE ARMSTRONG MFG. CO., Bridgeport, Conn.
New York Office, 130 Centre Street

MUD FORGET IT AND USE WEED'S TIRE GRIPS
Positively Stops Slipping or Skidding
They Make Bad Roads Good
Send for Booklet "S"
WEED CHAIN TIRE GRIP COMPANY
28 Moore St., New York City

THE EUREKA CLIP
The most useful article ever invented for the purposes. Indispensable to Lawyers, Editors, Students, Bankers, Insurance Companies and business men generally. Book marker and paper clip. Does not mutilate the paper. Can be used repeatedly. In boxes of 100 for 25c. To be had of all bookellers, stationers and notion dealers, or by mail on receipt of price. Sample card, by mail, free. Manufactured by Eureka Safety Pin Co., Box 12, Bloomfield, N. J.

JAGER Marine 4-Cycle Engines
Skillfully designed and well built. Simple in construction, combining automatic carburetor with spark advance. Develops wide speed range and reliability under most trying conditions. Buses to 10 h.p. Send for catalogue.
CHAS. J. JAGER CO.
Cor. High and Batterymarch Sts., Boston, Mass.

HARDERFOLD HYGIENIC UNDERWEAR
Inter-Air-Space System
Is two fold throughout, affording protection against the vicissitudes of the variable climate to
Invade Professional Men
Athletes
Mechanics Accountants
And all occupations in life, indoor or out
Over Eleven Hundred Physicians have united in testifying to the and very excellence of the Harderfold system of underclothing.
HARDERFOLD FABRIC CO.
143 River Street, Troy, N. Y.
Send for catalogue

WILLIAMS' SHAVING STICK
"The Shaver's Joy."
Creamy—comforting.
Williams' Shaving Sticks, Shaving Tablets, Toilet Waters, Talcum Powder, Jersey Cream Toilet Soap, etc., sold everywhere
Write for booklet "How to Shave"
THE J. B. WILLIAMS CO.
GLASTONBURY, CONN.

OLDS ENGINES
Economical Power
In sending out their last specifications for gasoline engines for West Point, the U. S. War Department required them to be "as good as Olds Engines or equal." This speaks volumes for our engines. It means they equal all others or the U. S. Government would not demand them.
They are the horizontal type, 5 to 100 H. P., and are as simply and perfectly made that it requires no experience to run them, and repairs practically cost nothing.
Send for a catalogue of our Wizard Engines, 2 to 10 H. P. (spark ignition system, same as in the famous Oldsmobile the most economical small power engine made) fitted with either pump-jack or direct connected pump; or our general catalogue showing all sizes.
Olds Gasoline Engine Works, Lansing, Mich.
New York Agents, R. M. Duro & Co., Newburgh, N. Y.

Road Freight Traction Engines
Over 300 in use on Pacific Coast alone. Siberia, Spain, India, Central America, Sandwich Islands have them.
Engines 110 Horse-power. Wood, Coal, or Oil burning. Hauls 50 tons, takes grades 5 to 25 per cent. Capacity each car 16 tons.
THE BEST MFG. COMPANY
San Leandro, California
Cable Address, SANLEANDRO. Write for our New Catalogue No. 13
Cable, Western Union and Mail.

ELECTRO MOTOR, SIMPLE, HOW TO MAKE.—By G. M. Hopkins. Description of a small electric motor devised and constructed with a view to simplifying construction to make a motor which might be driven with advantage by a current derived from a battery, and which would have sufficient power to operate a foot lathe or any machine requiring not over one horse power. With 11 figures. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 441. Price 10 cents. To be had at this office and from all newsdealers.

SEE HOW EASY IT IS
to clean your auto or carriage with the IDEAL CARRIAGE WASHER
No Splashing. No Cold Hands. Saves 40 Per Cent. Water. Saves 60 Per Cent. Labor. Impossible to Scratch or Injure the Paint Finish. Keeps the Vehicle Clean and Bright.
Price, delivered, is \$25.00 each.
Send to-day. You will find it most convenient.
IDEAL CARRIAGE WASHER CO.
144 Lenox St., Rochester, N. Y.

An Automatic Pump
That works wherever there is a spring, creek or pond. It costs but little and works day and night without attention or expense. The Niagara Hydraulic Pump, made and improved by the U. S. Government. It works in all cases. Free booklet and terms to agents upon request.
Niagara Hydraulic Engine Co.
160 Niagara St., New York
Factory, Chester, Pa.

American Jump Spark Ignition Apparatus
UPON IT DEPENDS THE SUCCESS OF YOUR ENGINE
We manufacture the famous American Jump Spark Plug, with double insulated core, and a double insulated shell. It lasts indefinitely. Our coils are the recognized standard of the world. Write for catalog.
AMERICAN COIL CO.,
N. Y. Representatives, Auto Supply Co., 1000 Broadway, N. Y. City.
Foxboro, Mass.

RECENTLY PATENTED INVENTIONS.

Electrical Devices.

AUTOMATIC BLOCK-SIGNAL SYSTEM.—J. McILWAIN, Oakville, Ill. By this system it is almost impossible for engineers to be unaware of the presence of other trains, and there is no excuse for a wreck. Lights upon the north side of the track are of different color from those upon the south, and lights in the signaling station are colored accordingly. Should the engineer be color-blind he can at least see by looking ahead along the track that there are lights upon both sides of the track, which indicates something wrong. Should he recklessly disregard signals altogether, he is warned by the station agent, who watches the signals and keeps track of the trains.

Of Interest to Farmers.

WEEDING-HARROW.—L. M. MORROW, Wasco, Ore. The harrow frame is mounted on wheels and provided with a draw bar and appliances for hitching draft-animals thereto. Duplicate supplementary frames are employed, together with cutters and brackets therefor, mounted in duplicate series, one series being reversely disposed to the other and each having independent co-operative relation with one of the supplementary frames. The cutters of one or both series may be operated at will to penetrate the soil to effect cutting and upturning of weeds, and by same means both series may be elevated from the surface of the soil to facilitate turning the harrow or transferring it from field to field.

COMBINED RAKE AND STACKER.—I. D. SCHENCK and F. V. THOMSON, Basin, Wyo. This invention relates to apparatus adapted to rake hay of various kinds from the swath, bunch, or windrow, to carry a charge of hay upon the rake-fingers to the stack, and to raise the charge and deposit it upon the stack. The object is to provide a simple apparatus which will work effectively as a rake and a stacker and which will so enable one man driving the rake and stacker to do the work ordinarily performed by two, one driving the rake and the other operating the stacker located at the stack.

Of General Interest.

RECEPTACLE-CLOSURE.—J. C. CHADWICK, Englewood, N. J. This invention refers to improvements in closures for receptacles for tooth-powder or the like and of that class having a discharge-opening at one side. The object is to provide a closure of simple construction by the use of which the exact amount of powder will be discharged, thus resulting in an economical use of the powder.

VETERINARY MOUTH-SPECULUM.—I. C. CARSTENBERG, Oakesdale, Wash. In this instance the invention is an improvement in mouth-speculums which are particularly adapted for use in veterinary surgery or dentistry for holding open an animal's mouth and preventing the jaws closing while the operation proceeds.

KILN.—A. F. DIETZ, Perth Amboy, N. J. This improvement relates, primarily, to a kiln for burning brick, tile, terra-cotta, and other earthen or ceramic material in which the heat is developed by burning pulverized fuel, such as a bituminous coal fed in the combustion-chamber in suspension in a blast of air. In this way complete utilization of the fuel fed into the kiln and high temperature are attained.

GARMENT-SUPPORTING DEVICE.—J. W. STOKWELL and R. COATES, Jackson, Mich. The object of the invention is to produce a device which may be easily attached and detached, but which will not become detached accidentally, and which will be simple in construction and cheap to manufacture. The device has two reverse hooks for supporting garments and one or more hooks for securing it to one of the garments, all made out of a single piece of wire.

CHAIR LIFE-PRESERVER.—M. KUHNEN and A. SPADER, Rondout, N. Y. One of the purposes of the invention is to provide a chair which will serve all the functions of such an article, but which at a moment's notice can be quickly and conveniently converted into a life-preserver for use upon water, the parts of the device when used as a life-preserver being in the form of a raft.

Machines and Mechanical Devices.

TENSION DEVICE FOR WARP-BEAMS.—G. KELLER, New York, N. Y. The object of the present invention is to provide a device for warp-beams or warp-carrying spools having a long range of movement and designed with a view to take up comparatively little room and to allow direct application of the device on the warp-beam or warp-carrying spool without the use of interposed gear-wheels. The invention relates to tension devices for warp-beams, such as shown and described in the Letters Patent of the United States formerly granted to Mr. Keller.

BAND-SAW.—C. SEYMOUR, Dedance, Ohio. Certain new and useful improvements in band-saws are provided by this inventor, whereby any sudden quiver or jar in the saw band or blade incident to the latter's striking a knot or the like is quickly compensated for to prevent injury to or breaking of the saw band or blade and whereby the endless saw-band can be

Hydrozone

Cures
Sore Throat

A Harmless Antiseptic.

Endorsed by the medical profession. Send ten cents to pay postage on free trial bottle. Sold by Leading Druggists. Not genuine unless label bears my signature:

Prof. Charles H. Harkness

Dept. U. 63 Prince St., N. Y.

Write for free booklet on Rational Treatment of Disease.

The Most Modern Marine Motor

Having the most rapid speed and weighing least per h. p., and possessing the fewest parts in the Van Auker Motor. No vibration, easy to operate, simple, reliable, clean. Great power. Perfect control. Always ready. Every stroke cleans the cylinder.

VAN AUKEN-CLEVAUG CO.
Yonkers, N. Y., U. S. A.

Universal SCRAPER
75 cents buys the best scraper ever made. Try it on floors or most blocks.
Send for free catalog No. 11 R.
THE L. S. STARNETT CO.
Athol, Mass.

A Chain Drill

that is built right—not only in spots, but all the way through. It has a three-jawed chuck for holding round shank drills 6 to 16 inch. The square shank style can't come within a mile of it for accuracy. \$5.00 each. This Automatic Drill is made in the shops of
GOODELL-PRATT COMPANY, Greenfield, Mass.
Send for catalogue—free.

WORK SHOPS

of Wood and Metal Workers, without steam power, equipped with
BARNES' FOOT POWER MACHINERY
allow lower bids on jobs, and give greater profit on the work. Machines sent on trial if desired. Catalog free.
W. F. & JOHN BARNES CO.
Established 1875.
1000 RUBY ST. ROCKFORD, ILL.

An Ideal Electric Light Engine

because of its simplicity, safety and reliability under all conditions; because it is built on tried principles after years of experiments in the
Universal Kerosene Engine.
Automatic in operation easily started, and runs steadily and at a comparatively high rate of speed at a cost of less than one pint of kerosene oil per actual horse power hour. Praised wherever used. Highest efficiency at lowest cost. For prices and terms address:
UNIVERSAL KEROSENE ENGINE CO.
6, 8 and 10 First St., New York

The Dean Boiler Tube Cleaner

is the most perfect mechanical device manufactured for the removal of scale from boiler tubes and it has been amply demonstrated that tubes can be cleaned only by mechanical means. The Dean cleans them thoroughly, removing all the scale.

The Dean Cleaner is loaned for a free trial. Send today for it and for booklets that tell all about scale.
THE WM. B. PIERCE CO.
319 Washington Street, Buffalo, N. Y.



Hair Culture

You can tell by a few minutes' use of the Evans Vacuum Cap whether it is possible for you to cultivate a growth of hair by our process, and we will send you the apparatus to make the experiment without expense on your part. If the Evans Vacuum Cap gives the scalp a pleasant, tingling sensation and produces a healthy glow, then the normal condition of the scalp can be restored, and a three or four minutes' use of the Cap each day thereafter will, within a reasonable time develop a natural and permanent growth of hair. If, however, the scalp remains white and lifeless after the Cap is removed, there would be no use to give the appliance a further trial. The hair cannot be made to grow in such cases. The Appliance is placed on trial and under a guarantee issued by the Jefferson Bank, of St. Louis, and any bank or banker who has made investigation will testify to the validity of this guarantee.

The Bank Guarantee

We will send you an Evans Vacuum Cap by prepaid express and will allow you ample time to prove its virtue, and the Jefferson Bank of St. Louis will give you a certificate agreeing to return to you the price of the Cap if you do not cultivate a sufficient growth of hair within the trial period to convince you of the effectiveness of this method. The Bank will also specify that you are to be the judge as to benefits derived. The deposit is made with the Bank subject to your own order, and simply implies that the invention is not being ordered through curiosity, but that it will be used, and that is all we ask. We have no agents, and no one is authorized to sell, offer for sale or receive money for the Evans Vacuum Cap. The Cap is sold under the Bank's guarantee and all money is sent direct to the Jefferson Bank.

A 16-page illustrated book will be sent free on request.
Evans Vacuum Cap Co., 1112 Fullerton Bldg. St. Louis.

THE BEST LIGHT

The most brilliant, economical light made. Our light gives 100-candle power at the small cost of 2c per week. Is portable and there is no dirt, grease, odor or smoke. Over 100 different styles—every one warranted.
Agents Wanted Everywhere.
THE BEST LIGHT CO.
Owners of Original Patents.
87 E. 5th St., Canton, O.

WELL DRILLING

Over 70 sizes and styles, for drilling either deep or shallow wells in any kind of soil or rock. Mounted on wheels or on sills. With engines or horse powers. Strong, simple and durable. Any mechanic can operate them easily. Send for catalog.
WILLIAMS BROS., Ithaca, N. Y.

THE SHOREHAM

WASHINGTON, D. C.

The Leading Fashionable Hotel

METROPOLITAN STANDARD OF EXCELLENCE. ABSOLUTELY MODERN AND HIGH CLASS IN ALL DETAIL. AMERICAN AND EUROPEAN PLAN

JOHN T. DEVINE, PROPRIETOR

readily removed and replaced and all slack in the saw-band can be taken up at any time and while the band-saw is in use. This application is a division of the application for Letters Patent of the United States for a band-saw formerly filed by Mr. Seymour.

OIL-CLOTH-PRINTING MACHINE.—W. H. WALDRON, New Brunswick, N. J. The intention of the present improvement is to provide a machine for printing oil-cloth arranged to insure a positive locking of the intermittent driving mechanism for the color-trough, to cause an easy driving and locking of said mechanism without shock or jar, to allow convenient adjustment or detachment of the printing-blocks, and to reduce the weight of the trough to a minimum. This is a division of the application for Letters Patent of the United States formerly filed by Mr. Waldron.

PNEUMATIC CONTROLLING DEVICE FOR ORGANS.—H. L. DAVIS, New York, N. Y. The object of the improvement is to provide a device arranged to render the pipe-valves exceedingly sensitive, to insure proper opening and closing of the pipes, to render the pipe-valves noiseless in their action by stopping off the exhaust for the key-action by a diaphragm-valve controlled by high pressure from the draw-stop action.

AUTOMATIC PIANO-PLAYER.—J. B. WALKER, New York, N. Y. The invention relates to musical instruments and to appliances for actuating the same and admits of general use, but is of peculiar value in instances where the playing is partially automatic and partially under manual control of the operator. By Mr. Walker's improvement any variation of the relative intensity of theme and accompaniment may be produced that is possible in playing the piano by hand. He provides means by which improved control of expression may be secured with fewer levers than commonly used. For this control he employs a movement that admits of a "touch" corresponding in direction, sensitiveness, and rapidity to the stroke of the fingers in hand-playing. He brings the apparatus into conformity with the natural instinct of the operator to strike vertically downward with his hand and to strike with vigor proportional to the intensity desired in the expression of music.

NOTE.—Copies of any of these patents will be furnished by Munn & Co. for ten cents each. Please state the name of the patentee, title of the invention, and date of this paper.

INDEX OF INVENTIONS

For which Letters Patent of the United States were Issued for the Week Ending

October 24, 1905

AND EACH BEARING THAT DATE
(See note at end of list about copies of these patents.)

Accumulator, steam regenerative, L. P. L. Battis	802,591
Alarm system, J. M. Latimer	802,573
Animal tether, J. L. Schaaff	802,411
Animal trap, J. M. Harris	802,858
Article holder, J. Sendelbach	802,481
Auger brace, Z. Scott	802,713
Autographic register, W. G. Pilkinton	802,490
Automobile headlight holder, J. L. De Good	802,846
Automobile horn and means for operating the same, C. H. Foster	802,380
Baling press, W. M. Rhew	802,475
Baling press, G. W. Pearson	802,706
Barrel corer, D. S. Pierce	802,881
Bearing, antifriction, H. C. Burnett	802,798
Bearing for subaqueous and other shafts, J. H. Gray	802,750
Beater, E. T. Farmer	802,923
Bed, convertible sofa, W. T. Rolph	802,599
Bed spring, W. H. Sleight	802,415
Bed spring, T. C. Carey	802,624
Bedstead, C. L. Tuttle	802,610
Bedstead attachment, H. E. Henwood	802,756
Bell, electric, C. E. Avery	802,675
Bell or gong, J. L. Feeney	802,805
Bell ringers, electric, I. W. Hall	802,725
Bell ringing apparatus, F. Wenle	802,437
Belt, apparel, H. J. Galsman	802,558
Belt loop or frame, H. J. Galsman	802,559
Bicycle, H. Ingham et al.	802,085
Rider, temporary, G. H. Moore	802,403
Rider, temporary, W. S. Mcendenhall	802,520
Car, See Driving list	
Boat, automobile, E. Fourrier	802,852
Bodies of balls, machine for making spherical, M. F. Christensen	802,495
Boiler, L. Rowan	802,470
Boiler, spring, W. J. Foster	802,744
Bolting machine, T. W. Graham	802,583
Book, check, S. S. C. C. C. C.	802,883
Boots and shoes, means for use in masonry and fitting, W. M. Halbach	802,806
Bottle, G. T. Liddle	802,400
Bottle, gaged sample, R. B. Hawley	802,641
Bottle, non-refillable, L. Hoffmann	802,510
Bottle stoppers, metal cap for, R. M. Gilmore	802,502
Brace rod tightener, J. A. Aue	802,547
Brading machine, J. Kappeler	802,645
Brake head, G. A. Woodman	802,723
Brake rigging, W. F. Kiesel, Jr.	807,762
Brick, building, C. A. Harris	802,596
Bricks or blocks, manufacture of lime and sand, E. Stoffer	802,608
Bristle cementing machine, J. Schreiner	802,827
Brooder, J. H. Huff	802,083
Brush, fountain, Chrysler & Kaye	802,627
Bucket attachment, paint, W. Hetherington	802,861
Buckle, cross line, F. Ringhausen	802,470
Buckle, cross line, C. Stack	802,715
Building block, G. L. Peabody	802,503
Building block and wall construction, Z. Anderson	802,903
Building blocks, molding machine for making, W. B. Dunn	802,848
Bunsen burner attachment, E. B. Kelley	802,454
Butter cutter and measurer, G. Ericson	802,742
Butter molding machine, T. Le Beau	802,700
Button, C. H. Schott	802,693
Button, removable self-fastening, O. C. Schult	802,694
Caloric engine heater, I. W. Ammon	802,440
Campfire, making, L. Ach	802,792
Can cover fastener, C. E. Bertels	802,677
Can filling machine, A. Cerrati	802,737
Capsule, D. D. Shirley	802,414
Car, T. H. Proke	802,785

SMALLEY

MARINE GAS ENGINES



"It Beats the Devil"

A customer writes us as follows: "It beats the devil what a man will sometimes do to save money. Two years ago I purchased an engine of —. The price was very low and I figured I would not be much out of pocket even if the engine was a failure, but I was wrong; I paid nearly twice the price of the engine trying to get satisfaction out of it. Neither could I get any satisfaction from the people who built the engine. I guess they figured they sold it so cheap they couldn't afford to pay postage answering my letters. Last year I was again attracted by another 'smoking' proposition and got sold again. I believe I now know the difference between a cheap motor and a good one. A number of your machines are used in boats here on the river and I know what they are. Send me your latest catalogue and I will place order within ten days for one of your 9 horse power double-cylinder engines."

The above letter is a fair sample of similar experiences that constantly come to our notice. Perhaps you are in the same boat. In any event, if you are interested in marine motors, send to cents in stamps and we will forward our 14-page handsomely illustrated 1925 catalogue. Address Dept. W.

SMALLEY MOTOR CO., LTD., Bay City, Mich., U. S. A.
Member of the National Ass'n of Engine and Boat Mfrs.

In Every Home
In Every School
On Every Desk, use

Dennison's Glue, Paste or Mucilage

The sweetest, cleanest and best adhesives made. Sold in Dennison's Famous Fin Tubes. Keeps the contents air-tight—never gets thick or spoils. Will keep for years. This glue is the head of the pin, pull it out—insures clear passage. No brush required, apply direct from the tube, a clean operation, no sticky fingers, no spilling. If Dennison's Adhesives are not for sale at your dealer's, a patent Fin Tube of Glue, Paste or Mucilage will be mailed on receipt of 10 cents by our nearest store. Please address Dept. W. at our nearest store.

DENNISON MANUFACTURING COMPANY.

THE TAG MAKERS

Boston, 58 Franklin St.

New York, 15 John St.

Philadelphia, 1007 Chestnut St.

Chicago, 125 Franklin St.

St. Louis, 418 North 4th St.

THE SUPPLEMENTARY SPIRAL SPRING

Absorbs all vibration. No jolts or rebounds. Acts alike under light and heavy loads. Stands the test, adds comfort and new delight to motoring. 24-volt engine, tires and springs. Will please you as hundreds of others. State make and model of your car.

SUPPLEMENTARY SPIRAL SPRING CO.
4539 Delmar Ave., St. Louis, Mo.

Send the Name of Your Car

or engine, and we will send full information about the Apple Automobile Spark.

The best storage battery charger for automobile, launch or gas engine. Address:

The Boston Electrical Bldg., 25 Dexter Bldg., Dayton, Ohio.

"TAJCO" SKIS

Get a pair early and "glide, coast and jump into health and happiness" as have thousands of other enthusiastic skiers. Physicians recommended the sport of skiing. The ideal winter pastime for both sexes and all ages. Ask dealer for the special "TAJCO" skis made for your height and weight. Illustrated book, on the art of skiing and skis mailed postpaid for 10 cents. 16-page booklet on "TAJCO" skiing and skis FREE.

THEO. A. JOHNSON CO., PORTLAND, MAINE.

How To Increase Your Business

READ carefully, every week, the Business and Personal Wants column in the

Scientific American

This week it will be found on page 365.

Some week you will be likely to find an inquiry for something that you manufacture or deal in.

A prompt reply may bring an order.

Watch it Carefully

Car body for wrecking cranes, S. L. G.	802,456
Knob, G. A. Hermann	802,506
Car, dumping, R. H. Stevens	802,532
Car seat, R. D. Long	802,519
Cars, coupling centering device and carry-	802,464
iron for railway, J. B. Mitter	802,514
Cars, draft rigging for freight, M. Kennedy	802,465
Cars, draft rigging for railway passenger,	802,465
J. B. Mitchell	802,465
Cars, control of brake, H. H. Spear	802,465
Carpenter's jack, P. J. McCulley	802,465
Cash register, change maker, change deliv-	802,465
er, and purchase check, discharging	802,465
machine, combined, E. H. Spear	802,465
Casting box, E. Hall	802,465
Cement clinker, apparatus for burning Port-	802,465
land, T. A. Edson	802,465
Centrifugal separator, W. H. Peck	802,465
Chain links, mechanical manufacture of, J.	802,465
Giriot	802,465
Change making and cash ejecting mechan-	802,465
ism, E. H. Spear	802,465
Cheese cutter, C. F. Fogg	802,465
Chair, F. R. McKenney	802,465
Circuit controller of electric switch, J. F.	802,465
Coleman	802,465
Circuit controlling device, H. T. Johnson	802,465
Cleaner, See Window cleaner	802,465
Clock, H. Burne	802,465
Cloth cutter, C. Schneider	802,465
Cloth measuring device, E. L. Clark	802,465
Cloth splitting machine, F. A. Asa	802,465
Clutch mechanism, J. Harding, Jr.	802,465
Coasting machine, L. C. Steele	802,465
Coasting machine, A. J. Ford	802,465
Coll, beat, F. B. Cook	802,465
Coin counting, registering and bagging ma-	802,465
chine, C. S. Batdorf	802,465
Coin landing machine, C. S. Batdorf	802,465
Coin base, Batdorf & Fowler	802,465
Collapsible box, E. C. Crompton	802,465
Coma, Fowler & Hollis	802,465
Combination lock, R. C. Fulton	802,465
Compressor of matter for packing, lining	802,465
and insulating purposes, F. M. Eker	802,465
Concentrator, centrifugal, P. H. Adams	802,465
Concrete structures, apparatus for molding,	802,465
C. B. Heller	802,465
Condenser, ammonia gas, A. H. Baer	802,465
Conveying apparatus, A. & J. M. Hall	802,465
Cooking or culinary vessel, L. J. Ellis	802,465
Cop and paper holder for writing, F. B.	802,465
Anderson	802,465
Corset, apparel, D. Kops	802,465
Cot or bed, folding, A. G. Gaudin	802,465
Cotton planter and fertilizer distributor, H.	802,465
D. Wilson	802,465
Crushing machine, A. Cameron	802,465
Culinary utensil, T. E. Eney	802,465
Curb, J. F. McCoy	802,465
Current motor, F. B. Marvin	802,465
Curtain rings, making, A. L. Parker	802,465
Dashboard holder, J. A. Yeom	802,465
Deborner, cattle, C. E. Blumings	802,465
Dental appliance, B. G. Simmons	802,465
Dental saw, J. H. Conine	802,465
Dentist, certain for use in, W. A.	802,465
Howe	802,465
Desk attachment, F. A. Creed	802,465
Detector bar, J. T. Hanley	802,465
Die hammering machine, J. A. Horton	802,465
Dimension gage, F. Martin	802,465
Directory, telephone, P. C. Murphy	802,465
Display holder, certain for use in, W. A.	802,465
W. Ebricht	802,465
Door controller, W. G. Bell	802,465
Door, fire, A. C. Preble	802,465
Dough divider, D. J. Hanna	802,465
Draft rigging, draw-bar centering device for	802,465
railway, J. F. O'Connor	802,465
Drawing and evening machine, S. Birney	802,465
Drilling bit socket, J. S. Lime	802,465
Drilling mechanism, J. A. Scott	802,465
Driving bit, G. T. Duncan, Sr.	802,465
Driving device, certain for use in, W. A.	802,465
toid	802,465
Driving mechanism, M. B. Hull	802,465
Dust collector, G. T. Meadon	802,465
Dust pan, W. N. Greer	802,465
Educational appliance, J. H. Fitch	802,465
Egg case, F. A. Purchas	802,465
Electric interrupter or vibrator, J. E. H.	802,465
Electric lock, N. W. Webb	802,465
Electric machine, magneto dynamo, E. B.	802,465
Catten	802,465
Electric motor, D. C. Mack	802,465
Electric protective apparatus, ground plate	802,465
for, F. B. Parker	802,465
Electric telegraph transmission tapes, elec-	802,465
tronic safety device, C. W. Hoffman	802,465
P. B. Delany	802,465
Electric wire conduit, R. W. Lyle	802,465
Electric wire insulator, C. A. Humphrey	802,465
Electrical apparatus, J. E. Seely	802,465
Electrical distribution, system of, J. H.	802,465
Anderson	802,465
Electrolytic apparatus, F. J. Briggs	802,465
Elevator safety device, C. W. Hoffman	802,465
Embroidery, imitation, N. Noel	802,465
Engine, C. Ferro, Sr.	802,465
Engine, liquid circulating apparatus for, J.	802,465
McAnna	802,465
Envelope, device for opening, H. Briacher	802,465
Excavator, W. Ferris	802,465
Expander, ring, M. H. Hinton	802,465
Explosion engine, R. H. Scott	802,465
Explosion engine, R. H. Scott	802,465
Farm gate, A. J. Story	802,465
Fastener for trunks, etc., spring, R. W.	802,465
Harley	802,465
Faucet and measurer, combined, J. E. War-	802,465
lick	802,465
Felly, C. B. Van Horn	802,465
File, L. C. McNeal	802,465
File, cabinet, M. R. Stapp	802,465
File holder, A. Henry	802,465
File frames, clamp for printing, R. Day	802,465
Filter, H. H. Colebrook	802,465
Filter, W. B. Smith	802,465
Fire alarm system, automatic, G. H. Bowell	802,465
Fire extinguishing apparatus, chemical, J.	802,465
T. Oberchain	802,465
Fire protection signal system, Nolen & Shep-	802,465
herd	802,465
Firearm, automatic, B. Muller	802,465
Firearm, breech-loading, G. Elstrom	802,465
Fireproof construction, T. F. Odell	802,465
Fireproof partition, Dewey & McCoy	802,465
Fish hook, T. Evans	802,465
Fishing machine, W. Wright	802,465
Fishing machine, F. J. Perkins	802,465
Floors, device for the rapid laying and auto-	802,465
matic tightening of, A. Van Den Bulcke	802,465
Flower pot, A. Marshall	802,465
Fluid motor valve, T. C. Dunlap	802,465
Fluxing machine, A. Cerrati	802,465
Fork, key brand for	802,465
Formaldehyde generator, W. E. Ramsay	802,465
Fruit quartering machine, J. Geeson, Jr.	802,465
Fuel, manufacturing artificial, J. Knops	802,465
Furniture brace, G. W. Hall	802,465
Fuse board, plug, W. F. Bowers	802,465
Fuse, electric, F. B. Cook	802,465
Gallows, G. E. Davis	802,465
Game apparatus, Hobbs & Rumple	802,465
Gas generator, acetylene, Thayer & Reynolds	802,465
Gas producer, J. R. George	802,465
Gas system safety device, G. H. Emerson	802,465
et al.	802,465
Gems, grinding or polishing, C. Coleman	802,465
Gilder carrier, C. L. Ketcham	802,465
Glass cutting table, J. Green	802,465
Glass, field, A. J. Lloyd	802,465
Golf, device for use in playing the game of,	802,465
W. C. Camp	802,465
Grader, road, N. G. Robbins et al.	802,465
Grate basket, adjustable, P. S. Pindexter	802,465
Grinding and polishing wheel, A. W. Thomas	802,465
Grinding apparatus, W. & G. P. Connor	802,465
Grinding machine, F. B. R.	802,465
Grinding mill, J. Rakowski	802,465
Grindstone fixture, C. H. Foster	802,465
Ground strip for protective apparatus, F.	802,465
E. Cook	802,465
Guard, dust, J. W. Stephenson	802,465
Guns, apparatus for setting the sights of,	802,465
G. Forbes	802,465
Guns, cartridge carrier for bottom loading,	802,465
T. C. Johnson	802,465
Home fastener, W. F. Brier	802,465
Home fixture, L. Rutledge	802,465

6-26 Office Workers

Not one office worker in 50 knows the right kind of a pencil for his particular kind of work. On pages 6 and 26 of Dixon's Pencil Guide he will find his pencil designated by both name and number.

Other pages for every person and every use.

Dixon's Pencil Guide, a 32-page book, indexed by vocations, correctly indicates the right pencil for your special use. The book is absolutely free.

Department W,
JOSEPH DIXON CRUCIBLE CO.
Jersey City, N. J.

You Have a Telephone In Your Office, Of Course

Have you one in your home? It will save many steps and much time and annoyance. It will pay for itself in car fare saved. Call No. 9010 Cortlandt, Contract Dept., for full information

New York Telephone Co. 15 Day Street

Free Instructions

This is a portion torn from a page of our catalogue in which we explain how to keep a razor in perfect condition. Every man who shaves should have this book. We will send it free.

It also pictures and describes the Torrey Stropps, the most wonderful razor stropps ever made. A Torrey Stropps will put a keener, smoother edge on a razor with fewer strokes than any other stropp.

Treated by a special process, the

Torrey Stropps

are far different from the ordinary strip of softened leather. Try one—your razor will show the difference at once.

Torrey Stropps are made in all styles, including Swing, Cushion Belts, etc. They are sold at 50c, 75c, \$1.00, \$1.50, \$2.00 and \$2.50.

Sent postpaid if your dealer cannot supply. Money refunded or a new stropp if not satisfactory.

Torrey's *Edge Dressing* will keep any stropp soft and pliable. Price 15 cents at dealers or mailed on receipt of price.

Send for free catalogue.

J. R. TORREY & CO.,
P. O. Box 34, Worcester, Mass.

Motion Picture

MACHINES and FILMS

STEREOPTICONS and SLIDES

For Public Entertainments, in

Theatres, Halls, Show Tents, etc.

Catalogue No. 9 Free

KLEIN OPTICAL CO., 32 State St., Chicago, Ill.

Schwartz Furnace

FOR MELTING GRAY IRON,
STEEL, COPPER,
BRASS AND
BRONZE

Send for Catalogue

HAWLEY DOWN DRAFT FURNACE CO.
NEW YORK, N. Y. CHICAGO, ILL.

PORTABLE CONCRETE Block Machine

Ambitious young men can start in business immediately profitable, easily expanded. Blocks cost 6 cents to make, sell for 12 cents. One man can make 30 blocks per day. Whole outfit costs \$12.00. Sand, water and Portland cement only materials required. Send on trial.

THE PETTYJOHN CO.
615 N. 6th St., Terre Haute, Ind.

Smith Premier TYPEWRITERS

APPEAL TO YOUR SENSE
AND YOUR SENSES.

The Smith Premier is the most silent typewriter on the market. The action is quiet; no shift key. Endorsed by mechanical experts.

THE SMITH PREMIER TYPEWRITER CO.
Syracuse, N. Y.
Branch Stores Everywhere.



Commercial Battles

are won by the applying of brains through a perfect implement for the accomplishment.

Underwood Typewriter

with
WRITING ALWAYS IN SIGHT

is the perfectly constructed, quick firing brain machine that advances the picket line of commerce.

UNDERWOOD TYPEWRITER CO.,
241 Broadway, New York.



\$10 AND UP



Write today for catalog and bargain list

Slightly Used

TYPEWRITERS

AT LESS THAN HALF PRICE

Thousands of machines, all leading makes, in use only long enough to insure steady running and meet \$10 to \$25. We are the largest handlers of slightly-used typewriters in the world and offer unsolicited rare bargains such as no other house can approach.

SPECIAL 1925 absolutely new Visible Ballam machines built to sell for \$100—our price while they last, \$45.

Machines shipped for your examination and approval to any point in United States.

We rent all makes of machines at \$5.00 a month and up.

FREE Send today for our big catalog list of rare typewriter bargains. Don't buy until you see it. Write today before our big clearing sale closes. Special offer to agents.

BIG DISCOUNT ON TYPEWRITER SUPPLIES.

ROCKWELL-BARNES COMPANY

289 BALDWIN BUILDING, CHICAGO, ILL.

Power Wire Rope

SAINT LOUIS

AND THE BEST

MOST POWERFUL WIRE ROPE MADE

BRODERICK & BASCOM ROPE CO

ST. LOUIS MO

LUFKIN

TAPES AND RULES

AND THE BEST

For sale everywhere. Send for Catalog No. 10.

LUFKIN RULE CO.

Logansport, Ind., U.S.A.

New York and London.

**WHEN YOU ASK FOR
THE IMPROVED
BOSTON GARTER**

**REFUSE ALL
SUBSTITUTES AND
INSIST ON HAVING
THE GENUINE**

The Name is
stamped on every
loop—

The Velvet Grip

**CUSHION
BUTTON
CLASP**

LIES FLAT TO THE LEG—NEVER
SLIPS, TEARS NOR UNFASTENS

Sample pair, with slip, Cottonite.
Mailed on receipt of price.

890, FROST CO., Makers
Boston, Mass., U.S.A.

ALWAYS EASY

THE Nulite Lamp

For Home, Store and Street

We also manufacture Table Lamps,
Wall Lamps, Chandeliers, Street
Lamps, etc. All our lamps are
made from ONE CENT. No
Waste. No Smoke. No Oil.
Absolutely safe. THEY BURN AT EIGHT.
Exclusive territory to good agents. Write for
catalogue and prices.

Chicago Solar Light Co., Dept. G, Chicago

Easy to Get

**GRAND TALKING
MACHINE**

**TALKS
LAUGHS
SINGS
PLAYS**

A whole show in
your home.

WE TRUST YOU. Use Columbia or Victor
records. Given FREE with 10 Columbia or Victor
records for only 10 packages Premium Bluing
at 10c. Sent postpaid. Boys and Girls write today.

NEW YORK PRIME CO., Dept. 4, 1001 E. 17th St., New York

A Loose Leaf Book

**PERFECTLY
Flat-Opening
AND
Self-Indexing**

Most convenient for
price books, route books,
pocket indexes, motor
books, equipment books,
and all forms of records which should be kept in convenient
accessible form. Better than any card index. These "Elastic"
books are bound in full, genuine, flexible, black leather, or
perfectly flat opening and sheets may be instantly
inserted or removed from any part.

The following table sent postpaid on receipt of price:

USE	No.	Binding Cover	Size of Pages	CAPAC. OF COVERS	COV. PLATE	COV. PRICE
Van's Pocket	110	9	5 1/2 x 4	10	80	\$0.50
Van's Pocket	410	4 1/2	5 1/2 x 4	10	80	.50
Van's Pocket	610	6	5 1/2 x 4	10	80	1.00
Van's Pocket	810	8 1/2	5 1/2 x 4	10	80	1.50
Van's Pocket	1010	10 1/2	5 1/2 x 4	10	80	2.00
Van's Pocket	1210	12 1/2	5 1/2 x 4	10	80	2.50

19 other sizes carried in stock

Stock rooms: Quadrille, Unadorned, Dollars and Cents, Folio Lines,
Double Entry Ledger and 4-column Price-Book Binding.

Send for sample sheet and complete catalogue of our first
line of loose-leaf devices in the world.

Slater & Truett Mfg. Co., 2021 Laclede Ave., St. Louis

SPARK COILS

Their Construction Simply Explained

Scientific American Supplement
160 describes the making of a 1 1/2-inch spark
coil and condenser.

Scientific American Supplement
1514 tells you how to make a coil for gas-
engine ignition.

Scientific American Supplement
1599 explains fully the construction of a
jump-spark coil and condenser for gas-engine
ignition.

Scientific American Supplement
1124 describes the construction of a 6-inch
spark coil.

Scientific American Supplement
1087 gives a full account of the making of
an alternating current coil giving a 5-inch
spark.

Scientific American Supplement
1527 describes a 4-inch spark coil and con-
denser.

Scientific American Supplement
1402 gives data for the construction of coils
of a definite length of spark.

The above-mentioned set of seven papers
will be supplied for 70 cents.

Any single copy will be mailed for 10 cts.

MUNN & COMPANY, Publishers
361 Broadway New York

Hammer, automatic magazine nail and tack.	802,932
Hammer, cushion tool holder for pneumatic.	802,449
Hammer, R. C. Becker.	802,736
Harness saddle, T. I. Morrish.	802,496
Harrow, rotary, Powers & Hoxie.	802,708
Harvester reel, C. S. Sharp.	802,892
Harvester reel driving mechanism, J. A. Sharp.	802,462
Hat pin, A. E. Bradley.	802,841
Hay, cotton, etc., tying device for bales of.	802,701
G. A. Lowry.	802,410
Hay press, J. E. Sanders.	802,652
Headlight, dash electric, T. Miller.	802,799
Heating apartments, etc., H. C. Mallory.	802,471
Heliocromic plate and making the same.	802,471
Hinge, H. B. Sargent.	802,961
Hinge, double-acting spring, G. Hochstetzer.	802,802
Hitching device, J. D. Jamieson.	802,398
Hog ringer, F. E. & C. O. Mohr.	802,770
Hoisting device, H. C. Schuck.	802,890
Holding engine, B. Bowles.	802,890
Hook, C. B. Lau.	802,815
Hose carriage, H. B. Cary.	802,912
Hose coupling, C. W. Mather.	802,455
Hose coupling, Garner & Davis.	802,853
Hose supporter, J. E. Ehrlich.	802,376
Hydraulic air compressor, W. J. Linton.	802,575
Ice-cream mold, J. D. Kinsler.	802,455
Illuminating apparatus, P. E. Collins.	802,370
Induction motor device, D. C. Jackson.	802,452
Insulators, retaining-clip for third rail, W. Courtney.	802,408
Interlocking mechanism, F. Keiper.	802,805
Jars and like vessels, closure device for.	802,382
Jars and other vessels, closure device for.	802,383
Jars, cans, and the like, closing device for.	802,381
Joint, New Ball joint.	802,531
Journal box lid, J. W. Stephenson.	802,531
Key or vessel, A. J. Mosham.	802,653
Knitting machine, F. Le Beck.	802,576
Labeling device, A. Rosenberger.	802,478
Lamp, W. D. Boyce.	802,678
Lamp chimney attachment, H. v. Blucher.	802,621
Lamp for chafing dishes, etc., alcohol.	802,662
Savage & Tripp.	802,934
Lamps, safety device for oil, E. F. Keyes.	802,917
Lantern, J. Doering.	802,727
Lath construction, metal, A. S. Alschuler.	802,390
Lathe, W. G. Bisby.	802,889
Leather shaving machines, grinder for, J. Hood.	802,728
Ledger, self-indexing, H. H. Hery.	802,576
Lifting and transporting invalids, apparatus for, W. Amos.	802,588
Lifting apparatus, ship, Lohle & Gelhaufen.	802,887
Lifting jack, Paris & Meloung.	802,779
Locomotive engines and tenders, coupling for, G. W. Rittersbach.	802,659
Locomotive, self-indexing, H. H. Hery.	802,576
for, G. H. Emerson et al.	802,576
Loom harness motion, C. F. Hoper.	802,938
Loom jacquard mechanism, G. Naylor.	802,818
Loom temple, W. Lupton.	802,820
Looms, loading device for rotary hoppers of filling replenishing, A. E. Stafford.	802,533
Looms, means for loading hoppers of filling replenishing, E. S. Stimpson.	802,581
Lubricator, W. J. Taylor.	802,486
Lubricator, D. Morehouse.	802,807
Mail chute, E. F. Nally.	802,467
Manure fork, G. Wetlauff.	802,505
Manure spreader, B. H. McNair.	802,895
Mask, baseball, E. J. Goldsmith.	802,657
Mat, C. F. Decker.	802,511
Material, manufacturing a filling, J. D. Penock.	802,718
Materials, apparatus for quick drying pastry and liquid, A. Hottel.	802,620
Materials, machine for molding plastic, G. Stewart.	802,324
Materials, treating solid, Hirkeland & Ryde.	802,448
Mattress and cushion, pneumatic, W. M. Russell, Jr.	802,470
Measuring device, foot, W. J. Goodbar.	802,901
Measuring instrument designed to ascertain the depth of recesses by cutters formed in solid bodies, M. Picard.	802,444
Measuring the flow of liquids, apparatus for, M. Picard.	802,729
Meat tender, B. B. Dine.	802,517
Meat tendering machine, J. D. Atkinson.	802,707
Metal objects without oxidation, furnace for the continuous heating of, C. Kugler.	802,396
Metal piercing apparatus, F. M. Peters.	802,399
Millstone, J. D. Houck.	802,399
Mineral washing and separating apparatus, J. I. Lancaster.	802,789
Miner's candlestick, T. W. Conklin.	802,541
Miner's pick, F. N. Wilson.	802,467
Mirror support, adjustable, J. L. Larson.	802,484
Moistening device, J. Speer.	802,669
Molding apparatus, C. F. Lancaster.	802,847
Moving platform or inclined plane, J. M. Dodge.	802,669
Mower, lawn, Leimberg & Stephens.	802,751
Mowing machine, A. Grieves.	802,690
Mush manufacture, Jackson & Minturn.	802,639
Musical leaf turner, Zielinski & Polarek.	802,593
Necktie and collar fastener, combined, H. Hellweg.	802,593
Negatives, preparing autotype, C. Richter.	802,593
Nut clipper, J. Pulvitt.	802,593
Nut lock, J. T. Boyer.	802,907
Nut locking device for vehicles, A. L. Hewick.	802,474
Nut-making machine, A. E. Adams.	802,524
Oil well packer, T. W. Phillips, Jr.	802,880
Oil concentrator actuating mechanism, Z. Deister.	802,734
Ore separator, centrifugal, F. H. Adams.	802,725
Ore separator, centrifugal, W. H. Peck.	802,719
Ornamentation, transfer, W. Wachter.	802,610
Oxide and the separation of the resulting metals, reduction of metallic, A. J. Rosol.	802,941
Oxide, reducing metals, C. S. Blair, Jr.	802,943
Packing ring for stuffing boxes, metallic, G. Huba.	802,933
Pail, milk, F. H. Hery.	802,576
Pail, milk, F. H. Hery.	802,576
Paper cutter, C. B. Weber.	802,720
Paper holder and cutter, roll, J. F. Finan.	802,627
Paper separator, H. W. Brinmail.	802,679
Paper trimmer, C. B. Weber.	802,721
Pedal, folding, J. Battemer.	802,508
Pen, fountain, H. Taylor.	802,905
Piano back, metallic, J. F. Humer.	802,595
Piano, front fall for upright, C. Herman.	802,757
Pictures, etc., support for, W. Olmstead.	802,822
Pigment, manufacture of printing ink, F. Fireman.	802,928
Pin for brake rod jaws or the like, A. Lipschutz.	802,518
Pipe connection, H. Hery.	802,576
Plating machine, Klilik & Rashkin.	802,814
Planter, H. M. Clarke.	802,681
Planter, seed, A. S. Reyer.	802,752
Plate holder for locomotive headlights, etc., signal, H. S. Tol.	802,699
Plate, non-removable holding, E. A. Parker.	802,705
Flows, crown dirt shield for, I. A. Hocken.	802,865
Polarity indicator, Manger & Avery.	802,702
Polishing machine, strap, W. C. Lawrence.	802,816
Pot, See Flower pot.	802,472
Potato cutter, seed, B. H. Pugh.	802,414
Potato digger, A. Gagnon.	802,560
Pressure regulator, J. D. Moffett.	802,905
Propeller, boat, H. S. Reimann.	802,704
Propeller mechanism, boat, J. H. Nyman.	802,674
Protractor, A. Anderson.	802,617
Pulley, composite, W. W. Whitcomb.	802,774
Pump, automatic, P. J. McGinn.	802,885
Pump, container, W. Polack.	802,885
Pump, drainage, H. H. Swan.	802,634
Pump, self-governing centrifugal, E. F. McMurtry.	802,775
Pumps, automatic control for supply, C. Plasterer.	802,684
Punch, W. J. Pfannerstill.	802,668
Punch, A. Wright.	802,648
Quartz mill, R. A. Vaughn.	802,757
Rail bond, Mead & Sturdevant.	802,462
Rail joint, H. Allen.	802,704

The Rambler

requires 40 to 50% less gasoline than other cars

110 miles, over three mountain grades, from Los Angeles to Santa Barbara, Cal., on 7 1/2 gallons of gasoline, is the Rambler Record. The three other cars with perfect scores used 9 1/2, 10 1/2 and 12 gallons respectively.

A practical demonstration at any Rambler agency of Rambler ease of control, simplicity and reliability of mechanism, slight cost of fuel and maintenance, will prove to you that the Rambler is the car for you to buy.

Surrey, Type One, illustrated below, complete with lamps, horn, tools, etc., \$1,200.00. Cape top \$100.00 extra. Write for catalogue illustrating and describing six different models from \$650.00 to \$3,000.00.

Thos. B. Jeffery & Company,
Main Office and Factory, Kenosha, Wisconsin, U. S. A.
BRANCHES:
Boston, 145 Columbus Ave.; Chicago, 305-306
Walsh Ave.; Philadelphia, 343 N. Broad St.;
Milwaukee, 437-439 Broadway; New York
Agency, 154 W. 34th St. Agents
in other leading cities.



The Modern Machines for Mechanics

Here are two of the most useful and indispensable machines. The one on the left shows the best Bench Drill ever constructed for sensitive work. Drills from smallest size up to 5-16 inch. Spindle has Morse No. 1 taper hole and is counterbalanced by coil spring around feed lever shaft. Insures perfectly true and accurate work. The Twentieth Century Polishing Lathe, see cut on right, is one of many different styles and sizes of Polishing Lathes that we manufacture. We have them to run by foot or belt power, for use in all mechanic's lines. Send for catalogues B-15, C-15.

THE W. W. OLIVER MFG. CO., 1492 Niagara St., Buffalo, N. Y.

GAS ENGINE GENERATOR

**STEADY LIGHT FROM AN ORDINARY
GAS OR GASOLINE ENGINE**

Not a makeshift, but a specially designed machine with bearings amply heavy to support balance wheel without a third bearing. Write for Bulletin 152

ROCHESTER ELECTRIC MOTOR CO.
10-12 Frank St., ROCHESTER, N. Y.

JUST PUBLISHED

The Scientific American Boy

By A. RUSSELL BOND

12mo. 320 Pages. 340 Illustrations. Price, \$2.00 Postpaid

HIS is a story of outdoor boy life, suggesting a large number of diversions which, aside from affording entertainment, will stimulate in boys the creative spirit. In each instance complete practical instructions are given for building the various articles.

Q The needs of the boy camper are supplied by the directions for making tramping outfits, sleeping bags and tents; also such other shelters as tree houses, straw huts, log cabins and caves.

Q The winter diversions include instructions for making six kinds of skate sails and eight kinds of snow shoes and skis, besides ice boats, scooters, sledges, toboggans and a peculiar Swedish contrivance called a "rennwolf."

Q Among the more instructive subjects covered are surveying, wigwagging, heliographing and bridge building, in which six different kinds of bridges, including a simple cantilever bridge, are described.

Q In addition to these, the book contains a large number of miscellaneous devices, such as scows, canoes, land yachts, windmills, water wheels and the like. A complete table of contents sent on request.

MUNN & COMPANY
PUBLISHERS OF "SCIENTIFIC AMERICAN" New York City
361 Broadway

Jaeger

UNDERWEAR

This celebrated underwear gives more warmth, weight for weight, than any other made. Those who have not yet tried it ought to lose no time before the winter comes on.

Catalogue explains everything. Free, with samples.

Dr. Jaeger's S. W. S. Co.'s Own Stores
New York: 300 Fifth Ave., 101 B'way, Brooklyn: 54 Fulton St., Boston: 235 Boylston St., Philadelphia: 130 Chestnut St., Chicago: 10 State St.
Agents in all Principal Cities.

KLIP-KLIP

"DUO"
MANICURE-CIGAR CUTTER

A blade for each purpose.

25c By Mail
Worth its weight in gold

A Perfect manicure. A Sanitary Cigar Cutter.

Klip-Klip "Duo" (two in one) has a sharp steel clip, file and cleaner. Keeps the nails in perfect condition. Also a separate blade which cuts cigars quick and clean. It is sanitary. Physicians say everyone should use his own cigar cutter. It is light, compact and handsomely finished and sells at sight. Two combined for one price. At all dealers or mailed upon receipt of 25c. The "original" German silver Klip-Klip (manicure only)-same price. Your money back if you want it.

MANUFACTURED ONLY BY THE
KLIP-KLIP COMPANY
556 Clinton Ave., S. Rochester, N. Y.

Mound City Dishwasher

The Only Scientifically Constructed Dishwasher on the Market

No More Drudgery
Dishwashing Made Easy

Washes all kinds of dishes, glass and silverware. Can be used on gas, oil, wood or coal stove. Family size will wash 20 to 25 articles placed at one time. There is more popular demand for a cheap, practical and durable dishwasher than any article that can be mentioned. Every lady wants one. Agents wanted. Our agents, both men and women, are making big money. Secure the agency for this wonderful article in your territory. Agents wanted in all foreign countries. Send for particulars and prices.

Mound City Dishwasher Co., 3033 Locust Ave., St. Louis, Mo.

PUBLISHER'S ANNOUNCEMENT

THE BATTLE OF LIFE

THIS BOOK FREE

ONE DOLLAR CLOTH BOUND BOOK

This book has been prepared at great expense by an eminent physician. It gives a wonderful discovery, a new method of healing the sick. Treats of the causes and cure of diseases, dwelling particularly on disorders of the stomach and intestines, constipation, indigestion, appendicitis. Absolutely hygienic. No drugs. The first edition of this book will be sent out free. Bound in cloth, regular price \$1.00. Write today, mentioning the particular disease you are trying to conquer. Your name will be retained in our possession. This is an honest announcement, no scheme. We want to get in touch with people who are troubled with disease; they will appreciate this work.

TERRELL'S HYGIENIC INSTITUTE
Publication Department B114, 321 Fifth Ave., New York

Learn to Mount Birds

and animals. Study Taxidermy—the art long kept secret. Quickly learned by Men, Women and Boys. Very fascinating. Big profits. Adorn home and den with beautiful specimens. Thousands of successful students. Standard methods, best references. Satisfaction guaranteed. Anteced. Tuition rate low. Sportsmen, naturalists and all others interested may have our New Catalog and Taxidermy Magazine free. Investigate today.

THE N. W. School of Taxidermy, 30 N. St., Omaha, Neb.

BOOK FREE

Write to-day for new valuable 176 page catalog, biggest illustrated electrical book ever issued, containing hundreds of valuable Christmas suggestions. Electrical novelties are just the thing for men and boys. This book contains valuable electrical information. Special offer—Send 10c and the postage for mailing, for this motor and instructions for operating, a **ARMOR** & SONS, 61 W. 42nd St., New York, N. Y.

Rail joint, H. H. Green	802,855
Rail, protected, L. Steinberger	802,716
Rails, adjustable spacing device for guard, C. C. Rutter	802,090
Railway appliance, W. I. Harden	802,460
Railway car door, M. G. Nicholson	802,674
Railway crossing, J. S. Jencks, Jr.	802,864
Railway electrical signal, F. H. Gray	802,749
Railway signal, electric, E. W. McGuire	802,584
Railway signal operating mechanism, F. P. J. Patenall	802,580
Railway signal system, B. H. & McKesson	802,485
Railway track construction, E. E. Clement	802,915
Railways, control of apparatus governing the passage of cars along, W. A. Bartley	802,676
Railways, switch operating device for street, R. M. & J. M. Van Eaton	802,538
Reaming attachment for pipe cutters, J. E. Hunter, et al.	802,512
Rein holder, O. B. Reed	802,863
Rivet cutter, W. H. Laude	802,808
Road grading machine, R. E. & J. D. Adams	802,544
Roll grinding, G. R. Nutt	802,777
Roofing, J. H. Munro	802,771
Rotary engine, J. H. Gamble	802,590
Rotary engine, W. N. Meers	802,708
Rotary engine, N. E. Smith	802,828
Rotary engine, Cornelson & Matlack	802,843
Rotary engine, F. Egerdorfer	802,920
Rubber dam sheeting, W. F. A. Schrader	802,711
Sad iron, gas, O. W. Haber	802,811
Safe or receptacle, milk bottle, E. M. Peacock	802,056
Safety brake pawl, A. X. Kennedy	802,890
Sage brush, machine for grubbing, A. L. Dunavan	802,630
Salt of ferric chlorid and cotarnia hydrochlorate and making same, double, A. Voerink	802,835
Sanitary frog basket, R. R. Neuenfeldt	802,405
Sash cord fastener, T. H. Kingston	802,515
Sash fastener, automatic, E. A. Parker	802,855
Sash lock, W. A. Douglas	802,918
Saw filing and jointing clamp, J. L. Taylor	802,786
Saw, horizontal band, C. C. Stuart	802,687
Saw set, C. W. Gray	802,748
Saw set, J. Enderau	802,851
Saw sharpening machine, J. H. Beck	802,528
Saw swage, T. Walker	802,839
Scarfing or seat, window, J. E. Gagnon	802,503
Scraper, I. W. Every	802,743
Scraper holder or locking device, J. M. Van Loon	802,614
Screw cutting die, J. J. Hillman	802,819
Sealing cap for vessels, J. M. Hicks	802,690
Sealing jar for preserving various articles, such as food, etc., C. C. Hovey	802,700
Sealing machine, envelop, M. Friede	802,980
Seasickness device for preventing, W. Schmidt	802,527
Self-lubricating wheel, J. K. Lightfoot	802,905
Separator, see, separator	802,647
Sewage system ventilation, E. Y. Koch	802,672
Sewing and trimming mechanism, Weaver & Maier	802,638
Sewing machine attachment, J. M. Greist	802,796
Sewing machine feeding mechanism, R. G. Woodward	802,823
Sewing machine looper mechanism, L. Ondrick	802,637
Sewing machine ruffler, J. M. Greist	802,700
Sewing machine trimming device, R. G. Woodward	802,587
Sewing machines, trimming device for over-seaming and other, L. Ondrick	802,304
Shaft bearing stands and the like, base, for, H. W. Hill	802,898
Shaft support and holdback, combined, R. O. Wilcox	802,831
Sharpening device, J. M. Greist	802,797
Shear gage, T. Stevenson	802,356
Shingle machine, A. E. Bodreux	802,648
Ship or vessel, freight carrying, Holland & Johnston	802,765
Ships, means for propelling, J. C. Kunst	802,837
Shirt and garment support, A. London	802,640
Shoe polishing machine, P. Weinhold	802,597
Sign, C. H. Kettles	802,850
Signaling apparatus, selective, E. A. Reynolds	802,618
Signaling, spark determining apparatus for wireless, L. de Font	802,480
Silo, W. L. Haag	802,540
Soldering implement, B. E. Williams	802,877
Sole and welt, P. A. Baker	802,879
Speed changing device, H. Baerlein	802,564
Speed regulator for explosion engines, G. A. West	802,506
Spinning machinery, collar board for mules, J. H. Palmer	802,439
Spirit level attachment, A. J. Perks	802,812
Spraying apparatus, W. G. Hall	802,811
Spraying support, A. E. Beall	802,801
Stairway, fireproof, F. O. Hansen	802,785
Stalk cutter, S. Wilburn	802,938
Steam boiler, J. P. Karr	802,900
Steam trap, C. W. Martin	802,922
Steam trap, E. J. Ryan	802,467
Step, safety tread, C. J. Marins	802,005
Stone, composition for artificial, J. F. Wier	802,601
Strainer, P. Evans	802,626
Surfactant frame, pneumatic, H. G. Kotten	802,682
Surfacting and polishing machine, A. T. Spruce, et al.	802,537
Surgical dressings, instruments, etc., sterilizer for, S. G. Scanlan	802,433
Suspension carrier, elevated, Ryder & Doring	802,387
Sweeping machine, street, C. W. Collier	802,644
Swivel connection, A. Urea	802,580
Tap wrench, A. A. Smith	802,671
Telegaphy, space, J. S. Stone	802,513
Telephone cut out and switch, O. M. Gallo-way et al.	802,477
Telephone directory holder, L. S. Johnson	802,704
Telephone exchange system, H. G. Webster	802,914
Telephone transmitter attachment, L. St. J. Johnson	802,090
Thermostat, F. W. Robertshaw	802,740
Tire and rail fastener, metallic, B. A. Legg	802,902
Tire heater, J. G. Archibald	802,876
Tires for roofing and the like, making, H. D. Christensen	802,905
Tire, Gregg & T. E. Hirst	802,735
Tire, D. R. & O. D. Salisbury	802,060
Tire, elastic, A. A. Gilles	802,487
Tire, elastic, Alexander & Ponsinsky	802,840
Tire fastener, T. Midgley	802,438
Tire heater, O'Connor & Covey	802,849
Tire inflating means, G. A. Bobrick	802,788
Tire protector, pneumatic, P. O. Casavant	802,937
Tire, wheel, H. G. Flase	802,820
Tobacco for the removal of nicotine, treatment of, K. Wimmer	802,919
Toggle holder, metallic, C. R. Fiske	802,913
Toilet article, R. R. Debacher	802,496
Tongs, White & Hall	802,834
Tool, eddins & Agnell	802,539
Tool, calcimining, C. E. Weidner	802,810
Tool, expansion boring, E. R. Davis	802,741
Tool handle, detachable, McCune & Teach	802,800
Tool, percussion, J. T. Nicholson	802,911
Torpedoes, track, fastener for fibrous railway, F. Dutcher	802,600
Trains, pneumatic brake for goods, Chapal & Saillet	802,493
Transferring device, carrier, A. C. S. Rue	802,626
Trap, see, animal trap	802,458
Trestle, W. Upthegrove	802,409
Trolley for electric cars, G. F. Warburton	802,717
Trousers creaser, T. J. Howlett	802,784
Truss board or support, J. J. Dennis	802,719
Tubing and producing same, ornamental, Dolan & Kierman	802,490
Turbine, H. Burness	802,042
Turbine, elastic fluid, H. Faber	802,557
Turbine, steam, A. Johnson	
Turbine, steam, P. Filtsau	
Turbine wheel having removable paddles, H. Lents	
Two latch lock with safety catch, W. Diekol	
Typewriter copy holder, W. H. Stevens	
Typewriting machine, G. C. Burschard	
Umbrella, J. V. Hybrandt	
Valve, W. B. M. Bashin	
Valve, C. E. Huxley	
Valve and brake, throttle, N. W. Fletcher	

NO SHADOW OF DOUBT
EVER EXISTS IN THE
MIND OF THE MAN
WHO USES A—



Gillette Safety Razor

So Easy, So Comfortable, So Different and So Satisfactory
is the unanimous opinion of hundreds of thousands who shave the Gillette way.
STANDARD SET—TRIPLE SILVER-PLATED HOLDER
SPECIAL SET—QUADRUPLE GOLD-PLATED HOLDER
IN VELVET-LINED CASES



IDEAL HOLIDAY GIFT

Each Razor Set has 12 thin, flexible, highly tempered, and keen double-edged blades. These blades are sharpened and ground by a secret process.
12 NEW DOUBLE-EDGED BLADES \$1
24 Sharp edges. Each blade giving from 20 to 40 smooth and delightful shaves.

No Honing—No Stropping

Ask your dealer for the "Gillette." Accept no substitute. He can procure it for you.
WARNING! The Gillette Patent No. 775,114 covers all razors having a thin detachable blade requiring means for holding and affixing, but not requiring scraping or honing by the user. Beware of infringements.
Write to-day for our interesting booklet which explains our 30-Day Free Trial Offer. Most dealers make this offer; if yours does not, we will.
GILLETTE SALES CO., 107 Times Bldg., 43d St. & B'way, N. Y.

The New Illustrated History of the United States

AT LAST!
A Great History of the United States

(AT A LITTLE PRICE \$1.00 A MONTH)
An Important Undertaking by The Review of Reviews

THE gap in our national literature has been filled by the publication, this month, of Dr. Eliot's new History of the United States. In five octavo volumes, with 200 full-page illustrations. This work, destined to be an important feature of every intelligent American's library, is for Americans what Green's great work is for Englishmen. Fascinating reading for everyone, at the same time authentic, impartial, non-sectional, from the discovery of America to the second Roosevelt Administration. The Editor of a well-known magazine writes that Dr. Eliot's historical work is the first book to keep him up after one o'clock for three nights in succession.

THE ILLUSTRATIONS
For the first time, too, an American History is issued at a popular price, with illustrations that are actual historical documents. Mr. Charles Henry Hart, the most eminent authority on American historical pictures, is the editor of the illustrations, personally selecting each as the best for its purpose.

A History of American Literature as Well Fair and Non-Sectional
This new history contains, not only the personal stories of our great men, the absorbing recitals of the great military movements in our wars, the development of the American Constitution, and the important political events; it contains, as well, a history of American literature.

MECHANICAL MAKE-UP
The Eliot Illustrated History is in five octavo volumes, with 200 full-page illustrations; the binding is green velvet cloth stamped with gold. The type-page is particularly beautiful and clear. The history is a work of 440,000 words. It is only necessary to add that the books are produced for the Review of Reviews by the Macmillan Company.

The Review of Reviews Special Offer:
This work, necessary to every well-equipped library, can only be bought outside of or special offer for \$15.00 cash. Our special offer on the first edition is to send it on receipt of \$1.00, the balance to be paid \$1.00 a month for 15 months. You will also receive the Review of Reviews (price \$1.00) for an entire year.
If, after seeing it, you do not want the History, it can be returned at our expense.

The Review of Reviews Co.
13 Astor Place
New York

"These two I use daily."

ARNICA Tooth Soap

Is antiseptic;
preserves while it
beautifies. No
spilling or wast-
ing; convenient
and economical.

25 Cents
At all Druggists

STRONG'S Arnica Jelly (Carbolated)

Keeps the skin free from roughness
and pimples. Nothing better for
sunburn or chapping; also for cuts,
bruises, burns and all eruptions.
Keeps the skin soft, smooth and deli-
cate. The collapsible metal tube is
convenient and unbreakable.

Take it with you wherever you go.
If your druggist hasn't it—Send to us.
Sent postpaid on receipt of 25 cents.

C. H. STRONG & CO.
CHICAGO

WEBSTER'S INTERNATIONAL DICTIONARY

IT IS
UP TO DATE
AND
RELIABLE

RECENTLY ENLARGED WITH
25,000 New Words and Phrases
ALSO ADDED

New Gasetteer of the World
New Biographical Dictionary
Editor in Chief, W. T. Harris, Ph.D., LL.D.,
United States Commissioner of Education.
2390 Quarto Pages. 5000 Illustrations.

IT IS A PAPER'S WORTH OF ACCURATE INFORMATION.
GRAND PRIZE (Highest Award) WORLD'S FAIR ST. LOUIS.

Also Webster's Collegiate Dictionary
1124 Pages Illustrations
Regular Edition 7x10 1/2 inches. 93 bindings.
De Luxe Edition 8 1/2 x 11 1/2 inches. Printed from
same plates, on bible paper. 9 beautiful bindings.

FREE, "Dictionary Wrinkles," also illustrated pamphlets.
G. & C. MERRIAM CO.
Publishers, Springfield, Mass., U. S. A.
GET THE BEST

BACKUS

GAS & GASOLINE ENGINE

Simple, Economical, Durable
Suitable for all kinds of work

BACKUS WATER MOTOR, cheapest power known
Write for circular and prices

BACKUS WATER MOTOR CO., Newark, N. J., U. S. A.

THE YANKEE SILENT MUFFLER

(PAT'D)
Exhausts all noise
because the noise is
absorbed in the silencing
chamber. It is operated
between the exhaust valve
and the muffler.
and built-pressure is economical. 30 per cent. more power generated.
Illustration in great that the muffler keeps cool. Made in 50 all makes of
cars. Send for catalog and price.

D. H. SMITH & CO. Utica, N. Y., U. S. A.

USE GRINDSTONES?

If so we can supply you. All sizes
mounted and unmounted, always
kept in stock. Remember, we make
a special of grinding stones for all
purposes. Send for catalogue "I".

The CLEVELAND STONE CO.
2d Floor, Wilshire, Cleveland, O.

MILLS FOR ALL MATERIALS.

OUR BUSINESS IS TO MAKE
MACHINERY FOR GRINDING
GRAIN, CRUSHING ROCKS AND
POWDERING ALL HARD SUB-
STANCES. WE HANDLE ALL
KINDS OF MATERIALS FROM CO-
IN. WE ARE IN THE BUSINESS OF
BUYING UNEXCELLED PRO-
DUCTS. IF YOU WANT
ANY KIND OF A
MILL OR GRINDING
MACHINE, COME TO
US AND YOU WILL
GET THE BEST
AND STILL SAVE
MONEY.

DEAL WITH US ONCE AND YOU WON'T CHANGE
SPROUT, WALDRON & CO.
(INCORPORATED IN N. J.) MUNCY, PA.

Valve controlling system, electromagnetic, I. G. Waterman	802,949	802,953
Valve, electrical mixing, I. G. Waterman	802,953	802,957
Valve, electromagnetic, I. G. Waterman	802,945	802,948
Valve, fusible plug cut off, E. B. Beatty	802,955	802,956
Valve, mechanical push button, I. G. Waterman	802,944	802,944
Valve mechanism, C. P. Heibold	802,944	802,944
Valve regulator centrifugal machine, H. de Haasloff	802,944	802,944
Valve, steam pressure reducing, G. W. Collins	802,944	802,944
Vehicle balance adjuster, J. McElhinney	802,773	802,773
Vehicle, motor, J. A. Carr	802,442	802,442
Vehicle roller chafe iron, H. Higgins	802,567	802,567
Vehicle, self-propelled, E. B. Gill	802,532	802,532
Vehicle spring, A. Herz	802,501	802,501
Vehicle top, W. Lindsay	802,574	802,574
Vehicle wheel, C. E. Huxley	802,643	802,643
Vehicles, etc., manufacture, J. Spoke	802,410	802,410
Vehicles, steering gear for children's pedal, G. H. Barachow	802,548	802,548
Vending machine, W. P. MacArthur	802,578	802,578
Veneers, cutting, F. H. York	802,673	802,673
Ventilating device for buildings, E. V. Matton	802,871	802,871
Ventilating mail house compartments, R. A. Knaptrick	802,813	802,813
Ventilator, G. F. Williams	802,809	802,809
Vices, belt heading attachment for, T. A. Cook	802,629	802,629
Voting machine, A. J. Gillispie	802,446	802,446
Wagon box attachment, R. L. Rheas	802,525	802,525
Wagon, dump, O. E. Moats	802,769	802,769
Wagon, dumping, B. Kern, Jr.	802,508	802,508
Wardrobe, folding, E. D. Van Nostrand	802,495	802,495
Washing machine, J. M. Gagan	802,762	802,762
Watch, game, Porter & Hurley	802,567	802,567
Watchcase hinge, L. S. Hanson	802,567	802,567
Watchmaker's tool, C. Arthur	802,564	802,564
Watchmaker's wrench, C. Arthur	802,565	802,565
Water closet bowl, automatically operated flushing system for, L. H. Waterman	802,051	802,051
Water current motor, H. H. Granger	802,747	802,747
Water meter attachment, H. B. Van Order	802,436	802,436
Waterproof compounds, M. Toch	802,670	802,670
Web drying apparatus, W. B. Brown	802,441	802,441
Weed cutter, A. N. Carlson	802,625	802,625
Well drilling machine, W. R. Martin	802,870	802,870
Well drilling machinery, M. McElhinney	802,521	802,521
Wheel, See Grinding and polishing wheel		
Wheel, C. B. Van Horn	802,611	802,611
Wheel jack, J. H. Jones	802,570	802,570
Windmill, E. H. Abbey	802,749	802,749
Windmill, device for changing stroke ad-justment of, F. S. Ladin	802,615	802,615
Window cleaner, E. A. Voller	802,615	802,615
Window frame, free resisting sheet metal, T. Lee	802,458	802,458
Window lock, J. J. Gier	802,564	802,564
Window screen, D. V. C. Foote	802,560	802,560
Window screen, C. G. Woods	802,838	802,838
Window shade holder, J. R. Hamer	802,595	802,595
Wire coiling machine, Scott & Higlow	802,712	802,712
Wire drawing, steel, C. H. Hoon	802,692	802,692
Wire stretcher, W. B. Van	802,435	802,435
Wire stretcher, B. S. Manning	802,579	802,579
Wood, preservation of, W. B. Chisholm	802,690	802,690
Wood, preserving and waterproofing, A. Dequene	802,739	802,739
Wood pulp, apparatus for treating, W. A. Hall	802,754	802,754
Wood pulp, treating, H. A. Hall	802,755	802,755
Wood to extract turpentine and resin therefrom, treating, J. W. Piver	802,882	802,882
Woven fabric, H. Sarasin	800,942	800,942
Wrench, E. J. Moon	802,872	802,872
Yarn printing machine, W. K. Hawk	802,806	802,806

DESIGNS.

Bank, transportable, S. Hudig	37,582
Belt and skirt support, M. B. Johnson	37,581
Bottle, E. K. Heyman	37,579
Bottle, W. M. Sommer	37,580
Box and ash tray, cigarette, S. F. Ellis	37,581
Boxes and similar articles, cover for, T. W. Foster	37,577
Clock case, C. H. Barnes	37,583
Clock case, Owen & Owen	37,584
Clock case, W. M. Meisner	37,587
Cronstede, F. Beaumont	37,588
Curtain, A. Silcox	37,598
Exhibiting stand, color, W. H. Reeve	37,593
Fabric, printed textile, E. B. Vandergriff	37,596
Gems, setting for, J. Wodiska	37,576
Lamps, ceiling fixture for electric, J. H. Lamb	37,581
Medallion, G. L. Price	37,590
Piano case, J. H. Sandias	37,591
Pocket piece, J. H. Gault	37,574
Powder receptacle, toilet, W. A. Bradley	37,578
Type, font of, W. A. Schraubstadter	37,594

TRADE MARKS.

Biscuits, crackers, and cakes, A. J. Medlar Co. Ltd.	47,096
Boots and shoes, leather, C. M. Haggood	47,098
Shoe Co. Ltd.	47,098
Brandy, D. Holman & Co.	47,099
Cans and tins, metal, Akron Manufactur-ing Co.	47,125
Cigars, E. Caments	47,094
Cigars and singles, M. Marsh & Co.	47,045
Colors used by artists, water, L. Donnell	47,095
Compound seasoning spice, E. R. Durkee & Co.	47,036
Cooking ranges and hot air furnaces for heat-ing purposes and parts thereof, James & Kirtland	47,106
Cotton, mixed wool and cotton, and mixed silk and cotton fabrics, Glover Mfg. Co.	47,070
Eggs, W. M. Smith	47,054
Fertilizers, especially those containing potash, manufactured or artificial, Gulfport Cot-ton Oil Fertilizer & Manufacturing Co.	47,106
Filles and rasps, Kearney & Foot Co.	47,074
Filles and rasps, Nicholson File Co.	47,120
Flavoring extracts and essences, C. H. But-terworth	47,097
Flour, Geo. T. Evans & Son	47,096
Flour, wheat, New Century Milling Co.	47,091
Flour, wheat, J. Hoffer	47,107
Food preparation need from wheat, health, E. R. Durkee & Co.	47,037
Furniture polish, M. Watt	47,092
Gelatin capsules, both filled and empty, J. R. Platten	47,040
Gin, W. H. Jones & Co.	47,073
Gin, National Distilling Co.	47,079
Gin, Union Distilling Co.	47,090
Gloves, Jacob Adler & Co.	47,030
Gloves, kid and suede, Jordan Marsh Co.	47,040
Hair dye, W. W. Scherer	47,053
Handkerchiefs, Cochran Manufacturing Co.	47,035
Inks, printing and lithographic, Kast & Hering, Gesellschaft mit Beschränkter Haftung	47,110
Kilt hosiery and underwear, M. & C. Mayer	47,043
Lager beer, Christian Moerlein Brewing Co.	47,128
Macaroni, spaghetti, vermicelli, and noodles, Angelo Baking Co.	47,033
Medical compound for certain named diseases, Finlay Dicks & Co. Ltd.	47,038
Milk condensed, Pacific Coast Condensed Milk Co.	47,080
Naphtals, Republic Oil Co.	47,123
Oil, olive, Parodi, Ermino & Co.	47,048
Paints, liquid or ready mixed, James F. Kurfees Paint Co.	47,075
Paper and envelopes, writing, Southworth Co.	47,084
Paper, wrapping, F. C. Traver	47,085
Papers, case lining, sheathing, insulating, and roofing, Standard Paint Co.	47,089
Peanuts, National Essence for Coffee Co.	47,046
Peanuts, salted, Rosman & Lobman Co.	47,054
Pencilholders, Eagle Pencil Co.	47,102
Photographs, National Photograph Co.	47,114
Photographic prints, postcards, J. G. Kitchell	47,111
Pianos, Hamilton Organ Co.	47,072
Pocket knives, razors, table knives, butcher knives and carving knives, Gray & Dudley Hardware Co.	47,090

Business Encyclopedia Free

At a cost of thousands of dollars, with the aid of twenty-seven business ex-perts, we have compiled the only real Business Man's Encyclopedia in existence. We have clipped, extracted, preserved business data from thousands of different sources—from magazines, newspapers, books, correspondence courses, from actual business experience. And all this data we have boiled down, classified, arranged and indexed into one complete business Britannica.

Where one book deals with one department of business this Encyclopedia deals with them all—from the purchase of the raw materials to the sale of the finished product, from ad-vertising and selling to credits and collections.

It practically embodies the most and essence of all the books that have ever been published on the con-duct of a successful business.

To complete the contents of volume one alone our ex-perts analyzed and con-densed nine correspondence courses—225 worth of busi-ness instructions.

And the second volume contains equally vital con-tributions by noted busi-ness men on Advertising Busi-ness Correspondence—Busi-ness Management—Salesman-ship—Science of Accounting—Rapid Calculation—Busi-ness Law—Traffic and Profit Headings.

The terse sayings on busi-ness topics of famous men like Alexander H. Bevel, John D. Rockefeller, An-drew Carnegie, Marshall Field, Russell Sage, and 45 other captains of industry—are alone worth a week's salary to any ambitious young man.

But no matter what your vocation or age—whether manufacturer, banker, credit man, accountant, advertising writer, merchant, or office manager—you need the En-cyclopedia on your desk—in your office or library to-day.



The way to get these two volumes absolutely free is through

SYSTEM

THE MAGAZINE OF BUSINESS

System is essential to business success. And so is SYSTEM the magazine. It tells every month all the new business tricks that save time—all the little office wrinkles that save worry. 300 or more pages of indispensable information for business men. Through SYSTEM you can learn all that anyone can possibly tell you about system and business methods. It will give you each month dozens of complete advertising, selling and manufacturing plans that have built up some of the greatest retail, wholesale and manufacturing concerns in America.

Regular Depart-ments in SYSTEM Selling Advertising Business Corre-spondence Manufacturing Credits Talks to Salesmen Banking Shipping Collections Retailing Real Estate Insurance Assessed by Experts	
---	--

W. P. CHASE & CO. "We would not have SYSTEM discontinued now though the price were raised to \$10 a year."

Business House, Co. "A single suggestion oftentimes moves us more than the cost of a year's subscription."

Send \$2.00 today while you have it in mind. We will send you a substantially bound set of the Business Man's Encyclopedia—in two vol-umes—all transportation charges fully prepaid, and will enter your name for a full year's sub-scription to SYSTEM.

SPECIAL.—Include 50c. extra and we will send the two volumes bound in handsome vel-um. Better still, include \$1.00 extra (\$5.00 in all), and we will bind the books for you in the finest flexible Microeco and gold the edges.

THE SYSTEM COMPANY
New York Desk 30, CHICAGO London

"STANDARD" Two-Speed Automatic Coaster Brake Hub

Makes wheeling a delight, eliminates the drag. Do not waste money on experiments when you can buy a perfect attachment of 40 one hub. Our little booklet tells all about it and is mailed free. Write to-day.

THE STANDARD COMPANY - - - Torrington, Conn.

Opaque Projector

A Magic Lantern for showing Engrav-ings, Prints, Cuts, Illustrations in Books, Maps and Specimens on the Screen with-out previous preparation, brilliantly lighted and in natural colors. Read for circular.

Williams, Brown & Earle
Dept. 6, 915 Chestnut St., Philadelphia, Pa.

"I've figured it out and for many reasons determined to FOLLOW THE FLAG"

"Follow the Flag"

There is nothing more assuring to the traveler than his knowledge of the fact that he is traveling on a firm road-bed upon which is laid the heaviest of steel rails, made true in all their curves, and that the train which carries him is of the highest standard of excel-lence known in railroads, and is being guided to its destination by experienced minds. These are the conditions which become apparent to the frequent traveler on the Wabash Line, and which have made that line justly famous. Through cars are operated between

ST. LOUIS and CHICAGO,
KANSAS CITY, OMAHA, TOLEDO,
DETROIT, NIAGARA FALLS, BUFFALO,
NEW YORK, BOSTON, ST. PAUL and
MINNEAPOLIS.

C. S. CRANE, G. P. and T. A.
ST. LOUIS, MO.

Some Leading Technical Books

RECENTLY PUBLISHED

BRANSTADT—Cellulose, Cellulose Products and Artificial Rubber. 41 engravings. 360 pages. \$3.00

BRANSTADT—A Practical Treatise on Distillation and Rectification of Alcohol. 35 engravings. 480 pages. 4.00

BRANSTADT—The Techno-Chemical Receipt Book. 78 engravings. 480 pages. 2.00

DAVIDSON—Glue, Gelatine, Animal Charcoal, Phosphorus, Cements, Pastes and Mucilages. 66 engravings. 397 pages. 3.00

EMERY—Mineralogy Simplified. 96 engravings. 411 pages. full leather, gilt edges. 2.50

FLEMING—Practical Tanning. 40 pages. 4.00

KIRK—The Cupola Furnace. 72 engravings. 480 pages. 2.50

LANGHEIM—A Complete Treatise on the Deposition of Metals. Fifth edition. Re-written. 170 engravings. 684 pages. 4.00

MATCHETT—The Mine Foreman's Handbook of Practical and Theoretical Information on the Opening, Ventilating and Working of Collieries. New edition. 144 engravings. 375 pages. 3.75

OSBORN—The Prospector's Field-Book and Guide. Sixth edition. 88 engravings. 50 pages. 1.50

TRAILER—Tool Steel: Forging, Annealing, Hardening, etc. 66 engravings. 194 pages. 2.00

Elaborate Illustrated Circulars of the above important books will be mailed to anyone to any part of the world who will furnish his address.

The above books sent by mail free of postage at the publication price to any address in the world.

HENRY CARRY BAIRD & CO.
Industrial Publishers, Booksellers and Importers
810 Walnut St., Philadelphia, Pa., U. S. A.

**NEW YORK SCHOOL OF
AUTOMOBILE ENGINEERS**
(Incorporated)
146 West 56th Street, New York City

A HIGH GRADE SCHOOL OF INSTRUCTION
FOR CHAUFFEURS AND AUTOMOBILE OWNERS

Day and evening classes. Non-enrolling students
Write, call or phone for particulars. Tel. Columbus 0111

The commercial credit of a firm is enhanced by insurance on the life of each member for the benefit of the survivors. Is your credit thus buttressed?

**PENN MUTUAL LIFE
PHILADELPHIA**

"A great deal in a little space."—The Press.

"THE FOUR-TRACK SERIES"

This is the title of a series of books of travel and education issued by the Passenger Department of the

NEW YORK CENTRAL LINES

These small books are filled with information regarding the best modes of travel and the education that can best be obtained by travel.

They relate specifically to the great resorts of America—to trips to the islands of the sea and around the world.

They also contain numerous illustrations and new and accurate maps of the country described.

A copy of the 12-page Illustrated Catalogue of the "Four-Track Series" will be sent free upon receipt of postage stamp by George H. Daniels, General Passenger Agent, New York Central & Hudson River Railroad, Grand Central Station, New York.

50 YEARS'
EXPERIENCE

PATENTS

TRADE MARKS
DESIGNS
COPYRIGHTS & C.

Anyone sending a sketch and description may quickly ascertain our opinion free whether an invention is probably patentable. Communications strictly confidential. HARRISON on Patents sent free. Oldest agency for securing patents. Patents taken through Munn & Co. receive special notice, without charge, in the

Scientific American.

A handsomely illustrated weekly. Largest circulation of any scientific journal. Terms: \$5 per year; four months, \$1. Sold by all newsdealers.

MUNN & Co. 361 Broadway, New York
Branch Office, 25 F St., Washington, D. C.

Powders, toilet and bath, Pacific Coast
Borax Co. 47,047

Scales, McDonald Brothers Pitman Scale Co. 47,044

Seeders and grain drills, Dowagiac Manufacturing Co. 47,101

Shafting, shaft pulleys, shaft hangers, shaft couplings, and shaft clutches, Patterson, Gottfried & Hunter, Ltd. 47,081

Shoes, heavy leather, Manier, Dunbar & Co. 47,112

Shot shells and cartridges, Winchester Repeating Arms Co. 47,094

Shot shells, cartridges, and primers, Winchester Repeating Arms Co. 47,095

Silk dress goods, Rogers & Thompson 47,092

Soap and soap powder, Pacific Coast Borax Co. 47,122

Stoves, Ullmann, Dreifuss & Co. 47,082

Starch, corn, Hiegel, Cooper & Co. 47,083

Stoves, furnaces, and ranges and all parts adapted to be used in connection therewith, heating and cooking, Detroit Stove Works 47,100

Suits and overcoats, men's, youths', boys', and children's, Weiss & Segal 47,083

Table utensils, sterling silver, Manner Manufacturing Co. 47,080

Tapes, adhesive, New York Insulated Wire Co. 47,110

Thinblows for sewing purposes, Stern Brothers & Co. 47,124

Tobacco extracts, Kentucky Tobacco Product Co. 47,058

Valves, faucet hydrants, and hydrants, Patterson, Gottfried & Hunter, Ltd. 47,121

Varnish, Mayer & Loewenstein 47,074

Varnishes, American Varnish Co. 47,122

Varnishes and japans, Mayer & Loewenstein 47,077

Wafers, cream, G. L. Jacquelin 47,030

Wagon, farm, Linthroth Wagon Co. 47,120

Washing machines, Voss Brothers Manufacturing Co. 47,130

Watch parts, Hampden Watch Co. 47,057

Watches, Hampden Watch Co. 47,056

Water columns, Lankenheimer Co. 47,055

Whiskey, France, Heyn 47,057

Whiskey, Sig. & Sol. H. Freiberg 47,095

Whiskey, J. & S. Goodman 47,071

Whiskey, K. J. Lang & Son 47,076

Whiskey, J. Douglas 47,087

Whiskey, I. Trager Co. 47,088

Whiskey, Thixton, Millett & Co. 47,091

Whiskey, Joseph Beck & Sons 47,086

Whiskey, Freiberg, Heyn & Co. 47,103

Whiskey, Sig. & Sol. H. Freiberg 47,104

Whiskey, James Olwell & Co. 47,105

Whiskey, Missouri Wine & Liquor Co. 47,113

Whiskey, N. M. Uhl 47,123

Whiskey, N. M. Uhl 47,123

Wine, L. Rosenzweig 47,082

Wine, Wm. Hoeberlein Co., Inc. 47,131

Woolen piece goods, P. Almy 47,052

LABELS

"Abe Martin," for cigars, Cole Lithographing Co. 12,400

"Aunt Abby's Headache Remedy," for medicine, W. London 12,307

"Beefine," for extract of beef, Liquid Carbonic Co. 12,405

"Best Lunch Milk Brand," for cream and biscuit, C. D. Rose & Son 12,402

"D. S. Gates Reliable 96 Whiskey," for whiskey, D. S. Gates 12,407

"Dr. J. J. Donnelly" 12,306

"Expanding Kalamazoo Health Food," for breakfast food, Kalamazoo Food Co. 12,401

"Fine Cloth Caps," for caps, E. A. Horie 12,304

"Georgiana," for syrups, Goyer Alliance Refining Co. 12,404

"Hobbs," for labeling and shoe, F. W. Whittecher 12,305

"John Ball," for cigars, Schmidt & Co. 12,412

"Nip," for cigars, Schmidt & Co. 12,410

"Rec-ma," for remedy for rheumatism, D. J. Dalton 12,306

"Sapola Radiator Powder," for radiator powder, Gerstlacher Bros. 12,413

"Summer Beauties Tomatoes," for canned tomatoes, United States Printing Co. 12,400

"Tamora," for cigars, Schmidt & Co. 12,411

"The Octo Clip," for clips, Clippinger Bros. 12,303

"The Uti Tea," for tea, G. E. & J. F. Beastro 12,406

"Wheat Fibre," for cereal crackers, W. E. Williams 12,403

"White Seal," for cigars, Wm. Hoeberlein Co., Inc. 12,408

"Wooten's Menthol Cough Drops," for cough drops, F. W. Wooten 12,300

PRINTS

"A Beautiful \$300 Kingsbury Upright Piano and \$1,250 Given Away Absolutely Free July First," for pianos, J. M. Mann 1,402

"Adler Suits and Overcoats are Made in Milwaukee," for men's winter apparel, David Adler & Sons Clothing Co. 1,430

"Abi," for a little girl that knows what Papa Likes," for beer, Geo. Wisemann Brewing Co. 1,456

"Argo Salmon," for canned salmon, Alaska Packers Association 1,401

"Braid Trimmed," for millinery and hats, Gage Brothers & Co. 1,431

"Chapeau," for millinery and hats, Gage Brothers & Co. 1,447

"Hiawatha," for millinery and hats, Gage Brothers & Co. 1,445

"Boe," for beer, Geo. Wisemann Brewing Co. 1,437

"Humphrey's Magic Stomach Pad," for a stomach pad, Humphrey & Deuel 1,435

"It's Wonderful," for whiskey, F. E. Siegel 1,400

"Lace Ruche," for millinery and hats, Gage Brothers & Co. 1,453

"Lace Trimmed," for millinery and hats, Gage Brothers & Co. 1,443

"Lotos Export," for beer, Adam Scheidt Brewing Co. 1,455

"Mail Notice," for mail extract, Ambuser-Busch Brewing Assn 1,454

"Peary at the Pole Discovered at Last, and It's Wonderful," for beer, Geo. Wisemann Brewing Co. 1,458

"Picture Hat," for millinery and hats, Gage Brothers & Co. 1,431

"Ribbons Trimmed," for millinery and hats, Gage Brothers & Co. 1,445

"Roulette Cards," for a game, A. K. Ferris 1,437

"Satin Top," for millinery and hats, Gage Brothers & Co. 1,440

"Milk Pleatings," for millinery and hats, Gage Brothers & Co. 1,432

"Skating Toque," for millinery and hats, Gage Brothers & Co. 1,442

"Tailored Coquette," for millinery and hats, Gage Brothers & Co. 1,444

"Tailored Shawl," for millinery and hats, Gage Brothers & Co. 1,450

"The Atlanta Spirit," for whiskey, Gray Lithograph Co. 1,450

"The Matinee," for millinery and hats, Gage Brothers & Co. 1,449

"White Dove," for millinery and hats, Gage Brothers & Co. 1,445

A printed copy of the specification and drawing of any patent in the foregoing list, or any patent in print issued since 1863, will be furnished from this office for 10 cents, provided the name and number of the patent desired and the date be given. Address Munn & Co., 361 Broadway, New York.

Canadian patents may now be obtained by the inventors for any of the latest inventions in the foregoing list. For terms and further particulars address Munn & Co., 361 Broadway, New York.

DON'T BUY GASOLINE ENGINES

All one cylinder engines, 10 to 20 horsepower. Come to us for and let us show you. Quickly, easily started. No vibration. Can be moved on any road. THE TEMPLE FURNACE CO., 15th St., Chicago. THIS IS OUR FIFTY-FIRST YEAR.

"The Densmore Does More" Back Space Key Saves 1/4 The Time

**POINTS OF
SUPERIORITY**

Line-writer and pointer find the place

Speed escapement—Fast work, no "piling up"

Justifier—To rewrite a word instead of a whole page

Agents desired to deal directly with the factory



**POINTS OF
SUPERIORITY**

Heavy manifolder—Clear carbon copies

Instantly interchangeable platens

Ball-bearings give easy action and reduce friction

MAIN OFFICE:
346 Broadway
New York, U. S. A.

LET US BE YOUR FACTORY
WRITE FOR ESTIMATE ON ANY ARTICLE
YOU WANT MANUFACTURED

STAMPINGS, MODELS, EXPER. WORK
WRITE FOR FREE CATALOGUE
THE CLONE MACHINE & STAMPING CO.
270 Hamilton St., Cleveland, O.

PLUMBING SCHOOLS.
Men and boys wanted to earn \$1.00 a day, after two months' instruction. Position guaranteed. CIVIL ENGINEERING SCHOOLS, 200 Tenth Avenue, New York. Cincinnati, O., St. Louis, Mo. Free catalogue.

ICE MACHINES Carlisle Engines, Brewers' and Distillers' Machinery, 112 WILFRED AVE. CO. 38 Clinton St., Milwaukee, Wis.

MODELS & EXPERIMENTAL WORK.
Inventions developed. Special Machinery.
E. V. BAILLARD, 24 Franklin Street, New York.

RUBBER Expert Manufacturers Fine Jobbing Work
PARKER, STRAUBS & SUTTON, 328-329 South St., New York

MODELS dies, boxes, metal stampings, patent articles novelties, manufactured and sold. Piping on aluminum. U. S. Novelty Co., Lily Dale, N. Y.

DRYING MACHINES. S. E. WORRELL, Hamilton, Mo.

WORKING AND PATENT DRAWINGS. G. M. MAYER, M.E., 131 Monmouth St., Chicago, Ill.

DIAMOND TOOLS For Mechanical Purposes
John Wennstrom's Sons Co., 34 1st St., Brooklyn, N. Y.

LEARN ART OF ENGRAVING Situations guaranteed. Send for catalogue. JEWELLERS' SCHOOL OF ENGRAVING, 62 Madison Street, Chicago.

Experimental & Model Work
Or. & advice free. Wm. Gardam & Son, 45-51 Rose St., N. Y.

EXPERIMENTAL WORK Scientifically and accurately executed. Models and small machinery perfected. STEVENS & VOLKMER, 61 Fulton Street, Telephone 255 John.

INVENTORS.—Our specialty is practically developing inventions. Design and build special, plain and automatic machinery, presses, dies, models, patterns and jigs. Send for Booklet No. 1.
A. NACKS & SONS, 52-53 E. 12th St., Philadelphia, Pa.

NOVELTIES & PATENTED ARTICLES
MANUFACTURED BY CONTRACT. PRICES LOW. SPECIAL MACHINERY FOR ENGRAVING, STAMPING, ETC.

Telegraphy Circular free. Wonderful automatic teacher. 1 year \$1.00. 6 MONTHS \$0.50. 3 MONTHS \$0.25. 1 MONTH \$0.10. 1000 1st St., New York.

TELESCOPES W. S. D. MOORE

Magical Apparatus. Grand Book Catalogue. Over 100 engravings. No. 1. Parlor Tricks Catalogue, free.
MARTINKA & CO., Mfrs., 28 Sixth Ave., New York.

INVENTORS We manufacture METAL SPECIALTIES of all kinds. In order, exact equipment lowest prices. Send sample or drawing. THE EAGLE TOOL CO., Dept. A, Cincinnati, O.

Complete Only \$15.

JUST SEND ME ONE DOLLAR

and I will ship C. O. D. to any railroad station in the U. S. this fine Willard Steel Range. Anyone can say they have the best range in the world, but I will furnish the evidence and leave the verdict to you. After you examine this range, if you are satisfied in every way, pay Agent \$1.00 and freight, and you become the possessor of the best range in the world for the money. The range has six 8-inch lids; 18-inch oven; 16-gallon reservoir; large warming rack; top cooking service shade ins. Guaranteed to reach you in perfect order, shipping weight, 400 lbs. Thousands in use and every one of them giving satisfaction. Write for full description and testimonials.

WM. G. WILLARD
No. 12 WILLARD BUILDING
315-321 CHESTNUT STREET
ST. LOUIS, MO.

THE EAGLE TOOL CO. Dept. A, Cincinnati, O.

Complete Only \$15.

JUST SEND ME ONE DOLLAR

and I will ship C. O. D. to any railroad station in the U. S. this fine Willard Steel Range. Anyone can say they have the best range in the world, but I will furnish the evidence and leave the verdict to you. After you examine this range, if you are satisfied in every way, pay Agent \$1.00 and freight, and you become the possessor of the best range in the world for the money. The range has six 8-inch lids; 18-inch oven; 16-gallon reservoir; large warming rack; top cooking service shade ins. Guaranteed to reach you in perfect order, shipping weight, 400 lbs. Thousands in use and every one of them giving satisfaction. Write for full description and testimonials.

WM. G. WILLARD
No. 12 WILLARD BUILDING
315-321 CHESTNUT STREET
ST. LOUIS, MO.

THE EAGLE TOOL CO. Dept. A, Cincinnati, O.

Complete Only \$15.

JUST SEND ME ONE DOLLAR

and I will ship C. O. D. to any railroad station in the U. S. this fine Willard Steel Range. Anyone can say they have the best range in the world, but I will furnish the evidence and leave the verdict to you. After you examine this range, if you are satisfied in every way, pay Agent \$1.00 and freight, and you become the possessor of the best range in the world for the money. The range has six 8-inch lids; 18-inch oven; 16-gallon reservoir; large warming rack; top cooking service shade ins. Guaranteed to reach you in perfect order, shipping weight, 400 lbs. Thousands in use and every one of them giving satisfaction. Write for full description and testimonials.

WM. G. WILLARD
No. 12 WILLARD BUILDING
315-321 CHESTNUT STREET
ST. LOUIS, MO.

THE EAGLE TOOL CO. Dept. A, Cincinnati, O.

THE CITY OF NEW YORK Department of Street Cleaning

New York, September 2, 1905.
Contract for the Final Disposition of Garbage in the Borough of Manhattan, for Five (5) Years, from August 1, 1906.

Bids for the above contract will be received at the Main Office of the Department of Street Cleaning, Nos. 15-21 Park Row (14th floor), Borough of Manhattan, until 12 o'clock, noon, Monday, November 6, 1905.

For further information as to the nature of the work and the manner and requirement of the bids, bidders should call upon the Commissioner of Street Cleaning, and should also read the advertisement of said contract now appearing in the "City Record."

JOHN MCG. WOODBURY
Commissioner of Street Cleaning

Learn Telegraphy and R. R. Accounting

\$20 to \$50 per month salary assured our graduates under bond. You don't pay us until you have a position. Largest system of telegraph schools in America. Endorsed by all railway officials. Operators always in demand. Ladies also admitted. Write for catalogue.

MORSE SCHOOL OF TELEGRAPHY
Cincinnati, O., Buffalo, N. Y., Atlanta, Ga., La Crosse, Wis., Texarkana, Tex., San Francisco, Cal.

GINSENG The money making crop. Ready grown. Roots in your yards to grow hundreds of dollars worth annually. Roots for sale. Rooting. Literature free. Write today.
BUCKINGHAM'S GINSENG GARDENS
Dept. 4, Mansville, Ohio

AUTO STORAGE BATTERIES ALL KINDS

MASON'S NEW PAT. WHIP HOISTS
Are superior to all other hoists for lifting heavy loads. Admitted by principal stockholders in New York & East on Hand. By VOLNEY W. MASON & CO., Inc.
Providence, R. I., U. S. A.

**SETS OF CASTINGS OF
MODEL ENGINES**
SEND FOR FREE CATALOGUE
L. L. CATTOLE
Also TOOLS
GEAR WHEELS & PARTS OF MODELS

Removed to 120 West Street.

Grand Rapids School of Mechanical Drawing
261, 263, 265 Broadway Building, Grand Rapids, Mich.
Instructions by mail in Mechanical Drawing, Naval or Marine Architecture, Boat Designing and Landscape Gardening.
SEND FOR OUR CATALOGUE OF FULL INFORMATION

TYPEWRITERS
All the latest machines SOLD or RENTED AT HALF PRICE. HARRY WOOD AIR-FLIGHT MASTER TYPEWRITER. Shipped with privilege of examination. Send for Catalogue.
Typewriter Emporium, 200 Lathole St., Chicago

HASH MONEY
You can earn at least \$5.00 a day selling FORBES' L. L. WOOD AIR-FLIGHT MASTER TYPEWRITER. Apply to dealers and windows. Reduce the coal bills. Samples and terms FREE.
CHAS. J. FORBES, 222 Center Building, Holyoke, Mass.

STA-RITE
You get the right length and 175 in. the "Sta-Rite" is the best.

STA-RITE
Station Plan. Regular Production. \$1.50. min. \$1.00. Very few show. They're made on the system. The E. E. Hardy Co., 205 West Broadway, New York

STA-RITE
You get the right length and 175 in. the "Sta-Rite" is the best.

STA-RITE
Station Plan. Regular Production. \$1.50. min. \$1.00. Very few show. They're made on the system. The E. E. Hardy Co., 205 West Broadway, New York

STA-RITE
You get the right length and 175 in. the "Sta-Rite" is the best.

STA-RITE
Station Plan. Regular Production. \$1.50. min. \$1.00. Very few show. They're made on the system. The E. E. Hardy Co., 205 West Broadway, New York

STA-RITE
You get the right length and 175 in. the "Sta-Rite" is the best.

STA-RITE
Station Plan. Regular Production. \$1.50. min. \$1.00. Very few show. They're made on the system. The E. E. Hardy Co., 205 West Broadway, New York

STA-RITE
You get the right length and 175 in. the "Sta-Rite" is the best.

STA-RITE
Station Plan. Regular Production. \$1.50. min. \$1.00. Very few show. They're made on the system. The E. E. Hardy Co., 205 West Broadway, New York

STA-RITE
You get the right length and 175 in. the "Sta-Rite" is the best.

STA-RITE
Station Plan. Regular Production. \$1.50. min. \$1.00. Very few show. They're made on the system. The E. E. Hardy Co., 205 West Broadway, New York

STA-RITE
You get the right length and 175 in. the "Sta-Rite" is the best.

STA-RITE
Station Plan. Regular Production. \$1.50. min. \$1.00. Very few show. They're made on the system. The E. E. Hardy Co., 205 West Broadway, New York

STA-RITE
You get the right length and 175 in. the "Sta-Rite" is the best.



See Your Hair Grow GRAHAM'S Glass Vacuum Cap

The transparent "PNEU-VACU" CAP gives you an opportunity to watch the process and when you have caused a good, healthy, red glow in the scalp you know you have brought the blood to the scalp again and that it will do the work nature intended. It nourishes the hair follicles and induces a healthy growth that has long been dormant. You cannot OVERDO the matter, or worse still, not keep up the stimulation long enough.

Booklet on request.
Vacuum Cap-Appliance Co.
Suite 110 Downing Bldg.
NEW YORK
CITY

New York Belting & Packing Co. Ltd.

Manufacturers of high grade Rubber Belting, Diaphragms, Dredging Sleeves, Emery Wheels, Air Brake, Steam, Suction and Garden Hose, etc., Mats, Matting, Interlocking Rubber Tiling.

Also manufacturers of moulded and special rubber goods of every description.

Write for catalogue.

91-93 Chambers St., New York

To INVESTIGATE



BURYEA POWER CO., 44-84 Ayrud St., Reading, Pa.



CHARTER

Stationaries, Portables, Motors, Pumps, Boilers and Boat Engines, Combined with Dynamometers.
Gasoline, Gas, Kerosene.
Send for Catalogue.
State Power Needs.

CHARTER GAS ENGINE CO., Box 148, STERLING, ILL.

Scales
All varieties at lowest prices. Best Railroad Truck and Warehouse Stock Scales made. Also for small shops, including safe, heavy machines, hydraulic, etc., etc. - **CHARTER**
Scales, Lists Free. CHICAGO SCALES CO., Chicago, Ill.

What Is Daus' Tip-Top?

TO PROVE that Daus' "Tip-Top" is the best and simplest device for making 100 copies from pen-written and 50 copies from typewritten original, we will give complete description, copy and without deposit, on ten (10) days' trial.
Price \$2.50 less trade discount of 25% per cent, or \$1.875 Net

The Felix A. R. Daus Publishing Co., Daus Bldg., 111 John St., New York

CRUDE ASBESTOS DIRECT FROM MINES

PREPARED R. H. MARTIN,
ASBESTOS FIBRE OFFICE, ST. PAUL BUILDING
for Manufacturers use 220 B'way, New York.

MAGIC LANTERNS

Stereoscopic and Moving Picture Machines. Public Exhibitions PAY BIG. Small capital required. Views and Films illustrating any subject. Catalogue free. Magic Lanterns for Home Amusement. MFG. OFFICIAL.
McAlister, 49 Nassau St., New York.



IF YOU OWN A ROOF, USE
MICA-ROOF Ready Roofing and save repairs. MICA-ROOF is proof against water, wind, snow and climatic changes, and will last a life-time with reasonable care. We pay the freight. Samples upon request. Write today. Address:
ASBESTOS MFG. & ROOFING CO.
Manufacturers of Everything in the Asbestos Line
217 GARR STREET ST. LOUIS, MO

Bausch & Lomb Microscopes

This is an invitation to send for our illustrated catalog of Microscopes. If you are interested in best instruments for the least money, those that are used in the leading laboratories everywhere and by individual workers who know the best.

Bausch & Lomb Optical Co.
MANUFACTURERS
NEW YORK CHICAGO BOSTON
SAN FRANCISCO FRANKFORT A-M GERMANY



GARDNER STOCK
CHICAGO ILL. 12 to 31 South Union Street.



Jackson's Series 4-shaft Turbine Pump

Largest High Head Series Turbine Pump in the World

Capacity 10,000 gallons per minute. Total lift 550 feet used for hydraulicking on one of the largest placer mines in the world. See Scientific American, August 18, 1905. Catalog No. 32.
Byron Jackson Machine Works, San Francisco, Cal., U. S. A.

THE YOUTH'S COMPANION FOR 1906



THE NATIONAL FAMILY PAPER.

Every member of the family has a share in the entertaining and informing reading which The Companion brings into the home every week. The fifty-two issues of the 1906 Volume will bring to the subscriber

- | | |
|---|---|
| 7 SERIAL Stories, each if bound equal to a \$1.25 volume. | 250 CAPITAL Stories by the most entertaining writers of fiction. |
| 50 LEADING Articles by men and women famous in all the great vocations. | 1000 NOTES on Current Events, Science and Natural History. |
| 150 SPECIAL Contributions on subjects of the utmost interest and variety. | 2000 ANECDOTES of the Wise and Great, Selections of Miscellany, Poems, etc. |

Illustrated Announcement for 1906 and Sample Copies of the Paper Free.

EVERY NEW SUBSCRIBER

Who cuts out and sends at once this slip (or mentions this publication) with \$1.75 for The Companion for the 52 weeks of 1906 will receive All the weekly issues of The Companion for the rest of 1905. The Thanksgiving, Christmas and New Year's Double Numbers. The "Minutemen" Calendar for 1906, in twelve colors and gold. As much reading in the year as would fill 20 octavo volumes. \$125,000 will be shared equally by Companion subscribers getting five other new subscriptions. Send for information. E 127
THE YOUTH'S COMPANION, BOSTON, MASS.

OLD STYLE ROOFING

What do you know about roofing material? You would not buy a motor car until you knew something about engines. You would not buy a horse until you knew something about horse-flesh. Why should you buy or build a house before you know something about one of the most important parts of it—the roof?

There are but two things you need to know. One is that good tin is the best, the most durable and the least expensive sort of roofing material; and the other is that no tin is as good as "Taylor Old Style" roofing tin because no tin but "Taylor Old Style" is made by the slow, thorough, old-fashioned, hand-dipping process.

N. & G. TAYLOR COMPANY
ESTABLISHED 1810
Philadelphia

IT PAYS BIG To amuse the Public With Motion Pictures

NO EXPERIENCE NECESSARY as our instruction book and "Business Guide" tells all. We furnish Complete Outfits with Big Advertising Posters, etc. Numerous dramatical of fun, travel, history, religion, temperance work and songs illustrated. One man can do it. Advertising Opportunity in any locality for a man with a little money to show in churches, school houses, lodges, halls, theatres, etc. Big profits each entertainment. Others do it, why not you? It's easy; write to us and we'll tell you how. Catalogue free.
AMUSEMENT SUPPLY CO., 467 Chemical Bank Bldg., CHICAGO.

MAXIMUM POWER—MINIMUM COST

If you use a pump for beer, lard, acids, starch, petroleum, brewer's mash, tanner's liquor, cottonseed oil or fluids, hot or cold, thick or thin you want to get the **TABER ROTARY PUMP** which does the most work at the least expense. Simply constructed. Can be run at any desired speed. Perfectly durable. All parts are interchangeable. Needs no skilled workman. Defects guaranteed. Catalogue free. **TABER PUMP CO., 32 Wells St., Buffalo, N. Y., U. S. A.**

THE LIGHT MOUNTAIN AND MINING TRANSIT

Graduations on sterling silver, 8 1/2 inches diameter, (very double opposite) verniers, reading to minutes. Telescope 8 1/2 inches long, 1 1/2 inches aperture; giving range close 3 1/2 miles and will reverse at either end. Clamps and targets to telescope axis. Compass needle 2 1/2 inches long. Variation arc. Long taper center with broad flanges. Weight 10 pounds. Tripled T. 12.
THE HANCOCK MFG. CO., Troy, N. Y., U. S. A.
238 River Street

20th CENTURY SOAP,

a purely vegetable oil soap, containing no lye, but cleansing by the penetrating nature of its oils. Good for engineers, electricians, chemists, etc. If thorough cleaning is desired, it is invaluable. Has no equal for automobiles. Does not injure the polish, but adds to the lustre. If your dealer does not keep it, send us his name and address and we will send you a sample can free. Special attention given to Export orders.
HOFFHEIMER SOAP CO., 169 E. Jackson Boulevard, CHICAGO
Eastern Office, No 1 Madison Square, NEW YORK. Renshaw Bldg., PITTSBURG, PA.

ROAD BUILDING MACHINERY

AND CONTRACTORS SUPPLIES.
ACME ROAD MACH. CO., FRANKFORT N. Y. U. S. A.



CADILLAC

A stock Cadillac, after two years of exacting service, was maintained during twelve months of continual usage at a total repair cost of \$24.85. Is it any wonder that the Cadillac is known as the "Car of Economy?"

Runabout, \$750; Model C, detachable top, new, \$850; Light Touring car, \$950; Four cylinder car, \$1,800; f. o. b. Detroit.
Write for catalogue and address of nearest dealer, where you may see and try a Cadillac.
CADILLAC AUTOMOBILE CO., Detroit, Mich.
Member A. L. A. M.



Everybody Needs an Accident Case

Do you know how to treat a cut or a bruise, or how to relieve a painful swelling? Have you the appliances and remedies at hand? Are they pure and antiseptic?

THE U. S. EMERGENCY CASE
contains 18 articles, including bandages, dressings, ointments, plasters, absorbent cotton, scissors, First Aid Handbook, etc., all in a compact metal case and the price is ONE DOLLAR, express prepaid.
If after examination you are not fully satisfied, we will cheerfully refund the money.

Large Size, for Workshops, Offices, Mills, etc., \$2.50

U. S. EMERGENCY CASE CO.

HATCH & BRITTON, Inc., General Sales Agents
1301 Flatiron Building, New York

Representatives: Union Trust and Deposit Co., Union, N. Y.

Washburn's Patent "O.K." PAPER FASTENER

The "O.K." Paper Fastener is the only fastener which, when attached, stays attached, yet is detachable without injury to the paper or the fastener, and is easy to apply and remove. They are always ready for use and require no machine for putting them on or taking them off and they always work. Put up in brass boxes of 100 fasteners each ten boxes to a carton. Price 50 cents a box; \$1.50 per dozen. Made in U. S. A. At all stationers or from the Manufacturer, postage or express prepaid. Sample box, assorted, 15c. Illustrated Booklet free.
JAS. V. WASHBURN, MFG.
210 E. Genesee St., Syracuse, N. Y.

Wonder Electric Lighting Outfit

For the farm, shop, cottage, or private residence.
So simple anyone can operate them. This is the first outfit ever offered for sale at such a price that you cannot afford to be without one. That of it; only cost of a cent per hour for each 15 C. P. lamp. You can also use engine during the day for other purposes. A 15-light outfit only \$100.00. Send for complete catalogue.

THE E. M. CORNWELL CO.,
406 So. Salina St., Syracuse, N. Y.

UNIVERSITY SHOE

(Trade Mark.)
Heaviest oily grain leather—tan colored. Watertight construction. Comfortable and nearly indestructible. Send for pamphlet.
J. P. TWADDELL
1210-1212 Market St., Philadelphia

YOU CAN BUILD A GASOLINE MOTOR

with a set of our Complete for Mycra, Automobile, Marine or Stationary. Also Piston Motors and Accessories. Send stamp for catalogue.
STEEPS MFG. CO.,
2541 Grand Ave., Falls, Pa.

JESSOP'S STEEL

FOR TOOLS, SAWS, ETC.